

ANALYSIS OF RADIATION EXPOSURE FOR NAVAL UNITS OF OPERATION CROSSROADS Volume II-(Appendix A) Target Ships

Science Applications, Inc.
P.O. Box 1303
McLean, VA 22101-1303

3 March 1982

Technical Report

RECEIVED
MAR 12 1985
DASIAC

CONTRACT No. DNA 001-82-C-0012

UNCLASSIFIED
Determined to be releasable
to the public per authority
of DNA Document Declassifica-
tion Status List

THIS WORK WAS SPONSORED BY THE DEFENSE NUCLEAR AGENCY
UNDER RDT&E RMSS CODE 8384082466 V99QAXNA00011 H2590D.

Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, DC 20305

DARE #
8740

AD B090 882 L

DNA 82 005 2

Destroy this report when it is no longer
needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY,
ATTN: STTI, WASHINGTON, D.C. 20305, IF
YOUR ADDRESS IS INCORRECT, IF YOU WISH TO
BE DELETED FROM THE DISTRIBUTION LIST, OR
IF THE ADDRESSEE IS NO LONGER EMPLOYED BY
YOUR ORGANIZATION.



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DNA-TR-82-05-V2	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ANALYSIS OF RADIATION EXPOSURE FOR NAVAL UNITS OF OPERATION CROSSROADS Volume II—(Appendix A) Target Ships		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(m) R. Weitz C. Thomas J. Klemm J. Stuart M. Knowles J. Goetz E. Muller A. Landay		6. PERFORMING ORG. REPORT NUMBER SAL-84/1567 V2
9. PERFORMING ORGANIZATION NAME AND ADDRESS Science Applications, Inc. P.O. Box 1303 McLean, VA 22101-1303		8. CONTRACT OR GRANT NUMBER(a) DNA 001-82-C-0012
11. CONTROLLING OFFICE NAME AND ADDRESS Director Defense Nuclear Agency Washington, DC 20305		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Task V99QAXNA-00011
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE 3 March 1982
		13. NUMBER OF PAGES 186
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A since UNCLASSIFIED
15. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies only; Test and Evaluation, 25 May 1983. Other requests for this document must be referred to the Director, Defense Nuclear Agency, Washington, DC 20305.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This work was sponsored by the Defense Nuclear Agency under RDT&E RMSS Code B384082466 V99QAXNA00011 H2590D.		
19. KEY WORDS (Continue on reverse • If necessary and identify by block number) Operation CROSSROADS Nuclear Test Personnel Review (NTPR) Joint Task Force One Ship Contamination Oceanic Nuclear Test Radiation Exposure Assessment		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) External radiation doses are reconstructed for crews of support and target ships of Joint Task Force One at Operation CROSSROADS, 1946. Volume I describes the reconstruction methodology, which consists of modeling the radiation environment, to include the radioactivity of lagoon water, target ships, and support ship contamination; retracing ship paths through this environment; and calculating the doses to shipboard personnel. The USS RECLAIMER, a support ship, is selected as a representative ship to demonstrate		

20. ABSTRACT (Continued)'

this methodology. Doses for all other ships are summarized. Volume II (Appendix A) details the results for target ship personnel. Volume III (Appendix B) details the results for support ship personnel. Calculated doses for more than 36,000 personnel aboard support ships while at Bikini range from zero to 1.7 rem. Of those, approximately 34,000 are less than 0.5 rem. From the models provided, doses due to target ship reboarding and doses accrued after departure from Bikini can be calculated, based on the individual circumstances of exposure,

**ANALYSIS OF RADIATION EXPOSURES FOR
NAVAL UNITS OF OPERATION CROSSROADS**

VOLUME II

APPENDIX A: TARGET SHIPS

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>	
A-1	INTRODUCTION	5
A-2	NON-REMANNED TARGET SHIP PARTICIPATION SUMMARIES	7
	USS ANDERSON (DD-411)	8
	USS APOGON (SS-308)	9
	USS ARDC-13	10
	USS ARKANSAS (BB-33)	12
	USS BANNER (APA-60)	14
	USS RARROW (APA-61)	16
	USS BRACKEN (APA-64)	18
	USS BRISCOE (APA-65)	20
	USS BRULE (APA-66)	22
	USS BUTTE (APA-68)	24
	USS CARLISLE (APA-69)	26
	USS CARTERET (APA-70)	28
	USS CATRON (APA-71)	30
	USS CRITTENDEN (APA-77)	32
	USS DAWSON (APA-79)	34
	USS FALLON (APA-81)	36
	USS CASCONADE (APA-85)	38
	USS GILLIAM (APA-57)	40
	USS HUGHES (DD-410)	42
	USS INDEPENDENCE (CVL-22)	44
	USS LAMSON (DD-367)	46
	USS LCI-327	48
	USS LCI-332	50
	USS LCI-620	52
	USS LSM-60	53
	USS LST-52	54
	USS LST-125	56
	USS LST-133	58
	USS LST-220	60
	USS LST-545	62
	USS LST-661	64
	USS MAYRANT (DD-402)	66
	USS MUGFORD (DD-389)	68
	USS MUSTIN (DD-413)	70
	USS NAGATO (EX-JAPANESE BB)	72
	USS NEVADA (BB-36)	74
	USS NEW YORK (BB-34)	76
	USS PENNSYLVANIA (RR-38)	78

TABLE OF CONTENTS (Continued)

<u>SECTION</u>		<u>PAGE</u>
A-2	USS PENSACOLA (CA-24)	80
	USS PILOTFISH (SS-386)	82
	PRINZ EUGEN (EX-GERMAN CA)	84
	USS RALPH TALBOT (DD-390)	86
	USS RHIND (DD-404)	88
	SAKAWA (EX-JAPANESE CL)	90
	USS SALT LAKE CITY (CA-25)	92
	USS SARATOGA (CV-3)	94
	USS SKATE (SS-305)	96
	USS SKIP JACK (SS- 184)	98
	USS STACK (DD-406)	100
	USS TRIPPE (DD-403)	102
	USS VAINWRIGHT (DD-4 19)	104
	USS WILSON (DD-408)	106
	USS YO-160	108
	USS YOG-83	110
	USS LCT-4 12	112
	USS LCT-4 14	113
	USS LCT-705	114
	USS LCT-746	116
	USS LCT-8 12	117
	USS LCT-8 16	118
	USS LCT-8 18	120
	USS LCT-874	122
	USS LCT-1013	124
	USS LCT-1078	126
	USS LCT- 11 12	128
	USS LCT-11 13	130
	USS LCT-1114	132
	USS LCT-1115	133
	USS LCT-I 175	134
	USS LCT- I 187	135
	USS LCT- 1237	136
A-3	REMANDED TARGET SHIP PARTICIPATION SUMMARIES	137
	USS BLADEN (APA-63)	138
	USS CONYNGHAM (DD-371)	142
	USS CORTLAND (APA-75)	144
	USS DENTUDA (SS-335)	148
	USS FILLMORE (APA-83)	150
	USS GENEVA (APA-86)	153
	USS LCI-329	156
	USS LCI(L)-549	158
	USS LCI(L)-6 15	160
	USS NIAGARA (APA-87)	163
	USS PARCHE (SF-384)	166
	USS SEARAVEN (SC-196)	168
	USS TUNA (SS-203)	170

LIST OF ILLUSTRATIONS

<u>FIGURE</u>		<u>PAGE</u>
NON-REMANED TARGET SHIP GAMMA INTENSITY CURVES		
A-1	Shipboard Gamma Intensity vs. Time - USS ARDC- 13	11
A-2	Shipboard Gamma Intensity vs. Time - USS BANNER (APA-60)	15
A-3	Shipboard Gamma Intensity vs. Time - USS BARROW (APA-61)	17
A-4	Shipboard Gamma Intensity vs. Time - USS BRACKEN (APA-64)	19
A-5	Shipboard Gamma Intensity vs. Time - USS BRISCOE (APA-65)	21
A-6	Shipboard Gamma Intensity vs. Time - USS BRULE (APA-66)	23
A-7	Shipboard Gamma Intensity vs. Time - USS BUTTE, (APA-68)	25
A-8	Shipboard Gamma Intensity vs. Time - USS CARTERET (APA-70)	29
A-9	Shipboard Gamma Intensity vs. Time - USS CATRON (APA-71)	31
A-10	Shipboard Gamma Intensity vs. Time - USS CRITTENDEN (APA-77)	33
A-11	Shipboard Gamma Intensity vs. Time - USS DAWSON (APA-79)	35
A-12	Shipboard Gamma Intensity vs. Time - USS FALLON (APA-81)	37
A-13	Shipboard Gamma Intensity vs. Time - USS GASCONADE (APA-85)	39
A-14	Shipboard Gamma Intensity vs. Time - USS HUGHES (DD-410)	43
A-15	Shipboard Gamma Intensity vs. Time - USS INDEPENDENCE (CVL-22)	45
A-16	Shipboard Gamma Intensity vs. Time - USS LCI-327	49
A-17	Shipboard Gamma Intensity vs. Time - USS LCI-332	51
A-18	Shipboard Gamma Intensity vs. Time - USS LST-52	55
A-19	Shipboard Gamma Intensity vs. Time - USS LST-133	59
A-20	Shipboard Gamma Intensity vs. Time - USS LST-220	61
A-21	Shipboard Gamma Intensity vs. Time - USS LST-545	63
A-22	Shipboard Gamma Intensity vs. Time - USS LST-661	65
A-23	Shipboard Gamma Intensity vs. Time - USS MAYRANT (DD-402)	67
A-24	Shipboard Gamma Intensity vs. Time - USS MUGFORD (DD-389)	69
A-25	Shipboard Gamma Intensity vs. Time - USS MUSTIN (DD-413)	71
A-26	Shipboard Gamma Intensity vs. Time - NAGATO (EX-JAPANESE BB)	73
A-27	Shipboard Gamma Intensity vs. Time - USS NEVADA (BB-36)	75
A-28	Shipboard Gamma Intensity vs. Time - USS NEW YORK (BB-34)	77
A-29	Shipboard Gamma Intensity vs. Time - USS PENNSYLVANIA (BB-38)	79
A-30	Shipboard Gamma Intensity vs. Time - USS PENSACOLA (CA-24)	81
A-31	Shipboard Gamma Intensity vs. Time - PRINZ EUGEN (EX-GERMAN CA)	85
A-32	Shipboard Gamma Intensity vs. Time - USS RALPH TALBOT (DD-390)	87
A-33	Shipboard Gamma Intensity vs. Time - USS RHIND (DD-404)	89
A-34	Shipboard Gamma Intensity vs. Time - USS SALT LAKE CITY (CA-251)	93
A-35	Shipboard Gamma Intensity vs. Time - USS SKATE (SS-305)	97
A-36	Shipboard Gamma Intensity vs. Time - USS SKIPJACK (SS-184)	99
A-37	Shipboard Gamma Intensity vs. Time - USS STACK (DD-406)	101
A-38	Shipboard Gamma Intensity vs. Time - USS TRIPPE (DD-403)	103
A-39	Shipboard Gamma Intensity vs. Time - USS WAINWRIGHT (DD-419)	105
A-40	Shipboard Gamma Intensity vs. Time - USS WILSON (DD-408)	107
A-41	Shipboard Gamma Intensity vs. Time - USS YOG-83	111
A-42	Shipboard Gamma Intensity vs. Time - USS LCT-705	115

LIST OF ILLUSTRATIONS (Concluded)

<u>FIGURE</u>		<u>PAGE</u>
A-43	Shipboard Gamma Intensity vs. Time - USS LCT-816	119
A-44	Shipboard Gamma Intensity vs. Time - USS LCT-818	121
A-45	Shipboard Gamma Intensity vs. Time - USS LCT-874	123
A-46	Shipboard Gamma Intensity vs. Time - USS LCT-1013	125
A-47	Shipboard Gamma Intensity vs. Time - USS LCT-1078	127
A-48	Shipboard Gamma Intensity vs. Time - USS LCT-1112	129
A-49	Shipboard Gamma Intensity vs. Time - USS LCT-1113	131

REMANED TARGET SHIP GAMMA INTENSITY CURVES

A-50	Shipboard Gamma Intensity vs. Time - USS CONYNGHAM (DD-371)	143
A-51	Shipboard Gamma Intensity vs. Time - USS DENTUDA (SS-335)	149
A-52	Shipboard Gamma Intensity vs. Time - USS LCI(L)-329	157
A-53	Shipboard Gamma Intensity vs. Time - USS LCI(L)-549	159
A-54	Shipboard Gamma Intensity vs. Time - USS PARCHE (SS-384)	167
A-55	Shipboard Gamma Intensity vs. Time - USS SEARAVEN (SS-196)	169
A-56	Shipboard Gamma Intensity vs. Time - USS TUNA (SS-203)	171
A-57	Post Bikini Dose Nomograph	172
A-58	Shot ABLE Red Lines	173
A-59	Shot ABLE Blue Lines	174
A-60	Shot BAKER Red Lines	175
A-61	Shot BAKER Blue Lines	176

LIST OF TABLES

<u>TABLE</u>		<u>PAGE</u>
A-1	Calendar Date Conversions for Operation CROSSROADS	177

A- 1 INTRODUCTION

Eighty-four (84) ships were designated as target ships in support of Operation CROSSROADS. With the exception of seventeen (17) LCTs that were transported to Bikini and had no deck logs maintained on them, all of the target ships had been sailed to Bikini with a normal crew complement. The purpose of this appendix is to summarize the radiation dose history of the target ship crews while at Bikini and to provide the user with sufficient data to calculate personnel exposures subsequent to their departure from the lagoon. The final disposition of each target ship is also included.

In the organization of Appendix A, the 84 target ships have been categorized as either being NON-REMANDED (includes UNMANNED) or REMANNED and sailed away. There were seventy-one (71) target ships in the NON-REMANDED category, including the 17 LCTs that were transported to the lagoon. Only thirteen (13) of the target ships were REMANNED after Shot BAKER and sailed away.

Crews of target ships were housed on personnel transports during and following the two detonations. The crews of ships that were subsequently sunk or rendered uninhabitable by Shot ABLE and/or BAKER continued living aboard transport ships. Generally, the crews of non-remanded target ships were disbanded (either at Bikini or Kwajalein) prior to their return to Hawaii or CONIJS. In those instances when a crew was disbanded prior to its departure from Bikini Lagoon, the reconstruction dose is developed until the date the majority of the crew can no longer be identified as a discrete unit. In those instances when a crew was disbanded while at Kwajalein, the reconstructed dose is developed until the transport that housed the crews departed Bikini.

Section A-2 of this appendix contains a Target Ship Participation Summary sheet and a Shipboard Gamma Intensity Curve (unless the vessel sunk as a result of Shot ABLE or BAKER) for each of the NON-REMANDED target ships. The curves are included to permit dose calculations for CROSSROADS participants after they left Bikini. These data sheets are presented in alphabetical order by ship name with the

exception of the LCTs, which were unmanned at all times while at Rikini and have been treated as a subset of the NON-REMANDED ship category. Where radiological data and ship/crew locations are known for the LCTs, this data is provided.

Section A-3 contains similar data sheets for each of the thirteen (13) remanned target ships that were sailed away after Shot RAKER. For six (6) of these ships, the radiological data does not exist to reconstruct their shipboard intensity curves. In these cases, the curves have been replaced with the ship's Path Report, which details the ship's movements through areas of radiological significance while at Bikini, and a Radiological Report, which is a day-by-day compilation of the reconstructed film badge dose for the crew while aboard the ship until its departure from the lagoon. The Target Ship Participation Summary sheets for these six ships include a ship contamination factor when departing Bikini that should be used in conjunction with the nomograph in Figure A-57 to calculate crew exposures subsequent to their departure from Bikini.

Because these thirteen (13) target ships were remanned and sailed away after Shot RAKER, it was necessary in some instances for the crews to periodically reboard the target vessels while at Bikini for decontamination work and to make general repairs to the ship. For the days when this occurred (as extracted from the ship's deck logs), the average crewmember dose is calculated using:

$$D = \frac{N}{24} D_{TS} + \frac{24-N}{24} D_{evac}$$

where

- D = average crewmember film badge dose
- N = number of hours aboard the target ship (from deck logs)
- D_{TS} = daily topside film badge dose on the target ship (derived from the ship's gamma intensity curve or the radiological report)
- D_{evac} = daily film badge dose on the evacuation ship (from VOLUME III, APPENDIX B, of this report)

SECTION A-2

**NON-REMANNED TARGET SHIP
PARTICIPATION SUMMARIES**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS ANDERSON (DD-411)

CREW SIZE: 105

MISSION: USS ANDERSON was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred on July 1, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 8 July	ABLE Evacuated aboard BAYFIELD (APA-33) (Observed Shot ABLE from a distance of 21 miles)	0.001
9 July -23 August	BAKER Evacuated aboard AJAX (AR-6)which departed Bikini on 23 August. (Observed shot Baker from a distance of 15.5 miles)	0.191

Total calculated dose while at Bikini: 0.192 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: ANDERSON sank in Bikini lagoon on July 1, 1946 as a result of Shot ABLE.

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS APOGON (SS-308)

CREW SIZE: 54

MISSION: USS APOGON was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BOTTINEAU (APA-235) (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July-19 July	Aboard APOGON	0.050
	BAKER	
20 July-7 August	Evacuated aboard BOTTINEAU (Observed Shot BAKER from a distance of 16 miles)	0.143
8 August-17 August 17 August	Aboard FILLMORE (APA-83) Crew transferred to various units as SUBRON II.	0.055

Total calculated dose up until the date when the crew splintered: 0.248 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: APOCON sank in Bikini Lagoon on July 25, 1946 as a result of shot BAKER.

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS ARDC-13

CREW SIZE: 4

MISSION: USS ARDC was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.


SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	Unknown	

FINAL DISPOSITION: ARDC-13 sank in Bikini lagoon on August 4, 1946 as a result of progressive flooding due to shot BAKER.

USS ARDC-13



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-1. Shipboard Gamma Intensity vs. Time - USS ARDC-13

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS ARKANSAS (BB-33)

CREW SIZE: 441

MISSION: USS ARKANSAS was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June- 8 July	Evacuated aboard ROCKBRIDGE (APA-228) (Observed Shot ABLE from a distance of 21 miles)	0.009
9 July-17 July	Aboard ARKANSAS	0.015
18 July	Evacuated aboard ROCKBRIDGE	0.000
19 July-23 July	Aboard ARKANSAS	0.006
	BAKER	
24 July-6 August	Evacuated aboard ROCKBRIDGE (Observed Shot BAKER from a distance of 16 miles)	0.148
6 August	Crew transferred to various units.	

Total calculated dose up until the date when the crew splintered: 0.178 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: ARKANSAS sank in Bikini lagoon on July 25, 1946 as a result of Shot BAKER.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANNED

SHIP: USS BANNER (APA-60)

CREW SIZE: IO4

MISSION: USS BANNER was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BOTTINEAU (APA-235) (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July -17 July	Aboard BANNER	0.009
18 July -19 July	Evacuated aboard BOTTINEAU	0.000
20 July -23 July	Aboard BANNER	0.000
	BAKER	
24 July - 7 August	Evacuated aboard BOTTINEAU (Observed shot BAKER from a distance of 16 miles)	0.143
8 August-17 August 17 August	Aboard BEXAR (APA-237) Crew transferred to GEORGE CLYMER 164) BEXAR (27), and others (13).	0.098

Total calculated dose up until the date when the crew splintered: 0.250 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: BANNER was towed to Kwajalein after CROSSROADS for radiological tests. It was retained there until it was scuttled off Kwajalein on February 16, 1948.

USS BANNER (APA-60)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and **average** curve are presented as a function of time in days after Shot **Baker**. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-2. Shipboard Gamma Intensity vs. Time - USS BANNER (APA-60)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS BARROW (APA-61)

CREW SIZE: 114

MISSION: USS BARROW was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1944.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 f t)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BEXAR (APA-237) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard BARROW	0.007
18 July -19 July	Evacuated aboard BEXAR	0.000
20 July -23 July	Aboard BARROW	0.000
	BAKER	
24 July -17 August	Evacuated aboard BEXAR (Observed Shot BAKER from a distance of 16 miles)	0.199
17 August	Crew transferred to GEORGE CLYMER (71) and others (43).	

Total calculated dose up until the date when the crew splintered: 0.206 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: BARROW was towed to Kwajalein after CROSSROADS for radiological tests. It remained there until May 11, 1948, when it was scuttled off Kwajalein.

USS BARROW (APA-61)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-3. Shipboard Gamma Intensity vs. Time - USS BARROW (APA-61)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS BRACKEN (APA-64)

CREW SIZE: 108

MISSION: USS BRACKEN was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow I Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 1 July	ABLE Evacuated aboard HENRICO (APA-45) (Observed Shot ABLE from a distance of 12 miles)	0.000
2 July -23 July 24 July	Aboard BRACKEN Crew transferred to ROCKBRIDGE, HENRICO, APPLING, and GUNSTON HALL.	0.000

Total calculated dose up until the date when the crew splintered: 0.000 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: BRACKEN was towed to Kwajalein after CROSSROADS where it was retained for radiological test. It was sunk off Kwajalein on March 10, 1948.

USS BRACKEN (APA-64)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-4. Shipboard Gamma Intensity vs. Time - USS BRACKEN (APA-64)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANNED

SHIP: USS BRISCOE (APA-65)

CREW SIZE: 112

[MISSION: USS BRISCOE was a CROSSROADS target ship and arrived at Bikini prior to **June** 30, 1946 to prepare for the operation. It was anchored in the lagoon **and** remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 1 July	ABLE Evacuated aboard BAYFIELD (APA-33) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard BRISCOE	0.004
18 July -19 July	Evacuated aboard BAYFIELD	0.000
20 July -23 July	Aboard BRISCOE	0.000
24 July - 2 August	BAKER Evacuated aboard BAYFIELD (Observed Shot BAKER from a distance of 15 miles)	0.062
3 August-17 August 17 August	Aboard ROCKWALL (APA-230) Crew transferred to ROCKWALL (42), CORTLAND (28), GENEVA (8), and others.	0.136

Total calculated dose up until the date when the crew splintered: 0.202 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: USS BRISCOE was **towed to** Kwajalein where it was retained for radiological study. It was scuttled off Kwajalein on May 6, 1948.

USS BRISCOE (APA-65)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-5. Shipboard Gamma Intensity vs. Time - USS BRISCOE (APA-65)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS BRULE (APA-66)

CREW SIZE: 111

MISSION: USS BRULE was a CROSSROADS target ship **and** arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 2 July	Evacuated aboard BEXAR (APA-237) (Observed Shot ABLE from a distance of 22 miles)	0.004
3 July -17 July	Aboard BRULE	0.004
18 July -19 July	Evacuated aboard BEXAR	0.000
20 July -23 July	Aboard BRULE	0.000
	BAKER	
24 July -19 August	Evacuated aboard BEXAR (Observed Shot BAKER from a distance of 16 miles)	0.209
19 August	Crew transferred to NIAGARA (39), BEXAR (22), GENEVA (29), and others.	

Total calculated dose up until the date when the crew splintered: 0.217 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: BRULE was towed to Kwajalein after CROSSROADS for radiological tests. It was retained there until May 11, 1948 when it was scuttled off Kwajalein at 8-47N, 167-18E.

USS BRULE (APA-66)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-6. Shipboard Gamma Intensity vs. Time - USS BRULE (APA-66)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS BUTTE (APA-68)

CREW SIZE: 126

MISSION: USS BUTTE was a CROSSROADS target ship **and** arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 2 July	Evacuated aboard BEXAR (APA-237) (Observed Shot ABLE from a distances of 22 miles)	0.004
3 July -17 July	Aboard BUTTE	0.000
18 July -19 July	Evacuated aboard BEXAR	0.000
20 July -23 July	Aboard BUTTE	0.000
	BAKER	
24 July -17 August	Evacuated aboard BEXAR (Observed Shot BAKER from a distance of 16 miles)	0.199
17 August	Crew transferred to GEORGE CLYMER (78), BEXAR (33), and others.	

Total calculated dose up until the date when the crew splintered: 0.203 REM

This reconstruction **does not** include time aboard the target ship for activities **such as** damage **control**, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: BUTTE was **towed** to Kwajalein after CROSSROADS where it was retained for radiological tests. It was scuttled off Kwajalein at 8-40N, 167-15E on **May 12, 1948.**

USS BUTTE (APA-68)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-7. Shipboard Gamma Intensity vs. Time - USS BUTTE (APA-68)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS CARLISLE (APA-69)

CREW SIZE: 104

MISSION: USS CARLISLE was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred on July 1, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E E D)</u>	<u>TYPE DETONATION</u>
	ABLE	I July 46 (0900)	23 KT Air Burst (+520 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 5 July	ABLE Evacuated aboard BEXAR (APA-237) (Observed Shot ABLE from a distance of 22 miles)	0.005
5 July	Crew transferred to various units.	

Total calculated dose up until the date when the crew splintered: 0.005 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: CARLISLE sank in Bikini lagoon on July 1, 1946 as a result of Shot ABLE.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS CARTERET (APA-70)

CREW SIZE: 119

MISSION: USS CARTERET was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>D A T E (T I M E)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 f t)
BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 1 July	ABLE Evacuated aboard BEXAR (APA-237) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -23 July	Aboard CARTERET	0.006
24 July -19 August	BAKER Evacuated aboard BEXAR (Observed Shot BAKER from a distance of 16 miles)	0.209
20 August	Crew aboard GEORGE CLYMER which departed Bikini on 20 August.	0.004

Total calculated dose while at Bikini: 0.219 REM

This reconstruction **does not** include time aboard the target ship for activities **such as** **damage** control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: CARTERET was **towed** to Kwajalein after CROSSROADS for radiological study. It was sunk by gunfire of the USS TOLEDO on April 19, 1948 at **8-42N, 167-05E**.

USS CARTERET (APA- 70)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-8. Shipboard Gamma Intensity vs. Time - USS CARTERET (APA-70)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS CATRON (APA-71)

CREW SIZE: 116

MISSION: USS CATRON was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 1 July	ABLE Evacuated aboard HENRICO (APA-45) (Observed Shot ABLE from a distance of 12 miles)	0.000
2 July -23 July	Aboard CATRON	0.003
24 July -12 August	BAKER Evacuated aboard HENRICO (Observed Shot BAKER from a distance of 8 miles)	0.197
13 August-17 August 17 August	Aboard ROCKINGHAM Crew transferred to GEORGE CLYMER (55), rest to ROCKINGHAM (61).	0.038

Total calculated dose up until the date when the crew splintered: 0.238 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: CATRON was towed to Kwajalein after CROSSROADS for radiological tests. It was sunk by the USS ATLANTA on May 6, 1948 at 9-02N, 167-17E.

USS CATRON (APA-71)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-9. Shipboard Gamma Intensity vs. Time -- USS CATRON (APA-71)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS CRITTENDEN (APA-77)

CREW SIZE: 112

MISSION: USS CRITTENDEN was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June-3 July	Evacuated aboard BEXAR (APA-237) (Observed Shot ABLE from a distance of 22 miles)	0.005
4 July -17 July	Aboard CRITTENDEN	0.040
18 July -19 July	Evacuated aboard BEXAR	0.000
20 July -23 July	Aboard CRITTENDEN	0.004
	BAKER	
24 July -19 August	Evacuated aboard BEXAR (Observed Shot BAKER from a distance of 16 miles)	0.209
19 August-28 August	Crew transferred to GENEVA (29), GEORGE CLYMER (36), FILLMORE (31), and others (16).	

Total calculated dose up until the date when the crew splintered: 0.258 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: CRITTENDEN was towed to Kwajalein in August 1946 and then towed to San Francisco in January 1947. While at San Francisco, it underwent radiological tests until October 5, 1948 when it was sunk by explosive tests at 32-05N, 119-05W.

USS CRITTEM DEN (APA- 77)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-10. Shipboard Gamma Intensity vs. Time - USS CRITTEM DEN (APA-77)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS DAWSON (APA-79)

CREW SIZE: 110

MISSION: USS DAWSON was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E E D)</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 2 July	Evacuated aboard HENRICO (APA-45) (Observed Shot ABLE from a distance of 12 miles)	0.002
3 July -17 July	Aboard DA WSON	0.014
18 July -19 July	Evacuated aboard HENRICO	0.000
20 July -23 July	Aboard DA WSON	0.001
	BAKER	
24 July -12 August	Evacuated aboard HENRICO (Observed Shot BAKER from a distance of 8 miles)	0.197
13 August-18 August	Aboard ROCKBRIDGE (APA-228)	0.056
18 August	Crew transferred to BLADEN (90), SAN MARCOS (7), and others (13).	

Total calculated dose up until the date when the crew splintered: 0.270 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: DAWSON was towed to Kwajalein after CROSSROADS for radiological study. On April 19, 1948, it was sunk by gunfire on USS HELENA at 8-47 N, 167-02E.

USS DAWSON (APA-79)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-11. Shipboard Gamma Intensity vs. Time - USS DAWSON (APA-79)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS FALLON (APA-81)

CREW SIZE: 127

MISSION: USS FALLON was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E E D)</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BEXAR (APA-237) Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard FALLON	0.006
18 July -19 July	Evacuated aboard BEXAR	0.000
20 July -23 July	Aboard FALLON	0.000
	BAKER	
24 July -23 August	Evacuated aboard BEXAR which departed Bikini on 23 August (Observed Shot BAKER from a distance of 16 miles)	0.226

Total calculated dose while at Bikini: 0.232 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: FALLON was towed to Kwajalein after CROSSROADS and was retained there for radiological study. On March 10, 1948 it was scuttled off Kwajalein.

USS FALLON (APA-81)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-12. Shipboard Gamma Intensity vs. Time - USS FALLON (APA-81)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS GASCONADE (APA-85)

CREW SIZE: 105

MISSION: USS GASCONADE was a CROSSROADS target ship and arrived at Bikini prior to **June 30, 1946** to prepare for the operation. It was anchored in **the lagoon and** remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BEXAR (APA-237) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard GASCONADE	0.001
18 July -19 July	Evacuated aboard BEXAR	0.000
20 July -23 July	Aboard GASCONADE	0.000
	BAKER	
24 July -12 August	Evacuated aboard BEXAR (Observed Shot BAKER from a distance of 16 miles)	0.161
13 August-22 August	Aboard SYLVANIA (AKA-44)	0.062
22 August	Half of the crew transferred to SYLVANIA and half to BEXAR.	

Total calculated dose up until the date when the crew splintered: 0.224 REM

This reconstruction **does** not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: GASCONADE was towed to San Francisco after CROSSROADS, arriving there on January 27, 1947. There it underwent structural and radiological tests prior to being redesignated a target ship in March 1948. It was sunk by torpedoes off southern California on July 21, 1948 at 31-35N, 118-33W.

USS GASCONADE (APA-85)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-13. Shipboard Gamma Intensity vs. Time - USS GASCONADE (APA-85)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS GILLIAM (APA-57)

CREW SIZE: 91

MISSION: USS GILLIAM was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred on July 1, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 f t)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 8 July	ABLE Evacuated aboard BOTTINEAU (APA-235) (Observed Shot ABLE from a distance of 25 miles)	0.001
8 July -5 September	Aboard PALMYRA which departed Bikini on 5 September	0.378

Total calculated dose while at Bikini: 0.379 REM

FINAL DISPOSITION: GILLIAM sank in Bikini lagoon on July 1, 1946 as a result of Shot ABLE.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS HUGHES (DD-410)

CREW SIZE: 81

MISSION: USS HUGHES was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 f t)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 1 July	ABLE Evacuated aboard BAYFIELD (APA-33) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard HUGHES	0.082
18 July -19 July	Evacuated aboard BAYFIELD	0.000
20 July -23 July	Aboard HUGHES	0.002
24 July -31 July	BAKER Evacuated aboard BAYFIELD (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August-27 August	Aboard ROCKINGHAM (APA-229) which departed Bikini on 24 August	0.206
28 August	Crew transferred to NIAGARA	

Total calculated dose while at Bikini: 0.314 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: HUGHES was beached at Enyu Island on July 26, 1946. It was later towed to San Francisco for radiological tests and subsequently used as a target ship. It was finally sunk by air attack on October 16, 1948 at 31-47N, 118-40W.

USS HUGHES (DD-410)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-14. Shipboard Gamma Intensity vs. Time - USS HUGHES (DD-410)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS INDEPENDENCE (CVL-22)

CREW SIZE: 343

MISSION: USS INDEPENDENCE was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 12 August	ABLE Evacuated aboard ROCKWALL (APA-230) (Observed Shots ABLE and BAKER from distances of 23 and 16 miles, respectively)	0.161
13 August- 18 August 18 August	Aboard AJAX (AR-6) Approximately half the crew transferred to ARTEMIS.	0.039

Total calculated dose up until the date when the crew splintered: 0.200 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: INDEPENDENCE was towed to Kwajalein on August 22, 1946. In October 1946, it was towed to San Francisco, arriving there on June 16, 1947. While at San Francisco, it underwent radiological tests and was eventually sunk in special tests of new aerial and undersea weapons on January 26, 1951 at 37-20.3N, 123-04W.

USS INDEPENDENCE (CVL-22)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-15. Shipboard Gamma Intensity vs. Time ■ USS INDEPENDENCE (CVL-22)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANNED

SHIP: USS LAMSON (DD-367)

CREW SIZE: 119

MISSION: USS LAMSON was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred on July 1, 1946.

SHOT DATA: TEST D A T E YIELD (KT) TYPE DETONATION
ABLE 1 July 46 (0900) 23 KT Air Burst (+520 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 9 July	ABLE Evacuated aboard HENRICO (AP-45) (Observed Shot ABLE from a distance of 12 miles) Approximately half the crew transferred to AJAX for further assignment.	0.002

Total calculated dose up until the date when the crew splintered: 0.002 REM

FINAL DISPOSITION: LAMSON sank in Bikini lagoon on July 1, 1946 as a result of Shot ABLE.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS LCI-327

CREW SIZE: 18

MISSION: USS LCI-327 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>D A T E (T I M E)</u>	<u>M I L L I S E C S</u>	<u>TYPE DETONATION</u>
ABLE	I July 46 (0900)	23 KT	Air Burst (+520 ft)
BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BAYFIELD (APA-33) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard LCI-327	0.003
18 July -19 July	Evacuated aboard BAYFIELD	0.000
20 July -23 July	Aboard LCI-327	0.000
	BAKER	
24 July -31 July	Evacuated aboard BAYFIELD (Observed shot BAKER from a distance of 15 miles)	0.024
1 August-23 August	Aboard ROCKBRIDGE (APA-228) which departed Bikini on 23 August.	0.284
28 August	Crew transferred to FALL RIVER (1), AJAX (14), and GENEVA (3).	

Total calculated dose while at Bikini: 0.311 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LCI-327 was towed to Kwajalein after CROSSROADS where it was beached on Bascombe Island. It was destroyed on October 30, 1947.

USS LCI-327



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-16. Shipboard Gamma Intensity vs. Time - USS LCI-327

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: LCI-332

CREW SIZE: 17

MISSION: USS LCI-332 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1944.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FIL M BADGE DOSE (REM)</u>
ABLE		
30 June - 1 July	Evacuated aboard BAYFIELD (APA-33) (Observed shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard LCI-332	0.003
18 July -19 July	Evacuated aboard BAYFIELD	0.000
20 July -23 July	Aboard LCI-332	0.000
BAKER		
24 July -31 July	Evacuated aboard BAYFIELD (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August-23 August	Aboard ROCKBRIDGE (APA-228) which departed Bikini on 23 August.	0.284
28 August	Crew transferred to AJAX (12) and GENEVA (1).	

Total calculated dose while at Bikini: 0.311 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LCI-332 was towed to Kwajalein after CROSSROADS where it was sunk in deep water in September 1947.

USS LCI-332



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-17. Shipboard Gamma Intensity vs. Time - USS LCI-332

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS LCI-620

CREW SIZE: 16

MISSION: USS LCI-620 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u> ---
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE/BAKER	
30 June - 3 August	Evacuated aboard BAYFIELD (APA-33) (Observed Shots ARLE and BAKER from distances of 22 and 15 miles, respectively)	0.063
4 August-13 August	Aboard ROCKBRIDGE	0.137
14 August-22 August	Enlisted crew aboard FILLMORE which departed Bikini on 22 August.	0.049
14 August-23 August	Officers aboard ROCKBRIDGE which departed Bikini on 23 August.	0.074

Total calculated dose while at Bikini: 0.249 REM (Enlisted)
0.274 REM (Officers)

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LCI-620 was towed to sea on August 10, 1946 and sunk by gunfire.

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS LSM-60

CREW SIZE: 44

MISSION: USS LSM-60 was a CROSSROADS target ship and arrived at Bikini on July 4, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>@ATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	BAKER	
4 July-17 July	Aboard LSM-60	0.000
18 July-19 July	Evacuated aboard ALBEMARLE (AV-5)	0.000
20 July-24 July	Aboard LSM-60	0.000
25 July	Evacuated aboard ALBEMARLE which departed Bikini on 25 July. (Observed Shot BAKER from a distance of 8 miles).	0.000

Total calculated dose while at Bikini: 0.000 REM

FINAL DISPOSITION: LSM-60 was the bomb carrier for CROSSROADS Shot BAKER and, hence, sank in Bikini lagoon as a result of this detonation.

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS LST-52

CREW SIZE: 63

MISSION: USS LST-52 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>	--
	ABLE	I July 46 (0900)	23 KT	Air Burst (+520 ft)	
	BAKEK	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)	

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - I July	Evacuated aboard ROCKWALL (APA-230) (Observed Shot ABLE from a distance of 23 miles)	0.000
2 July -16 July	Aboard LST-52	0.012
17 July -18 July	Evacuated aboard ROCKWALL	0.000
19 July -23 July	Aboard LST-52	0.000
	BAKER	
24 July -18 August	Evacuated aboard ROCKWALL (Observed Shot BAKER from a distance of 16 miles)	0.203
19 August-26 August	Aboard DIXIE which departed Bikini on 25 August.	0.025

Total calculated dose while at Bikini: 0.240 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LST-52 was decommissioned on August 23, 1946 and towed to Kwajalein. There, it was sunk by gunfire from the USS OAKLAND in April 1948 at 8-47 N, 167-25E.

USS LST-52



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-18. Shipboard Gamma Intensity vs. Time - USS LST-52

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS LST-125

CREW SIZE: 56 (only 2 remained after 13 July)

MISSION: USS LST-125 was a CROSSROADS target ship and arrived at Bikini on July 9, 1946 from Subic Bay, P.I. to prepare for the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred on July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	Unknown	

Total calculated dose while at Bikini: Unknown (All but 2 crew members departed Bikini by 13 July).

FINAL DISPOSITION: LST-125 remained beached in Bikini lagoon until August 11, 1946. It was then towed out to sea and sunk by gunfire of the USS FALL RIVER on August 14, 1946 at 11-25N, 165-25E.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS LST-133

CKEW SIZE: 78

MISSION: USS LST-133 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>	--
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)	
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)	

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
25 June • 1 July	Evacuated aboard ROCKWALL (APA-230) (Observed Shot ABLE from a distance of 23 miles)	0.000
2 July -16 July	Aboard LST- 133	0.000
17 July -18 July	Evacuated aboard ROCK WALL	0.000
19 July -22 July	Aboard LST-133	0.000
BAKER		
23 July -19 August	Evacuated aboard ROCKWALL which departed Bikini on 19 August. (Observed Shot BAKER from a distance of 16 miles)	0.207
28 August	Majority of crew transferred to AJAX, DIXIE, and GENEVA.	

Total calculated dose while at Bikini: 0.207 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LST-133 was decommissioned on August 28, 1946 and towed to Kwajalein where it was deliberately sunk on May 11, 1948 at 8-48N, 167-10E.

USS LST-133



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-19. Shipboard Gamma Intensity vs. Time - USS LST-133

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS LST-220

CREW SIZE: 59

MISSION: USS LST-220 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 1 July	ABLE Evacuated aboard ROCKWALL (APA-230) (Observed Shot ABLE from a distance of 23 miles)	0.000
2 July -23 July	Aboard LST-220	0.005
24 July -19 August	BAKER Evacuated aboard ROCKWALL which departed Bikini on 19 August (Observed Shot BAKER from a distance of 16 miles)	0.207
20 August-23 August	Crew transferred to AJAX which departed bikini on 23 August.	0.014

Total calculated dose while at Bikini: 0.226 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LST-220 was decommissioned on August 27, 1946. It was towed to Kwajalein and deliberately destroyed on May 12, 1948 at 8-44N, 167-25E.

USS LST-220



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-20. Shipboard Gamma Intensity vs. Time - USS LST-220

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS LST-545

CREW SIZE: 47

MISSION: USS LST-545 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>D A T E (T I M E E D)</u>	<u>TYPE DETONATION</u>
ABLE	1 July 46 (0900)	23 KT Air Burst (+520 f t)
BAKER	25 July 46 (0835)	23 KT Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
29 June - 1 July	Evacuated aboard ROCKWALL (APA-230) (Observed Shot ABLE from a distance of 23 miles)	0.000
2 July - 17 July	Aboard LST-545	0.002
18 July - 19 July	Evacuated aboard ROCKWALL	0.000
20 July - 23 July	Aboard LST-545	0.000
	BAKER	
24 July - 17 August	Evacuated aboard ROCKWALL (Observed Shot BAKER from a distance of 16 miles)	0.198
18 August - 23 August	Crew transferred to AJAX which departed Bikini on 23 August.	0.024

Total calculated dose while at Bikini: 0.224 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LST-545 was decommissioned on August 27, 1946. It was then towed to Kwajalein where it was deliberately sunk on May 12, 1948 at 8-48N, 167-21E.

USS LST-545



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-2 1. Shipboard Gamma Intensity vs. Time - USS LST-545

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS LST-661

CREW SIZE: 62 (By 24 July only 18 men still at Bikini)

MISSION: USS LST-661 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E E D)</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
29 June - 1 July	Evacuated aboard ROCKWALL (APA-230) (Observed Shot ABLE from a distance of 23 miles)	0.000
2 July -16 July	Aboard LST-66 1	0.007
17 July -18 July	Evacuated aboard ROCKWALL	0.000
19 July -23 July	Aboard LST-661	0.000
	BAKER	
24 July -18 August	Evacuated aboard ROCKWALL (Observed Shot BAKER from a distance of 16 miles)	0.203
19 August-23 August	Aboard AJAX (AR-6) which departed Bikini on 23 August.	0.019
28 August	Crew transferred to GENEVA (8) and others.	

Total calculated dose while at Bikini: 0.229 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: LST-661 was towed to Kwajalein after CROSSROADS where it was deliberately sunk on July 25, 1948 at 8-51.4N, 167-20.3E.

USS LST-661



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-22. Shipboard Gamma Intensity vs. Time - USS LST-661

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS MAYRANT (DD-402)

CREW SIZE: 109

MISSION: USS MAYRANT was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	TEST	D A T E (T I M E E D)	TYPE DETONATION
	ABLE	1 July 46 (0900)	23 KT Air Burst (+520 f t)
	BAKER	25 July 46 (0835)	23 KT Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 2 July	Evacuated aboard BOTTINEAU (APA-234) (Observed Shot ABLE from a distance of 25 miles)	0.001
3 July -17 July	Aboard MAYRANT	0.000
18 July -23 July	Evacuated aboard BOTTINEAU	0.000
	BAKER	
24 July- 6 August	Evacuated aboard BOTTINEAU (Observed Shot BAKER from a distance of 16 miles)	0.131
7 August-II August	Aboard ROCKBRIDGE (APA-228)	0.079
12 August-25 August	Aboard DIXIE (AD-14) which departed Bikini on 25 August.	0.073
27 August	Majority of crew transferred to BLADEN.	

Total calculated dose while at Bikini: 0.284 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: MAYRANT was decommissioned on August 28, 1946. It was towed to Kwajalein for radiological tests and was deliberately sunk on April 4, 1948 by guns and torpedoes of DESDIV 12 at 8-49N, 167-23E.

USS MAYRANT (DD-402)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-23. Shipboard Gamma Intensity vs. Time - USS MAYRANT (DD-402)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS MUGFORD (DD-389)

CREW SIZE: 126

MISSION: USS MUGFORD was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June- 1 July	Evacuated aboard BOTTINEAU (APA-235) (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July -17 July	Aboard MUGFORD	0.000
18 July -19 July	Evacuated aboard BOTTINEAU	0.000
20 July -23 July	Aboard MUGFORD	0.000
	BAKER	
24 July -7 August	Evacuated aboard BOTTINEAU (Observed Shot BAKER from a distance of 16 miles)	0.143
8 August-17 August	Aboard ROCKWALL (APA-230)	0.098
18 August -20 August	Half aboard BLADEN (APA-63) which departed Bikini on 20 August. Remaining crew transferred to various units.	0.014

Total calculated dose while at Bikini: 0.255 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: MUGFORD was towed to Kwajalein sometime after August 18, 1946. It remained there for decontamination experiments until it was scuttled off Kwajalein on March 22, 1948.

USS MUGFORD (DD-389)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-24. Shipboard Gamma Intensity vs. Time - USS MUGFORD (DD-389)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS MUSTIN (DD-413)

CREW SIZE: 112

MISSION: USS MUSTIN was a CROSSROADS target ship **and** arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BOTTINEAU (APA-235) (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July -23 July	Aboard MUSTIN	0.003
	BAKER	
24 July - 6 August	Evacuated aboard BOTTINEAU (Observed Shot BAKER from a distance of 16 miles)	0.131
7 August -17 August 17 August-28 August	Aboard ROCKBRIDGE (APA-228) Crew transferred to ROCKWALL (88), PALMYRA (5), and others.	0.140

Total calculated dose up until the date when the crew splintered: 0.274 REM

This reconstruction does not include time aboard the target ship for activities **such as** damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: MUSTIN was decommissioned on August 28, 1946. It had been towed to Kwajalein where it remained until it was destroyed by gunfire on April 18, 1948 at 8-47.8N, 167-11.5E.

USS MUSTIN (DD-413)



SHIPBOARD GAMMA INTENSITY CURVES: The **average gamma intensity curves** for topside amidships, and below decks locations **on target ships** are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves **for each location**.

Figure A-25. Shipboard Gamma Intensity vs. Time - USS MUSTIN (DD-413)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: NACATO (Ex-Japanese BB)

CREW SIZE: 172

MISSION: NAGATO was a CROSSROADS target ship **and** arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 6 July	ABLE Evacuated aboard ROCKINGHAM (APA-229) (Observed Shot ABLE from a distance of 18 miles)	0.001
7 July - 15 July	Aboard ROCKBRIDGE (APA-288) (75 men transferred to CHILTON and US on 12 July)	0.008
16 July - 4 August	BAKER Aboard ROCKINGHAM (Observed Shot BAKER from a distance of 16 miles)	0.084
4 August	Crew transferred to FALL RIVER (36), APPLING (10), SALT LAKE CITY (14), and others.	

Total calculated dose up until the date when the crew splintered: 0.093 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: NAGATO sank on the night of 29-30 July 1946 in Bikini lagoon as a result of shot BAKER.

NAGATO (EX-JAPANESE BB)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-26. Shipboard Gamma Intensity vs. Time - NAGATO (EX-JAPANESE BB)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS NEVADA (BB-36)

CREW SIZE: 403

MISSION: USS NEVADA was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	TEST	DATE (TIME)	YIELD	TYPE DETONATION
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


DATE (1946)	CREW LOCATION	RECONSTRUCTED FILM BADGE DOSE (REM)
ABLE		
1 July - 8 July	Evacuated aboard GEORGE CLYMER (APA-27) (Observed Shot ABLE from a distance of 21 miles)	0.000
9 July -16 July	Aboard NEVADA	0.012
17 July -18 July	Evacuated aboard GEORGE CLYMER	0.000
19 July -23 July	Aboard NEVADA	0.006
BAKER		
24 July -17 August	Evacuated aboard GEORGE CLYMER (Observed Shot BAKER from a distance of 16 miles)	0.234
18 August-19 August	Aboard CORTLAND (APA-75) which departed Bikini on 19 August	0.009
19 August-29 August	Crew transferred to GENEVA (13) and CORTLAND (224) 29 August, GEORGE CLYMER (71) 19 August, DIXIE (16) and GENEVA (8) 28 August.	

Total calculated dose while at Bikini: 0.261 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: NEVADA was decommissioned at Kwajalein on 29 August 1946 and then towed to Pearl Harbor for radiological testing, arriving 15 May 1947. On 31 July 1948, after four days of gunfire, bombs, rockets, and torpedoes from Task Force 12, it sank 65 miles SW of Pearl Harbor at 20-58N, 159-17W in 2600 fathoms of water.

USS NEVADA (BB-36)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-27. Shipboard Gamma Intensity vs. Time - USS NEVADA (BB-36)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS NEW YORK (55-34)

CREW SIZE: 536

MISSION: USS NEW YORK was a CROSSROADS target ship and arrived at Bikini on June 15, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E)</u>	<u>M I L D</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard ROCKBRIDGE (APA-228) (Observed Shot ABLE from a distance of 21 miles)	0.000
2 July -17 July	Aboard NEW YORK	0.006
17 July -18 July	Evacuated aboard ROCKBRIDGE	0.000
19 July -23 July	Aboard NEW YORK	0.000
	BAKER	
24 July -23 August	Evacuated aboard ROCKBRIDGE which departed Bikini on 23 August. (Observed shot BAKER from a distance of 16 miles)	0.325
27 August	Crew transferred to ROCKWALL (90), GENEVA (63) and DIXIE (17).	

Total calculated dose while at Bikini: 0.331 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: NEW YORK was towed to Kwajalein on August 22, 1946 where it was decommissioned on August 29, 1946. It was then towed to Pearl Harbor for radiological testing, arriving 15 March 1947. It was deliberately sunk 40 miles SW of the harbor on July 8, 1948.

USS NEW YORK (BB-34)



SHIPBOARD GAMMA INTENSITY CURVES: The **average gamma** intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-28. Shipboard Gamma Intensity vs. Time - USS NEW YORK (BB-34)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS PENNSYLVANIA (BB-38)

CKEW SIZE: 434

MISSION: USS PENNSYLVANIA was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE 1 July 46 (0900)	23 KT	Air Burst (+520 f t)
	BAKER 25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CKE W MEMBER DOSE HISTOKY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRKUTED FILM BADGE DOSE (REM)</u>
ABLE		
30 June - 2 July	Majority of crew evacuated aboard GEOKGE CLYMER (APA-27)	0.000
30 June - 2 July	Final detail evacuated aboard ROCKBKIDGE (APA-228) (Observed shot ABLE from a distance of 21 miles)	0.001
3 July -16 July	Aboard PENNSYLVANIA	0.000
17 July -18 July	Evacuated aboard GEOKGE CLYMEK	0.000
19 July -23 July	Aboard PENNSYLVANIA	0.000
BAKER		
24 July -26 July	Majority of crew evacuated aboard GEOKGE CLYMER Final detail evacuated aboard ROCKBRIDGE (Observed Shot BAKER from a distance of 16 miles)	0.000 0.000
27 July-15 August	Aboard GEOKGE CL YMER	0.222
16 August-21 August	Aboard NIAGARA (APA-87) which departed Bikini on 21 August.	0.032
28 August	Crew transferred to various units.	

Total calculated dose while at Bikini: 0.255 KEM if aboard ROCKBRIDGE for ABLE
0.254 REM if aboard GEORGE CLYMER for ABLE

This reconstruction does not include tirne aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DIS POSITION: PENNSYLVANIA was decommissioned on August 29, 1946. It remained in Kwajalein lagoon for radiological and structural studies until it was deliberately sunk off Kwajalein on February 10, 1943.

USS PENNSYLVANIA (BB-38)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity **curves** for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic **report**. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual **curves** for **each** location.

Figure A-29. Shipboard Gamma Intensity vs. Time - USS PENNSYLVANIA (BB-38)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS PENSACOLA (CA-24)

CREW SIZE: 354

MISSION: USS PENSACOLA was a CROSSROADS target ship **and** arrived at Bikini prior to **June** 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 *target* ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKEK	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
30 June - 6 July	Evacuated aboard ROCKINGHAM (APA-229) (Observed Shot ABLE from a distance of 18 miles)	0.001
7 July -17 July	Aboard PENSACOLA	0.010
18 July	Evacuated aboard ROCKINGHAM	0.000
14 July -24 July	Aboard PENSACOLA	0.004
BAKER		
25 July -19 August	Evacuated aboard ROCKINGHAM (Observed Shot BAKER from a distance of 16 miles)	0.216
19 August-28 August	Crew transferred to GEORGE CLYMER (189), FILLMORE (5), and HAVEN (3).	

Total calculated dose up until the date when the crew splintered: 0.231 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: PENSACOLA was towed to Kwajalein and then to Bremerton for radiological tests. It was deliberately sunk on November 10, 1948 at 48-12N, 127-01W in 1400 fathoms.

USS PENSACOLA (CA-24)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-30. Shipboard Gamma Intensity vs. Time - USS PENSACOLA (CA-24)

TAR CET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS PILOTFISH (SS-386)

CREW SIZE: 52

MISSION: USS PILOTFISH was a CROSSROADS target ship **and** arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 3 July	Evacuated aboard BOTTINEAU (APA-235) (Observed Shot ABLE from a distance of 25 miles)	0.001
3 July -23 July	Aboard PILOTFISH	0.001
	BAKER	
24 July - 8 August	Evacuated aboard BOTTINEAU (APA-235) (Observed Shot BAKER from a distance of 16 miles)	0.158
9 August-18 August 18 August	Aboard FILLMORE (APA-83) Crew transferred to ROCKWALL (8), DENTUDA (4), TUNA (3), SYLVANIA (12), COUCAL (5), and ST. CROIX (5).	0.049

Total calculated dose up until the date when the crew splintered: 0.209 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: PILOTFISH sank in Bikini lagoon as a result of Shot RAKER. It was eventually resurfaced and salvaged for examination, but then, resunk as a target on October 16, 1948.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: PRINZ EUGEN (Ex-German CA)

CREW SIZE: 444

MISSION: PRINZ EUGEN was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 2 July	Evacuated aboard ROCKINGHAM (APA-229) (Observed Shot ABLE from a distance of 18 miles)	0.001
3 July -21 July	Aboard PRINZ EUGEN (Probably a practice evacuation aboard the ROCKINGHAM on 18-19 July)	0.001
	BAKER	
22 July -16 August	Evacuated aboard ROCKINGHAM (Observed Shot BAKER from a distance of 16 miles)	0.200
16 August-20 August	Aboard BLADEN (APA-63) which departed Bikini on 20 August	0.027
28 August	Crew transferred to GENEVA (70) and others (4).	

Total calculated dose while at Bikini: 0.229 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: PRINZ EUGEN was towed to Kwajalein after CROSSROADS. It was to be beached at Enubuj Island, but following a storm, it sank nearby on December 22, 1946.

PRINZ EUGEN (EX-GERMAN CA)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-31. Shipboard Gamma Intensity vs. Time - PRINZ ELJGEN (EX-GERMAN CA)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS RALPH TALBOT (DD-390)

CREW SIZE: 132

MISSION: USS RALPH TALBOT was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard HENRICO (APA-45) (Observed Shot ABLE from a distance of 12 miles)	0.000
2 July -17 July	Aboard RALPH TALBOT	0.024
18 July -19 July	Evacuated aboard HENRICO	0.000
20 July -23 July	Aboard RALPH TALBOT	0.000
	BAKER	
24 July -13 August	Evacuated aboard HENRICO (Observed Shot BAKER from a distance of 8 miles)	0.205
14 August-16 August	Aboard ROCKINGHAM (APA-229)	0.023
17 August-19 August	Aboard ROCKWALL which departed Bikini on 19 August.	0.015

Total calculated dose while at Bikini: 0.267 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: RALPH TALBOT was decommissioned on August 28, 1946. It was towed to Kwajalein where it was retained for radiological study until it was deliberately sunk in March 1948.

USS RALPH TALBOT (DD-390)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure h-32. Shipboard Gamma Intensity vs. Time - USS RALPH TALBOT (DD-390)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS RHIND (DD-404)

CREW SIZE: 104

MISSION: USS RHIND was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
30 June - 1 July	Evacuated aboard BAYFIELD (APA-33) (Observed shot ABLE from a distance of 22 miles)	0.000
2 July - 17 July	Aboard RHIND	0.055
18 July - 19 July	Evacuated aboard BAYFIELD	0.000
20 July - 24 July	Aboard RHIND	0.002
BAKER		
25 July - 31 July	Evacuated aboard BAYFIELD (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August - 19 August	Aboard ROCKINGHAM (APA-229)	0.185
19 August	Crew transferred to ROCKWALL (83), ROCKINGHAM (19), and PALMYRA (5).	

Total calculated dose up until the date when the crew splintered: 0.266 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: RHIND was decommissioned on August 28, 1946. After CROSSROADS it was towed to Kwajalein for radiological tests and subsequently scuttled on March 22, 1948.

USS RHIND (DD-404)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-33. Shipboard Gamma Intensity vs. Time - USS RHIND (DD-404)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: SAKAWA &x-Japanese-CL)

CREW SIZE: 143 (Estimated)

MISSION: SAKAWA was a CQOSSROADC target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred on July 1, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>	---
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)	

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June - 8 July	Evacuated aboard ROCKINGHAM (APA-229) (Observed Shot ABLE from a distance of 18 miles)	0.003
8 July	Crew transferred to ROLETTE (17), OTTAWA (16), NIAGARA (5), LST-113 (15), PALMYRA (8), NEW YORK (1), and AJAX (19).	

Total calculated dose up until the date when the crew splintered: 0.003 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: The SAKAWA sank in Bikini lagoon on July 2, 1946 as a result of Shot ABLE.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS SALT LAKE CITY (CA-25)

CREW SIZE: 335

MISSION: USS SALT LAKE CITY was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E)</u>	<u>M I L E S</u>	<u>T Y P E D E T O N A T I O N</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 f t)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
30 June - 6 July	Evacuated aboard ROCKBRIDGE (APA-228) (Observed Shot ABLE from a distance of 21 miles)	0.001
7 July -16 July	Aboard SALT LAKE CITY	0.003
17 July -18 July	Evacuated aboard ROCKBRIDGE	0.000
19 July -23 July	Aboard SALT LAKE CITY	0.001
BAKER		
24 July -23 August	Evacuated aboard ROCKBRIDGE which departed Bikini on 23 August. (Observed Shot BAKER from a distance of 16 miles)	0.325
28 August	Crew transferred to ROCKWALL (19), ROCK- BRIDGE (129), FILLMORE (14) and others.	

Total calculated dose while at Bikini: 0.330 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: SALT LAKE CITY was decommissioned on August 28, 1946. After CROSSROADS it was towed to Bremerton via Pearl Harbor for radiological tests. On May 25, 1948, it was sunk off San Diego at 31-57N, 119-54W after a 4-hour bombardment from planes and ships.

USS SALT LAKE CITY (M-25)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-34. Shipboard Gamma Intensity vs. Time - USS SALT LAKE CITY (CA-25)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS SARATOGA (CV-3)

CREW SIZE: 589

MISSION: USS SARATOGA was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard ROCKWALL (APA-230) (Observed Shot ABLE from a distance of 23 miles)	0.000
2 July -16 July	Aboard SARATOGA	0.002
17 July -18 July	Evacuated aboard ROCKWALL	0.000
19 July -24 July	Aboard SARATOGA	0.000
	BAKER	
25 July - 3 August	Evacuated aboard ROCKWALL (Observed Shot BAKER from a distance of 16 miles)	0.070
3 August- 5 August	Crew transferred to various units.	

Total calculated dose up until the date when the crew splintered: 0.072 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: SARATOGA sank in Bikini lagoon on July 25, 1946 as a result of Shot BAKER.

**DATA NOT AVAILABLE TO RECONSTRUCT
THE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS SKATE (SS-305)

CREW SIZE: 53

MISSION: USS SKATE was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E)</u>	<u>M I L E S</u>	<u>T Y P E D E T O N A T I O N</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 4 July	Evacuated aboard BOTTINEAU (APA-235) (Observed Shot ABLE from a distance of 25 miles)	0.001
5 July -23 July	Aboard SKATE	0.270
	BAKER	
24 July -8 August	Evacuated aboard BOTTINEAU (Observed Shot BAKER from a distance of 16 miles)	0.158
9 August-22 August	Aboard FILLMORE (APA-83) which departed Bikini on 22 August.	0.066
27 August	Aboard FULTON	

Total calculated dose while at Bikini: 0.508 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection alter the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: On August 23, 1946, SKATE was towed to Kwajalein and then on to Pearl Harbor, arriving there on September 5, 1946. It was then towed to San Francisco, arriving there on October 22, 1946 and subsequently placed in drydock at MARE ISLAND. SKATE was decommissioned on December 11, 1946 and deliberately sunk in 1948 at 32-00N, 119-04W.

TARGET SHIP PARTICIPATION SUMMARY

NON-KE MANNE D

SHIP: USS SKIPJACK (SS-184)

CKEW SIZE: 78

MISSION: USS SKIPJACK was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CKEW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BOTTINEAU (APA-235) (Observed shot ABLE from a distance of 25 miles)	0.000
2 July -23 July	Aboard SKIPJACK	0.028
	BAKER	
24 July - 8 August	Evacuated aboard BOTTINEAU (Observed Shot BAKER from a distance of 16 miles)	0.158
9 August- 17 August 17 August-21 August	Aboard FILLMORE (APA-83) Crew transferred to ROCKWALL (9), TUNA (6), SEARAVEN (3), SKATE (2), and CHIKASKIA (1).	0.044

Total calculated dose up until the date when the crew splintered: 0.230 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: SKIPJACK sank in Bikini lagoon on July 25, 1946 as a result of Shot BAKER. It was salvaged on September 2, 1946 and towed to Pearl Harbor, arriving there on 22 September. It was subsequently towed to San Francisco (MINSY) and then deliberately sunk by aircraft rocket attack on August 11, 1948 at 32-22.6N, 118-52.7W.

USS SKIPJACK (SS-184)



SHIPBOARD GAMMA INTENSITY CURVES: The USS SKIPJACK (SS-184) remained submerged in Bikini Lagoon until it was salvaged on September 2, 1946. Several topside radiation readings were obtained while the SKIPJACK was submerged in 150 feet of water. The range in values is depicted in Figure A-36. Radiation data aboard the SKIPJACK after it was surfaced have not been located, hence, the intensity curves shown here have been estimated based on data for the USS SKATE (SS-305), another target submarine that was approximately the same distance from the Shot RAKER surface zero.

Figure A-36. Shipboard Gamma Intensity vs. Time - USS SKIPJACK (SS-184)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS STACK (DD-406)

CREW SIZE: 102

MISSION: USS STACK was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
30 June - 1 July	Evacuated aboard BAYFIELD (APA-33) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard STACK	0.014
18 July	Evacuated aboard BAYFIELD	0.000
19 July -23 July	Aboard STACK	0.000
BAKER		
24 July -31 July	Evacuated aboard BAYFIELD (Observed Shot BAKER from a distance of 15 miles)	0.024
I August-19 August	Aboard ROCKINGHAM (APA-229)	0.185
19 August	Crew transferred to COM DES PAC (81) and ROCKINGHAM (19).	

Total calculated dose up until the date when the crew splintered: 0.223 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: STACK was decommissioned on August 28, 1946. It was towed to Kwajalein where it was retained for radiological study until April 24, 1948 when it was sunk by gunfire from four destroyers off Kwajalein.

USS STACK (DD-406)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-37. Shipboard Gamma Intensity vs. Time - USS STACK (DD-406)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS TKIPPE (DD-403)

CREW SIZE: 135

MISSION: USS TKIPPE was a CROSSROADS target ship and arrived at Bikini on June 1, 1946 to prepare for the operation. It was utilized as a regular operating ship during Test ABLE. On July 16, 1946 it was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonation that occurred on July 25, 1946.

SHOT DATA: TEST DATE (TIME) YIELD TYPE DETONATION ---
 BAKER 25 July 46 (0835) 23 KT Shallow Underwater (-90 ft)

AVERAGE CKEW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CKEW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
30 June -17 July	Aboard TRIPPE (Observed Shot ABLE from a distance of 13 miles)	0.000
18 July -19 July	Evacuated aboard BAYFIELD (APA-33)	0.000
20 July -23 July	Aboard TRIPPE	0.000
BAKER		
24 July -31 July	Evacuated aboard BAYFIELD (Observed shot BAKER from a distance of 15 miles)	0.024
I August-II August	Aboard BEXAR (APA-237)	0.127
12 August-25 August	Aboard DIXIE (AD-14) which departed Bikini on 25 August.	0.073
28 August	Crew transferred to CORTLAND (103).	

Total calculated dose while at Bikini: 0.224 REM

This reconstruction does not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: TRIPPE was towed to Kwajalein after CROSSROADS for radiological tests. On February 3, 1948, it was towed to deep water off Kwajalein and deliberately sunk by gunfire.

USS TRIPPE (DD-403)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-38. Shipboard Gamma Intensity vs. Time - USS TRIPPE (DD-403)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS WAIN WRIGHT (DD-419)

CREW SIZE: 148

MISSION: USS WAINWRIGHT was a CROSSROADS target ship **and** arrived at Bikini prior to **June** 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
30 June - 1 July	Evacuated aboard BAYFIELD (APA-33) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard WAINWRIGHT	0.005
18 July	Evacuated aboard BAYFIELD	0.000
19 July -23 July	Aboard WAIN WRIGHT	0.000
BAKER		
24 July -31 July	Evacuated aboard BAYFIELD (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August-20 August	Aboard BEXAR (APA-237)	0.189
20 August	Most of crew transferred to GEORGE CLYMER.	

Total calculated dose up until the date when the crew splintered: 0.218 REM

This reconstruction **does not** include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: WAINWRIGHT was towed to Kwajalein on August 23, 1946 and retained for radiological study. Subsequently, it was towed to sea and sunk by Destroyer Division 172 on July 5, 1948.

USS KAINWRIGHT (DD-419)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves For each location.

Figure A-39. Shipboard Gamma Intensity vs. Time - USS KAINWRIGHT (DD-419)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS WILSON (DD-408)

CREW SIZE: 115

MISSION: USS WILSON was a CROSSROADS target ship **and** arrived at Bikini prior to **June** 30, 1946 to prepare for the operation, It was anchored in the lagoon and remained there as one of the 84 target ships for **the** nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u> ---
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 f t)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 f t)

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
30 June - 1 July	Evacuated aboard BAYFIELD (APA-33) (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July -17 July	Aboard WILSON	0.010
18 July	Evacuated aboard BAYFIELD	0.000
19 July -23 July	Aboard WILSON	0.000
BAKER		
24 July -31 July	Evacuated aboard BAYFIELD (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August-18 August	Aboard BEXAR (APA-237)	0.179
18 August-19 August	Aboard ROCKWALL which departed Bikini on 19 August.	0.009

Total calculated dose while at Bikini: 0.222 REM

This reconstruction **does** not include time aboard the target ship for activities such as damage control, decontamination or inspection after the detonations except when the entire crew returned to live aboard the ship.

FINAL DISPOSITION: WILSON was decommissioned on August 28, 1946. After CROSSROADS, it was **towed** to Kwajalein for radiological tests until it was scuttled in deep water off Kwajalein on March 8, 1948.

USS WILSON (DD-408)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-40. Shipboard Gamma Intensity vs. Time - USS WILSON (DD-408)

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANED

SHIP: USS YO-160

CREW SIZE: 10

MISSION: USS YO-160 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 f t)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)

AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	Unknown	

Total calculated dose while at Bikini: Unknown

FINAL DISPOSITION: YO-160 sank in Bikini lagoon as a result of Shot BAKER.

**DATA NOT AVAILABLE TO RECONSTRUCT
TYE SHIPBOARD GAMMA INTENSITY CURVE**

TARGET SHIP PARTICIPATION SUMMARY

NON-REMANDED

SHIP: USS YOG-83

CREW SIZE: 10

MISSION: USS YOG-83 was a CROSSROADS target ship and arrived at Rikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E (T I M E)</u>	<u>M I H L D</u>	<u>T Y P E D E T O N A T I O N</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)


AVERAGE CREW MEMBER DOSE HISTORY

<u>DATE (1946)</u>	<u>CREW LOCATION</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	Unknown	

Total calculated dose while at Bikini: Unknown

FINAL DISPOSITION: YOG-83 was towed to Kwajalein and beached there on September 23, 1946. It was retained for radiological study and ultimately sunk in deep water off Kwajalein on September 16, 1948.

USS YOG-83



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-41. Shipboard Gamma Intensity vs. Time - USS YOG-83

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-412

CREW SIZE: N/A

MISSION: USS LCT-412 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>D A T E (T I M E)</u>	<u>MIHL</u>	<u>TYPE</u>	<u>DETONATION</u>
ABLE	1 July 46 (0900)	23 KT	Air Burst	(+520 feet)
BAKER	25 July 46 (0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-412 was towed to Kwajalein for further disposition. It was finally sunk in deep water off Kwajalein about September 1947.

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-414

CREW SIZE: N/A

MISSION: USS LCT-414 was a CQOSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1948.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst	(+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-414 was sunk by demolition charges at Bikini shortly after Shot BAKE!?.

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-705

CREW SIZE: N/A


MISSION: USS LCT-705 was a CROSSROADS target ship and arrived at Rikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
RAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: IJSS LCT-705 was found to be structurally sound after Operation CROSSROADS. It was towed to Kwajalein and eventually sunk in deep water off Kwajalein in September 1947.

USS LCT-705



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-42. Shipboard Gamma Intensity vs. Time - USS LCT-705

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-746

CREW SIZE: N/A

MISSION: USS LCT-746 was a CROSSROADS target ship and arrived at Rikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD</u>	<u>(TIME)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1	July	46	(0900)	23	KT	Air	Rurst (+520 feet)
	RAKER.	25	July	46	(0835)	23	KT	Shallow	Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: With the completion of Operation CROSSROADS, USS LCT-746 was taken to Kwajalein where it was destroyed in March 1947.

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-812

CREW SIZE: N/A

MISSION: USS LCT-812 was a CROSSROADS target ship and arrived at Rikini prior to June 30, 1946 to participate in the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE</u>	<u>(YIELD)</u>	<u>TYPE DETONATION</u>
	ABLE	I July 46 (0900)	23 KT	Air Burst (+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-812 was sunk by demolition charges at Rikini shortly after Shot RAKER.

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-816

CREW SIZE: Y/A


MISSION: USS LCT-816 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD</u>	<u>(TIME)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ARLE	1	July	46	(0900)	23	K ^T	Air Burst	(+520 feet)
	RAKER	25	July	46	(0835)	23	KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-816 was found badly holed and hard on the beach at Bikini. It was taken to Kwajalien where it was sunk in deep water in June 1947.

uss LCT-816



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-43. Shipboard Gamma Intensity vs. Time - USS LCT-816

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-8 18

CREW SIZE: N/A


MISSION: USS LCT-818 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
	RAKER	25 July 46 (0835)	23 KT	Shallow ' Jnderwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-818 was found to be structurally sound after Operation CROSSROADS. It was towed to Ywajalein and eventually sunk in deep water off Kwajalein in September 1947.

USS LCT-818



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-44. Shipboard Gamma Intensity vs. Time - USS LCT-818

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-374

CREW SIZE: N/A


MISSION: USS LCT-874 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE</u>	<u>DETONATION</u>
	ARLE	1 July 46 (0900)	23 KT	Air Burst	(+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-874 was found to be structurally sound after Operation CROSSROADS. It was towed to Kwajalein and eventually sunk in deep water off Kwajalein in September 1947.

USS LCT-874



SHIPBOARD GAMMA INTENSITY CURVES: The average **gamma** intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The **curves** are sometimes **shown** in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-45. Shipboard Gamma Intensity vs. Time - USS LCT-874

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-1013

CREW SIZE: N/A


MISSION: USS LCT-1013 was a CROSSROADS target ship and arrived at Rikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D A T E</u>	<u>(T I</u>	<u>YIELD)</u>	<u>TYPE DETONATION</u>
	ABLE	I July 46	(0900)	23 KT	Air Burst (+520 feet)
	BAKER	25 July 46	(0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-1013 was found to be structurally sound after Operation CROSSROADS. It was towed to Kwajalein and eventually sunk in deep water off Kwajalein in September 1947.

USS LCT-1013



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-46. Shipboard Gamma Intensity vs. Time - USS LCT-1013

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-1078

CREW SIZE: N/A


MISSION: USS LCT-1078 was a CROSSROADS target ship and arrived at Rikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD (KT)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1	July	46	(0900)	23	KT	Air Burst (+520 feet)
	RAKER	25	July	46	(0835)	23	KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-1078 was found to be structurally sound after Operation CROSSROADS. It was towed to Kwajalein and eventually sunk in deep water off Xwajalein in September 1947.

USS LCT-1078



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-47. Shipboard Gamma Intensity vs. Time - USS LCT-1078

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: uss LCT-1112

CREW SIZE: N/A


MISSION: USS LCT-1112 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD (KT)</u>	<u>(TIME)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1	July	46	(0900)	23	KT	Air	Rurst (+520 feet)
	BAKER	25	July	46	(0835)	23	KT	Shallow	Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-1112 was found to be structurally sound after Operation CROSSROADS. It was towed to Kwajalein and eventually sunk in deep water off Kwajalein in September 1947.

USS LCT-1112



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-48. Shipboard Gamma Intensity vs. Time - USS LCT-1112

TARGET SHIP PARTICIPATION **SUMMARY**

UNMANNED

SHIP: USS LCT- 1113

CREW SIZE: N/A


MISSION: USS LCT-1113 was a CROSSROADS target ship **and** arrived at Rikini prior to **June** 30, 1946 to participate in the operation. It was anchored in **the** lagoon and remained there as one of **the** 84 target ships for the nuclear test detonations **that** occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>D A T E</u> (<u>T I M E</u>)	<u>M I L E S</u>	<u>T Y P E</u> DETONATION
ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-1113 was found badly holed and hard on the beach at Bikini. It was taken to Kwajalein where it was sunk in deep water in June 1947.

USS LCT-1113



SHIPBOARD GAMMA INTENSITY CURVES: The average **gamma** intensity **curves** for topside amidships, **and** below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of **the** basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised **when** reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for **each** location.

Figure A-49. Shipboard Gamma Intensity vs. Time - USS LCT-1113

TARGET **SHIP** PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-1114

CREW SIZE: N/A

MISSION: USS LCT-1 114 was a CROSSROADS target ship and arrived at Bikini prior to **June** 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as **one** of the 84 target ships for **the nuclear** test detonations that occurred **on July 1 and July 25, 1946.**

SYOT DATA:	<u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD (KT)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1	July	46	(0900)	23 KT	Air Burst	(+520 feet)
	BAKER	25	July	46	(0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE **CREW** MEMBER DOSE HISTORY: **N/A**

FINAL DISPOSITION: USS LCT-1114 **was was sunk** by demolition charges at Bikini shortly after **Shot RAKER.**

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-1 115

CREW SIZE: N/A

MISSION: USS LCT-1115 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD (KT)</u>	<u>(TIME)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ARLE	1	July	46	(0900)	23	KT	Air	Rurst (+520 feet)
	RAKER	25	July	46	(0835)	23	KT	Shallow	Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-1115 was found to be structurally sound after Operation CROSSROADS. It was towed to Kwajalein and eventually sunk in deep water off Kwajalein in September 1947.

TARGET SHIP PARTICIPATION **SUMMARY**

UNMANNED

SHIP: USS LCT-1175

CREW SIZE: N/A

MISSION: USS LCT-1175 was a CROSSROADS target ship and arrived at Rikini prior to June 30, 1946 to participate in the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD(ME)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1	July	46	(0900)	23 KT	Air Burst	(+520 feet)
	RAKER	25	July	46	(0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-I 175 was sunk by demolition charges at Bikini shortly after Shot RAKER.

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-1187

CREW SIZE: N/A

MISSION: USS LCT-1187 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA: <u>TEST</u>	<u>D</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD(TIME)</u>	<u>TYPE</u>	<u>DETONATION</u>
ABLE	I	July	46	(0900)	23 KT	Air Burst	(+520 feet)
BAKER	25	July	46	(0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-1187 was sunk by demolition charges at Bikini shortly after Shot BAKER.

TARGET SHIP PARTICIPATION SUMMARY

UNMANNED

SHIP: USS LCT-1237

CREW SIZE: N/A

VISION: USS LCT-1237 was a CROSSROADS target ship and arrived at Bikini prior to June 30, 1946 to participate in the operation. It was beached in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946.

SHOT DATA:	<u>TEST</u>	<u>@</u>	<u>A</u>	<u>T</u>	<u>E</u>	<u>YIELD</u>	<u>(TIME)</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1	July 46	(0900)	23	KT		Air Burst	(+520 feet)
	BAKER	25	July 46	(0835)	23	KT		Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY: N/A

FINAL DISPOSITION: USS LCT-1237 was sunk by demolition charges at Bikini shortly after Shot RAKER.

SECTION A-3

REMANNED TARGET SHIP
PARTICIPATION **SUMMARIES**

TARGET SHIP PARTICIPATION SUMMARY

REMANDED AFTER SHOT BAKER

SHIP: USS BLADEN (APA-63)

CREW SIZE: 111

MISSION: USS BLADEN was a CROSSROADS target ship that was remanded and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini by May 31, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 20, 1946 enroute to Kwajalein. It eventually steamed to the East Coast where it was decommissioned at Norfolk, VA. on December 26, 1946.

SHOT DATA:	TEST	DATE (TIME)	YIELD	TYPE	DETONATION
	ABLE	1 July 46 (0900)	23 KT	Air Burst	(+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY 'WHILE AT BIKINI

DATE (1946)	CREW LOCATION-Hours Aboard	RECONSTRUCTED FILM BADGE DOSE (REM)
ABLE		
1 July	Evacuated aboard HENRICO (APA-45)-24 (Observed Shot ABLE from a distance of 12 miles)	0.000
2 July	Aboard HENRICO-13	0.001
	Aboard BLADEN-11	0.001
3 July-17 July	Aboard BLADEN-360	0.000
18 July-19 July	Evacuated aboard HENRICO-28	0.000
	Aboard BLADEN-20	0.000
20 July-23 July	Aboard BLADEN-96	0.000
BAKER		
24 July-28 July	Evacuated aboard HENRICO-108 (Observed Shot BAKER from a distance of 8 miles)	0.000
29 July	Aboard HENRICO-14.5	0.000
	Aboard BLADEN-9.5	0.008
30 July-20 August	Aboard BLADEN-528	0.212

Total calculated dose received while at Bikini: 0.222 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 20, 1946 (BAKER + 26)

Ship contamination factor when departing Bikini: 3

(this value is for use with the nomograph in Figure A-57)

PATH REPORT: This report contains the geographic locations that may be of radiological significance to vessels within Bikini lagoon. The time is in Day-Hours-Minutes and begins on July 1, 1946. All days are July (e.g., 1 August = 32 July, etc.) Place is the grid square within Bikini lagoon from Hydrographics Office, Misc. Chart Number 11854, portions of which are reproduced in Figures A-58, 59, 60, 61.

RADIOLOGICAL REPORT: This report is a day by day compilation of the reconstructed film badge dose for this unit from the various radiological sources it encountered while in Bikini lagoon. A daily total is included up to departure from Bikini lagoon. A detailed explanation of each source contribution is contained in the basic report, Section 2.

USS BLADEN CALCULATED FILM BADGE DOSE (IN MREM)

DATE	TIME	LAGGON WATER	TARGET SHIPS	SHIP CONTAMINATION	DAILY* TOTAL
JUL 1	A+0	2	0		2
JUL 2	A+1	2	0		2
JUL 3	A+2	0	0		0
JUL 4	A+3	0	0		0
JUL 5 THRU 24		0	0		
JUL 25	B+0	115	0	2	117
JUL 26	B+1	22	0	2	24
JUL 27	B+2	18	0	7	25
JUL 28	B+3	24	0	10	34
JUL 29	B+4	11	0	9	20
JUL 30	B+5	6	0	8	14
JUL 31	B+6	9	0	8	17
AUG 1	B+7	11	0	8	19
AUG 2	B+8	7	0	8	15
AUG 3	B+9	6	0	8	14
AUG 4	B+10	0	0	6	6
AUG 5	B+11	0	0	5	5
AUG 6	B+12	0	0	5	5
AUG 7	B+13	5	0	5	10
AUG 8	B+14	10	0	4	14
AUG 9	B+15	7	0	4	11
AUG 10	B+16	8	0	4	12
AUG 11	B+17	0	0	4	4
AUG 12	B+18	6	0	0	6
AUG 13	B+19	0	0	0	0
AUG 14	B+20	5	0	0	5
AUG 15	B+21	5	0	0	5
AUG 16	B+22	2	0	0	2
AUG 17	B+23	4	0	0	4
AUG 18	B+24	0	0	0	0
AUG 19	B+25	0	0	0	0
AUG 20	B+26	0	0	0	0

*Applies only if the crew was onboard for a 24 hour period.

TARGET SHIP PARTICIPATION SUMMARY

REMANDED AFTER SHOT BAKER

SHIP: USS CONYNGHAM (DD-371)

CREW SIZE: 109

MISSION: USS CONYNGHAM was a CROSSROADS target ship that was remanded and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini on May 30, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 22, 1946 enroute to Kwajalein, Pearl Harbor, and eventually San Francisco. It remained at San Francisco until July 1948, when it was scuttled at 31-33.5N, 118-27W.

SHOT DATA:	TEST	DATE (TIME)	YIELD	TYPE	DETONATION
	ABLE	1 July 46 (0900)	23 KT	Air Burst	(+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY
WHILE AT BIKINI


<u>DATE (1946)</u>	<u>CREW LOCATION-Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
1 July	Evacuated aboard BOTTINEAU (APA-235)-24 (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July	Aboard BOTTINEAU- 13	0.001
	Aboard CONYNGHAM- 11	0.000
3 July-17 July	Aboard CONYNGHAM-360	0.000
18 July-19 July	Evacuated aboard BOTTINEAU-30	0.000
	Aboard CONYNGHAM-18	0.000
20 July-23 July	Aboard CONYNGHAM-96	0.000
	BAKER	
24 July-31 July	Evacuated aboard BOTTINEAU- 181 (Observed Shot BAKER from a distance of 16 miles)	0.032
1 August-7 August	Aboard BOTTINEAU-104	0.073
	Aboard CONYNGHAM-64	0.146
8 August - 22 August	Aboard CONYNGHAM-300	0.216
	Aboard ROCKBRIDGE-	0.027

Total calculated dose received while at Bikini: 0.495 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 22, 1946 (BAKER + 28)

USS CONYNGHAM (DD-371)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-50. Shipboard Gamma Intensity vs. Time - USS CONYNGHAM (DD-371)

TARGET SHIP PARTICIPATION SUMMARY

REMANDED AFTER SHOT BAKER

SHIP: USS CORTLAND (APA-75)

CREW SIZE: 89

MISSION: USS CORTLAND was a CROSSROADS target ship that was remanded and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini on May 30, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 19, 1946 enroute to Norfolk, VA via Kwajalein and Pearl Harbor. It was decommissioned at Norfolk on December 30, 1946.

SHOT DATA: TEST	DATE (TIME)	YIELD	TYPE DETONATION
ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY WHILE AT BIKINI

DATE (1946)	CREW LOCATION-Hours Aboard	RECONSTRUCTED FILM BADGE DOSE (REM)
ABLE		
1 July	Evacuated aboard ARTEMIS (AKA-21)-24 (Observed Shot Able from a distance of 15 miles)	0.000
2 July	Aboard ART EMIS-15	0.001
	Aboard CORTLAND-9	0.000
3 July-17 July	Aboard CORTLAND-360	0.000
18 July-19 July	Aboard ARTEMIS-30	0.000
	Aboard CORTLAND-18	0.000
20 July-23 July	Aboard CORTLAND-96	0.000
BAKER		
24 July-29 July	Evacuated aboard ARTEMIS-134 (Observed Shot BAKER from a distance of 8 miles)	0.000
30 July	Aboard ART EMIS-8	0.003
	Aboard CORTLAND-16	0.016
31 July-19 August	Aboard CORTLAND-480	0.208

Total calculated dose received while at Bikini: 0.228 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 19, 1946 (BAKER + 25)
 Ship contamination factor when departing Bikini: 3
 (this value is for use with the nomograph in Figure A-57)

PATH REPORT: This report contains the geographic locations that may be of radiological significance to vessels within Bikini lagoon. The time is in Day-Hours-Minutes and begins on July 1, 1946. All days are July (e.g., 1 August = 32 July, etc.) Place is the grid square within Bikini lagoon from Hydrographics Office, Misc. Chart Number 11854, portions of which are reproduced in Figures A-58, 59, 60, 61.

RADIOLOGICAL REPORT: This report is a day-by-day compilation of the reconstructed film badge dose for this unit from the various radiological sources it encountered while in Bikini lagoon. A daily total is included up to departure from Bikini lagoon. A detailed explanation of each source contribution is contained in the basic report, Section 2.

PATH REPORT FOR THE USS CORTLAND

TIME	EVENT	REMARKS
0000	0000	WOUNDERS BERTH KICK AND OPEN EVACUATED AT SIDE OF CABIN
0010	0010	REMAINING REMAINS RETURNED TO CABIN
0020	0020	REMAINING OF CREW RESPONDED
0030	0030	REMAINING REMAINS
0040	0040	WOUNDERS BERTH KICK AND OPEN EVACUATED AT SIDE OF CABIN
0050	0050	REMAINING REMAINS
0100	0100	WOUNDERS AND EVACUATED AT SIDE
0110	0110	WOUNDERS AND EVACUATED AT SIDE
0120	0120	COMMANDING OFFICER AND REMAINS RETURNED TO CABIN
0130	0130	REMAINING OF CREW ON BOARD
0140	0140	WOUNDERS TO DECK BERTH
0150	0150	WOUNDERS TO BERTH KICK
0200	0200	EVACUATED
0210	0210	DEPARTED BERTH LAGOON
0220	0220	REMAINING REMAINS
0230	0230	WOUNDERS TO BERTH KICK
0240	0240	EVACUATED TO BERTH KICK
0250	0250	DEPARTED BERTH LAGOON ON 12 November 1966

DES DELINDB ALUMINUM FISH BOON DOSE 1TH MEN.

DATE	TIME	LAGOON METER	INSECT MIFE	SALT CONTININATION	SALTY TOTAL
JUL 15	8+1	103	0	1	152
JUL 26	8+1	147	0	28	175
JUL 27	8+1	54	0	24	78
JUL 28	8+1	12	0	17	42
JUL 29	8+1	18	0	17	32
JUL 30	8+5	12	0	10	24
JUL 31	8+8	12	0	11	22
AUG 1	8+1	14	0	5	17
AUG 2	8+4	11	0	0	19
AUG 3	8+9	0	0	1	1
AUG 4	8+10	0	0	1	7
AUG 7	8+11	0	0	0	4
AUG 8	8+11	0	0	5	5
AUG 9	8+11	0	0	2	11
AUG 10	8+11	0	0	7	15
AUG 11	8+12	17	0	4	17
AUG 12	8+13	0	0	4	12
AUG 13	8+14	8	0	4	12
AUG 14	8+14	0	0	0	0
AUG 15	8+15	0	0	4	12
AUG 16	8+15	0	0	4	12
AUG 17	8+15	0	0	0	0
AUG 18	8+15	0	0	0	0
AUG 19	8+19	8	0	0	0
AUG 20	8+19	0	0	0	0
AUG 21	8+19	0	0	0	0
AUG 22	8+19	0	0	0	0
AUG 23	8+19	0	0	0	0
AUG 24	8+19	0	0	0	0
AUG 25	8+19	0	0	0	0
AUG 26	8+19	0	0	0	0
AUG 27	8+19	0	0	0	0
AUG 28	8+19	0	0	0	0
AUG 29	8+19	0	0	0	0
AUG 30	8+19	0	0	0	0
AUG 31	8+19	0	0	0	0

*Applies only if the crew was onboard for a 24 hour period.

TARGET SHIP PARTICIPATION SUMMARY

REMANNED AFTER SHOT BAKER

SHIP: USS DENTUDA (SS-335)

CREW SIZE: 58

MISSION: USS DENTUDA was a CROSSROADS target ship that was remanned and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini on May 31, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 22, 1946 enroute to San Francisco via Kwajalein and Pearl Harbor. It was retained at San Francisco for radiological tests until it was decommissioned on December 11, 1946.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)	
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)	

AVERAGE CREW MEMBER DOSE HISTORY WHILE AT BIKINI


<u>DATE (1946)</u>	<u>CREW LOCATION-Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
1 July	Evacuated aboard BOTTINEAU (APA-235)-24 (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July	Aboard BOTTINEAU-7.5	0.000
	Aboard DENTIJDA-16.5	0.004
3 July-22 July	Aboard DENTUDA-480	0.001
BAKER		
23 July-30 July	Evacuated aboard BOTTINEAU-184 (Observed Shot BAKER from a distance of 16 miles)	0.012
31 July-9 August	Aboard BOTTINEAU- 184.5	0.128
	Aboard FILLMORE (APA-83)-8	0.001
	Aboard DENTUDA-47.5	0.355
10 August- 13 August	Aboard FILLMORE-59	0.008
	Aboard FULTON(AS-11)-8	0.004
	Aboard DENTUDA-29	0.035
14 August-22 August	Duty section aboard DENTUDA-120	0.097
	Remainer of crew aboard FULTON-96	0.048

Total calculated dose received while at Bikini: 0.693 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 22, 1946 (BAKER+28)

USS DENTUDA (SS-335)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-5 1. Shipboard Gamma Intensity vs. Time - LJSS DENTUDA (SS-335)

TARGET SHIP PARTICIPATION SUMMARY

REMANED AFTER SHOT BAKER

SHIP: USS FILLMORE (APA-83)

CREW SIZE: 109

MISSION: USS FILLMORE was a CROSSROADS target ship that was remanned and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini prior to June 30, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 22, 1946 enroute to Norfolk, VA via Kwajalein and Pearl Harbor. It was decommissioned at Norfolk on January 24, 1947.

SHOT DATA:	TEST	DATE (TIME)	YIELD	TYPE DETONATION
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

**AVERAGE CREW MEMBER DOSE HISTORY
WHILE AT BIKINI**

<u>DATE (1946)</u>	<u>CREW LOCATION-Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
ABLE		
1 July	Evacuated aboard BAYFIELD (APA-33)-24 (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July	Aboard BAYFIELD-	0.00 I
	Aboard FILLMORE-II	0.002
3 July-17 July	Aboard FILLMORE-360	0.000
18 July-19 July	Evacuated aboard BAYFIELD-30.5	0.000
	Aboard FILLMORE-17.5	0.000
20 July-23 July	Aboard FILLMORE-96	0.000
BAKER		
24 July-28 July	Evacuated aboard BAYFIELD- I I (Observed Shot BAKER from a distance of 15 miles)	0.000
29 July	Aboard BAYFIELD-8.5	0.000
	Aboard FILLMORE-15.5	0.021
30 July-22 August	Aboard FILLMORE-576	0.185

Total calculated dose received while at Bikini: 0.209 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini August 22, 1946 (BAKER + 28)

Ship contamination factor when departing Bikini: 3

(this value is for use with the nomograph in Figure A-57)

PATH REPORT: This report contains the geographic locations that may be of radiological significance to vessels within Bikini lagoon. The time is in Day-Hours-Minutes and begins on July 1, 1946. All days are July (e.g., 1 August = 32 July, etc.) Place is the grid square within Bikini lagoon from Hydrographics Office, Misc. Chart Number 11854, portions of which are reproduced in Figures A-58, 59, 60, 61.

RADIOLOGICAL REPORT: This report is a day-by-day compilation of the reconstructed film badge dose for this unit from the various radiological sources it encountered while in Bikini lagoon. A daily total is included up to departure from Bikini lagoon. A detailed explanation of each source contribution is contained in the basic report, Section 2.

USE FOLLOWING CALCULATED FILM PAGE LOGS IN MEMO.

DATE	TIME	LAGOON WATER	TARGET SHIPS	SHIP CONTAMINATION	DAILY* TOTAL
JUL 1	A+1	4	1		4
JUL 2	A+1	4	1		4
JUL 3	A+2	1	1		
JUL 4	A+7	0	0		0
JUL 5	THRU 24	0	0		
JUL 25	B+0	15	0	7	22
JUL 26	B+1	14	0	17	31
JUL 27	B+2	15	0	14	29
JUL 28	B+3	12	0	15	27
JUL 29	B+4	15	0	17	32
JUL 30	B+5	8	0	11	19
JUL 31	B+6	8	0	10	18
AUG 1	B+7	13	0	9	22
AUG 2	B+8	10	1	10	21
AUG 3	B+9	9	0	9	18
AUG 4	B+10	7	0	8	15
AUG 5	B+11	6	0	8	14
AUG 6	B+12	0	0	15	15
AUG 7	B+13	1	0	8	9
AUG 8	B+14	2	0	4	6
AUG 9	B+15	1	0	4	5
AUG 10	B+16	0	0	4	4
AUG 11	B+17	0	0	1	1
AUG 12	B+18	0	0	1	1
AUG 13	B+19	0	0	1	1
AUG 14	B+20	1	0	0	1
AUG 15	B+21	5	0	1	6
AUG 16	B+22	4	0	1	5
AUG 17	B+23	4	0	1	5
AUG 18	B+24	2	0	1	3
AUG 19	B+25	2	0	1	3
AUG 20	B+26	1	0	1	2
AUG 21	B+27	1	0	1	2
AUG 22	B+28	1	0	1	2

*Applies only if the crew was onboard for a 24 hour period.

TARGET SHIP PARTICIPATION SUMMARY

REMANED AFTER SHOT BAKER

SHIP: USS GENEVA (APA-86)

CREW SIZE: 115

MISSION: USS GENEVA was a CROSSROADS target ship that was remanned and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini in May 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 24, 1946 enroute to Norfolk, VA via Kwalein, San Francisco, San Diego, and the Panama Canal. It was decommissioned at Norfolk on January 1, 1947.

SHOT DATA:	TEST	DATE (TIME)	YIELD	TYPE DETONATION
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY
WHILE AT BIKINI

DATE (1946)	CREW LOCATION-Hours Aboard	RECONSTRUCTED FILM BADGE DOSE (REM)
	ABLE	
1 July	Evacuated aboard APPLINC (APA-58)-24 (Observed Shot ABLE from a distance of 12 miles)	0.000
2 July	Aboard APPLING-12	0.001
	Aboard GENEVA-12	3.000
3 July-17 July	Aboard GENEVA-360	0.000
18 July-19 July	Evacuated aboard APPLING-29.5	0.000
	Aboard GENEVA-IS.5	0.000
20 July-23 July	Aboard GENEVA-96	0.000
	BAKER	
24 July-28 July	Evacuated aboard APPLINC- 111 (Observed Shot BAKER from a distance of 8 miles)	0.000
29 July	Aboard APPLING- 13	3.000
	Aboard GENEVA-I 1	0.009
30 July-24 August	Aboard GENEVA-624	0.220

Total calculated dose received while at Bikini: 0.230 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 24, 1946 (BAKER + 30)

Ship contamination factor when departing Bikini: 3

(this value is for use with the nomograph in Figure A-571)

PATH REPORT: This report contains the geographic locations that may be of radiological significance to vessels within Bikini lagoon. The time is in Day-Hours-Minutes and begins on July 1, 1946. All days are July (e.g., 1 August = 32 July, etc.) Place is the grid square within Bikini lagoon from Hydrographics Office, Misc. Chart Number 11354, portions of which are reproduced in Figures A-58, 59, 60, 61.

RADIOLOGICAL REPORT: This report is a day-by-day compilation of the reconstructed film badge dose for this unit from the various radiological sources it encountered while in Bikini lagoon. A daily total is included up to departure from Bikini lagoon. 4 detailed explanation of each source contribution is contained in the basic report, Section 2.

PATH REPORT FOR THE USS GENEVA

1. The USS Geneva (AGOS-1) is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

2. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

3. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

4. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

5. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

6. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

7. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

8. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

9. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

10. The USS Geneva is a large oceanographic survey ship, designed to support the scientific and oceanographic research of the United States Navy. It is the largest and most advanced of the AGOS class, and is capable of operating in all weather conditions. The ship is currently assigned to the Pacific Fleet, and is based at Naval Station San Diego, California.

055 SENEVA CALCULATED FILM SALAGE DOSE (ON NEED)

DATE	TIME	LAG-ON WATER	TARGET S-LIFE	SHIP CONTAMINATION	DAILY* TOTAL
JUL 1	0+0	0	0	1	1
JUL 2	0+1	0	0	3	3
JUL 3	0+2	0	0	0	0
JUL 4	A+3	0	0	0	0
JUL 5 THRU 24					
JUL 25	E+0	75	0	1	76
JUL 26	B+1	21	0	5	27
JUL 27	S+2	19	1	7	25
JUL 28	S+3	24	0	11	24
JUL 29	E+4	11	0	9	20
JUL 30	E+5	5	0	8	17
JUL 31	S+6	7	0	9	15
AUG 1	R+1	16	0	8	19
AUG 2	W+2	9	0	8	17
AUG 3	K+3	0	0	5	6
AUG 4	W+4	0	0	6	6
AUG 5	E+5	0	0	5	5
AUG 6	S+6	0	0	4	4
AUG 7	R+7	4	0	4	8
AUG 8	B+14	10	0	4	14
AUG 9	E+15	9	0	4	13
AUG 10	B+16	3	0	4	12
AUG 11	E+17	7	0	4	11
AUG 12	R+13	5	0	2	7
AUG 13	S+19	6	0	2	9
AUG 14	R+20	5	0	2	8
AUG 15	S+21	5	0	2	9
AUG 16	E+22	4	0	2	7
AUG 17	S+22	4	0	2	6
AUG 18	R+24	2	0	2	5
AUG 19	B+25	0	0	0	5
AUG 20	W+26	0	0	0	5
AUG 21	B+27	0	0	0	5
AUG 22	S+23	0	0	0	4
AUG 23	E+25	0	0	0	4
AUG 24	E+26	1	0	0	5

*Applies only if the crew was onboard for a 24 hour period.

TARGET SHIP PARTICIPATION SUMMARY

REMANDED AFTER SHOT BAKER

SHIP: USS LCI-329

CREW SIZE: 16

MISSION: USS LCI-329 was a CROSSROADS target ship **and** arrived at Bikini prior to June 30, 1946 to prepare for the operation. It was anchored in the lagoon and remained there as one of the 84 target ships for the nuclear test detonations that occurred on July 1 and July 25, 1946. After Shot BAKER, the LCI-329 was remanded and steamed to Kwajalein where it was placed in caretaker status on February 22, 1947. It was finally sunk in deep water off Kwajalein on March 16, 1948.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)	
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)	

AVERAGE CREW MEMBER DOSE HISTORY


<u>DATE (1946)</u>	<u>CREW LOCATIOY • Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
30 June - 1 July	Evacuated aboard BAYFIELD (APA-33)-48 (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July	Aboard BAYFIELD- 18	0.001
	Aboard LCI-329-6	0.001
3 July-17 July	Aboard LCI-329-360	0.000
13 July-19 July	Evacuated aboard BAYFIELD-	0.000
	Aboard LCI-329-I 9	0.000
20 July-23 July	Aboard LCI-329-96	0.000
	BAKER	
24 July-31 July	Evacuated aboard BAYFIELD-178 (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August-9 August	Aboard BAYFIELD-	0.012
	Aboard ROCKBRIDGE (APA-228)-200	0.138
10 August	Aboard ROCKBRIDGE- 11.5	0.007
	Aboard LCI-329-12.5	0.002
1 I August-24 August	Aboard LCI-329-336	0.023

Total calculated dose while at Bikini: 0.208 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 24, 1946 (BAKER + 30)

USS LCI(L)329



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-52. Shipboard Gamma Intensity vs. Time - USS LCI(L)329

TARGET SHIP PARTICIPATION SUMMARY

REMANDED AFTER SHOT BAKER

SHIP: USS LCI(L)549

CREW SIZE: 22

MISSION: USS LCI(L)549 was a CROSSROADS target ship that was remanned and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini prior to June 30, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 24, 1946 enroute to Kwajalein where it was retained as a patrol vessel until June 1948. It was then sailed to San Francisco where it was stripped and disposed as hulk about January 1949.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 ft)	
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 ft)	

AVERAGE CREW MEMBER DOSE HISTORY WHILE AT BIKINI


<u>DATE (1946)</u>	<u>CREW LOCATION-Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
1 July	Evacuated aboard BAYFIELD (APA-33)-24 (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July	Aboard BAYFIELD-16.5	0.001
	Aboard LCI(L) 549-7.5	0.000
3 July-17 July	Aboard LCI(L) 549-360	0.000
18 July-19 July	Evacuated aboard BAYFIELD- 1	0.000
	Aboard LCI(L)549-17	0.000
20 July-23 July	Aboard L CI(L) 549-96	0.000
	BAKER	
24 July-31 July	Evacuated aboard BAYFIELD- 183 (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August-9 August	Aboard BAYFIELD-16.5	0.012
	Aboard ROCKBRIDGE (APA-228)-199.5	0.137
10 August	Aboard ROCKBRIDGE-	0.006
	Aboard LCI(L)549-14	0.002
11 August-24 August	Aboard LCI(L)549-336	0.023

Total calculated dose received while at Bikini: 0.205 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 24, 1946 (BAKER + 30)

USS LCI(L) 549



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-53. Shipboard Gamma Intensity vs. Time - LCI(L) 549

TARGET SHIP **PARTICIPATION** SUMMARY
 REMANNED AFTER SHOT BAKER

SHIP: USS LCI(L)615

CREW SIZE: 16

MISSION: USS LCI(L)615 was a CROSSROADS target ship that was remanned and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini prior to June 30, 1946 and was beached on Bikini Island where it remained as one of the 84 target ships throughout the operation. It departed Bikini on September 4, 1946 enroute to Kwajalein where it was retained as patrol vessel. It participated in a resurvey of Bikini in July 1947 and was sailed to San Francisco for disposal about June 1948.

SHOT DATA: TEST	DATE (TIME)	YIELD	TYPE DETONATION
ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY
 WHILE AT BIKINI

DATE (1946)	CREW LOCATION-Hours Aboard	RECONSTRUCTED FILM BADGE DOSE (REM)
	ABLE	
1 July-2 July	Evacuated aboard BAYFIELD (APA-33)-48 (Observed Shot ABLE from a distance of 22 miles)	0.001
3 July	Aboard BAYFIELD-	0.000
	Aboard LCI(L)615-1	0.000
4 July-24 July	Aboard BAYFIELD-	0.000
	BAKER	
25 July-31 July	Evacuated aboard BAYFIELD- (Observed Shot BAKER from a distance of 15 miles)	0.024
1 August	Aboard BAYFIELD- 1	0.008
	Aboard LCI(L)615-13	0.016
2 August-4 September	Aboard LCI(L)615-816	0.595

Total calculated dose received while at Bikini: 0.644 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: September 4, 1946 (BAKER + 4 I)
 Ship contamination factor when departing Bikini: 5
 (this value is for use with the nomograph in Figure A-57)

PATH REPORT: This report contains the geographic locations that may be of radiological significance to vessels within Bikini lagoon. The time is in Day-Hours-Minutes and begins on July 1, 1946. All days are July (e.g., 1 August = 32 July, etc.) Place is the grid square within Bikini lagoon from Hydrographics Office, Misc. Chart Number 11854, portions of which are reproduced in Figures A-58, 59, 60, 61.

RADIOLOGICAL REPORT: This report is a day-by-day compilation of the reconstructed film badge dose for this unit from the various radiological sources it encountered while in Bikini lagoon. A daily total is included up to departure from Bikini lagoon. A detailed explanation of each source contribution is contained in the basic report, Section 2.

PATH ALONG FOR THE USS BATFIELD

TIME	PLACE	REMARKS
01000	0600	REACHED IN FLEET AIR AND CREW REPORT USS BATFIELD AT 11 MI BE SOUTH WAVE
02000	0600	REACHED AND EVACUATED AS BEFORE
03000	0600	COMMANDING OFFICER AND EXECUTIVE OFFICER AND 2 MEN ABOARD
04000	0600	COMMANDING OFFICER; EXECUTIVE OFFICER AND 2 MEN ABOARD WITH AIR TO USS BATFIELD
05000	0600	REACHED AS BEFORE (CREW REPORT USS BATFIELD)
06000	0600	REACHED IN SLOT #14 AND CREW REPORT USS BATFIELD AT 11 MI BE SOUTH WAVE
07000	0600	REACHED AND EVACUATED AS BEFORE
08000	0600	REACHED AND EVACUATED AS BEFORE
09000	0600	COMMANDING OFFICER; EXECUTIVE OFFICER; AND 2 MEN ABOARD (CREW REPORT WAS REPORT IN FLEET TRACKING)
10000	0600	UNDERWAY TO SLEET ESTHE
11000	0600	UNDERWAY TO SLEET WAVE
12000	0600	COMMANDING OFFICER; EXECUTIVE OFFICER; AND 2 MEN ABOARD (CREW REPORT REMAINING CREW)
13000	0600	REMAINDER OF CREW ABOARD
14000	0600	UNDERWAY TO 10 ALONGSIDE USS THOMAS (SEE 1)
15000	0600	MOVED ALONGSIDE USS THOMAS
16000	0600	MOVED AS BEFORE
17000	0600	UNDERWAY FROM ALONGSIDE USS THOMAS
18000	0600	UNDERWAY FROM ALONGSIDE USS THOMAS (DEPTH 2700 FT)
19000	0600	UNDERWAY FROM DEWIDCO
20000	0600	MOVED ALONGSIDE USS THOMAS (CR 400 FT)
21000	0600	UNDERWAY TO USS HILGERT AND USS ENDRE
22000	0600	UNDERWAY FROM ALONGSIDE USS ENDRE
23000	0600	UNDERWAY TO SLEET WAVE
24000	0600	UNDERWAY FROM CREW
25000	0600	UNDERWAY FROM CREW
26000	0600	UNDERWAY FROM CREW
27000	0600	UNDERWAY FROM CREW
28000	0600	UNDERWAY FROM CREW
29000	0600	UNDERWAY FROM CREW
30000	0600	UNDERWAY FROM CREW
31000	0600	UNDERWAY FROM CREW
32000	0600	UNDERWAY FROM CREW
33000	0600	UNDERWAY FROM CREW
34000	0600	UNDERWAY FROM CREW
35000	0600	UNDERWAY FROM CREW
36000	0600	UNDERWAY FROM CREW
37000	0600	UNDERWAY FROM CREW
38000	0600	UNDERWAY FROM CREW
39000	0600	UNDERWAY FROM CREW
40000	0600	UNDERWAY FROM CREW
41000	0600	UNDERWAY FROM CREW
42000	0600	UNDERWAY FROM CREW
43000	0600	UNDERWAY FROM CREW
44000	0600	UNDERWAY FROM CREW
45000	0600	UNDERWAY FROM CREW
46000	0600	UNDERWAY FROM CREW
47000	0600	UNDERWAY FROM CREW
48000	0600	UNDERWAY FROM CREW
49000	0600	UNDERWAY FROM CREW
50000	0600	UNDERWAY FROM CREW
51000	0600	UNDERWAY FROM CREW
52000	0600	UNDERWAY FROM CREW
53000	0600	UNDERWAY FROM CREW
54000	0600	UNDERWAY FROM CREW
55000	0600	UNDERWAY FROM CREW
56000	0600	UNDERWAY FROM CREW
57000	0600	UNDERWAY FROM CREW
58000	0600	UNDERWAY FROM CREW
59000	0600	UNDERWAY FROM CREW
60000	0600	UNDERWAY FROM CREW
61000	0600	UNDERWAY FROM CREW
62000	0600	UNDERWAY FROM CREW
63000	0600	UNDERWAY FROM CREW
64000	0600	UNDERWAY FROM CREW
65000	0600	UNDERWAY FROM CREW
66000	0600	UNDERWAY FROM CREW
67000	0600	UNDERWAY FROM CREW
68000	0600	UNDERWAY FROM CREW
69000	0600	UNDERWAY FROM CREW
70000	0600	UNDERWAY FROM CREW
71000	0600	UNDERWAY FROM CREW
72000	0600	UNDERWAY FROM CREW
73000	0600	UNDERWAY FROM CREW
74000	0600	UNDERWAY FROM CREW
75000	0600	UNDERWAY FROM CREW
76000	0600	UNDERWAY FROM CREW
77000	0600	UNDERWAY FROM CREW
78000	0600	UNDERWAY FROM CREW
79000	0600	UNDERWAY FROM CREW
80000	0600	UNDERWAY FROM CREW
81000	0600	UNDERWAY FROM CREW
82000	0600	UNDERWAY FROM CREW
83000	0600	UNDERWAY FROM CREW
84000	0600	UNDERWAY FROM CREW
85000	0600	UNDERWAY FROM CREW
86000	0600	UNDERWAY FROM CREW
87000	0600	UNDERWAY FROM CREW
88000	0600	UNDERWAY FROM CREW
89000	0600	UNDERWAY FROM CREW
90000	0600	UNDERWAY FROM CREW
91000	0600	UNDERWAY FROM CREW
92000	0600	UNDERWAY FROM CREW
93000	0600	UNDERWAY FROM CREW
94000	0600	UNDERWAY FROM CREW
95000	0600	UNDERWAY FROM CREW
96000	0600	UNDERWAY FROM CREW
97000	0600	UNDERWAY FROM CREW
98000	0600	UNDERWAY FROM CREW
99000	0600	UNDERWAY FROM CREW
100000	0600	UNDERWAY FROM CREW

TARGET SHIP PARTICIPATION SUMMARY

REMANDED AFTER SHOT BAKER

SHIP: USS NIAGARA (APA-87)

CREW SIZE: 271

MISSION: USS NIAGARA was a CROSSROADS target ship that was remanded and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini in May 31, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 21, 1946 enroute to Norfolk, VA via Kwajalein, Pearl Harbor, and San Francisco. It was used to test the effects of conventional explosives and then sold as scrap in 1950.

SHOT DATA:	TEST	DATE (TIME)	YIELD	TYPE DETONATION
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY
WHILE AT BIKINI

DATE (1946)	CREW LOCATION-Hours Aboard	RECONSTRUCTED FILM BADGE DOSE (REM)
ABLE		
1 July	Evacuated aboard BAYFIELD (APA-33)-24 (Observed Shot ABLE from a distance of 22 miles)	0.000
2 July	Aboard BAYFIELD-10	0.000
	Aboard NIAGARA-14	0.000
3 July-17 July	Aboard NIAGARA-360	0.000
18 July-19 July	Evacuated aboard BAYFIELD- Aboard NIAGARA-18	0.000
20 July-23 July	Aboard NIAGARA-96	0.000
BAKER		
24 July-28 July	Evacuated aboard BAYFIELD- 1 10 (Observed Shot BAKER from a distance of 15 miles)	0.000
29 July	Aboard BAYFIELD-	0.000
	Aboard NIAGARA-16	0.01 1
30 July-21 August	Aboard NIAGARA-552	0.186

Total calculated dose received while at Bikini: 0.197 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini August 21, 1946 (BAKER + 27)
Ship contamination factor when departing Bikini: 3
(this value is for use with the nomograph in Figure A-57)

PATH REPORT: This report contains the geographic locations that may be of radiological significance to vessels within Bikini lagoon. The time is in Day-Hours-Minutes and begins on July 1, 1946. All days are July (e.g., 1 August = 32 July, etc.) Place is the grid square within Bikini lagoon from Hydrographics Office, Misc. Chart Number 11854, portions of which are reproduced in Figures A-58, 59, 60, 61.

RADIOLOGICAL REPORT: This report is a day-by-day compilation of the reconstructed film badge dose for this unit from the various radiological sources it encountered while in Bikini lagoon. A daily total is included up to departure from Bikini lagoon. A detailed explanation of each source contribution is contained in the basic report, Section 2.

USS NIAGARA CALCULATED FILM BADGE DOSE (IN MREM)

DATE	TIME	LAGOON WATER	TARGET SHIPS	SHIP CONTAMINATION	DAILY* TOTAL
JUL 1	A+0	0	0		0
JUL 2	A+1	0	0		0
JUL 3	A+2	0	0		0
JUL 4	A+3	0	0		0
JUL 5 THRU 24		0	0		
JUL 25	B+0	9	0	0	9
JUL 26	B+1	22	0	5	27
JUL 27	B+2	12	0	7	25
JUL 28	B+3	24	0	10	34
JUL 29	B+4	8	0	9	17
JUL 30	B+5	1	0	7	10
JUL 31	B+6	7	0	7	14
AUG 1	B+7	6	0	7	13
AUG 2	B+8	0	0	6	6
AUG 3	B+9	0	0	5	5
AUG 4	B+10	0	0	4	4
AUG 5	B+11	0	0	4	4
AUG 6	B+12	0	0	4	4
AUG 7	B+13	5	0	4	11
AUG 8	B+14	10	0	4	14
AUG 9	B+15	7	0	4	13
AUG 10	B+16	2	0	4	12
AUG 11	B+17	1	0	4	11
AUG 12	B+18	6	0	3	9
AUG 13	B+19	8	0	1	9
AUG 14	B+20	8	0	0	8
AUG 15	B+21	0	0	1	8
AUG 16	B+22	4	0	1	7
AUG 17	B+23	4	0	2	6
AUG 18	B+24	0	0	2	5
AUG 19	B+25	1	0	2	5
AUG 20	B+26	1	0	1	5
AUG 21	B+27	1	0	2	4

*Applies only if the crew was onboard for a 24 hour period.

TARGET SHIP PARTICIPATION SUMMARY

REMANNED AFTER SHOT BAKER

SHIP: USS PARCHE (SS-384)

CREW SIZE: 61

MISSION: USS PARCHE was a CROSSROADS target ship that was remanned and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini prior to June 30, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 22, 1946 enroute to Mare Island via Kwajalein and Pearl Harbor. It arrived at Mare Island on October 14, 1946 and reported to the 19th Fleet. PARCHE was eventually sold for scrap in July 1970.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst	(+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY WHILE AT BIKINI


<u>DATE (1946)</u>	<u>CREW LOCATION-Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
1 July	Evacuated aboard BOTTINEAU (APA-235)-24 (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July	Aboard BOTTINEAU- 12	0.001
	Aboard PARCHE-12	0.003
3 July-24 July	Aboard PARCHE-528	0.002
	BAKER	
25 July-5 August	Evacuated aboard BOTTINEAU-288 (Observed Shot BAKER from a distance of 16 miles)	0.125
6 August- 7 August	Aboard BOTTINEAU-43.5	0.017
	Aboard PARCHE-4.5	0.219
8 August-22 August	Aboard FILLMORE (APA-83)-278.5	0.062
	Aboard PARCHE-81.5	0.668

Total calculated dose received while at Bikini: 1.097 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 22, 1946 (BAKER t 28)

USS PARCHE (SS-384)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-54. Shipboard Gamma Intensity vs. Time - USS PARCHE (SS-384)

TARGET SHIP PARTICIPATION SUMMARY

REMANNED AFTER SHOT BAKER

SHIP: USS SEARAVEN (SS-196)

CREW SIZE: 58

MISSION: USS SEARAVEN was a CROSSROADS target ship that was **remanned** and sailed away after the nuclear test detonations on July 1 and July 25, 1946. It had arrived at Bikini on May 30, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 22, 1946 enroute to San Francisco via Kwajalein and Pearl Harbor. It was eventually sunk as a target on September 11, 1948 by VC-22 at 31-42.3N, 118-26.4w.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst (+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater (-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY WHILE AT BIKINI


<u>DATE (1946)</u>	<u>CREW LOCATION-Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
1 July	Evacuated aboard BOTTINEAU (APA-235)-24 (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July	Aboard BOTTINEAU-12	0.001
	Aboard SEARAVEN-	0.004
3 July-21 July	Aboard SEARAVEN-	0.001
	BAKER	
22 July-3 August	Evacuated aboard BOTTINEAU-276 (Observed Shot BAKER from a distance of 16 miles)	0.098
4 August -9 August	Aboard BOTTINEAU- 106	0.054
	Aboard FILLMORE (APA-83)-7	0.001
	Aboard SEARAVEN-	0.492
10 August -22 August	Aboard FILLMORE-245.5	0.049
	Aboard SEARAVEN-66.5	0.196

Total calculated **dose** received while at Bikini: 0.896 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 22, 1946 (BAKER t 28)

USS SEARAVEN (SS-196)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Raker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-55. Shipboard Gamma Intensity vs. Time - LJSS SEARAVEN (SS-196)

TARGET SHIP PARTICIPATION SUMMARY

REMANDED AFTER SHOT BAKER

SHIP: USS TUNA (SS-203)

CREW SIZE: 57

MISSION: USS TUNA was a CROSSROADS target ship that was remanned and sailed away after the nuclear detonations on July 1 and July 25, 1946. It had arrived at Bikini prior to June 30, 1946 and was anchored in the lagoon where it remained as one of the 84 target ships throughout the operation. It departed Bikini on August 22, 1946 enroute to the West Coast (MINSY) via Kwajalein and Pearl Harbor. It was retained at MINSY for radiological studies until it was sunk off the West Coast at 31-40N, 118-30W on September 4, 1948.

SHOT DATA:	<u>TEST</u>	<u>DATE (TIME)</u>	<u>YIELD</u>	<u>TYPE</u>	<u>DETONATION</u>
	ABLE	1 July 46 (0900)	23 KT	Air Burst	(+520 feet)
	BAKER	25 July 46 (0835)	23 KT	Shallow Underwater	(-90 feet)

AVERAGE CREW MEMBER DOSE HISTORY
WHILE AT BIKINI


<u>DATE (1946)</u>	<u>CREW LOCATION-Hours Aboard</u>	<u>RECONSTRUCTED FILM BADGE DOSE (REM)</u>
	ABLE	
1 July	Evacuated aboard BOTTINEAU (APA-235)-24 (Observed Shot ABLE from a distance of 25 miles)	0.000
2 July	Aboard BOTTINEAU- 12	0.001
	Aboard TUNA-12	0.004
3 July-23 July	Aboard TUNA-504	0.001
	BAKER	
24 July-31 July	Evacuated aboard BOTTINEAU- 178 (Observed Shot BAKER from a distance of 16 miles)	0.032
1 August-9 August	Aboard BOTTINEAU-151.5	0.098
	Aboard TUNA-64.5	0.955
10 August -22 August	Aboard FILLMORE (APA-83)-186.5	0.039
	Aboard TUNA-125.5	0.359

Total calculated dose received while at Bikini: 1.489 REM

This reconstruction includes time spent aboard the target ship (as indicated) after the detonations and prior to the time that the entire crew returned to live aboard the ship.

Date unit departed Bikini: August 22, 1946 (BAKER + 28)

USS TUNA (SS-203)



SHIPBOARD GAMMA INTENSITY CURVES: The average gamma intensity curves for topside amidships, and below decks locations on target ships are discussed in detail in sections 2.4 and 4.0 of the basic report. The data points and average curve are presented as a function of time in days after Shot Baker. The curves are sometimes shown in a folded fashion and care should be exercised when reading the proper intensity scale. In some cases the available data does not discriminate between individual curves for each location.

Figure A-56. Shipboard Gamma Intensity vs. Time - USS TUNA (SS-203)




Figure A-57. Post-Bikini Dose Nomograph




Figure A-58. Shot ABLE Red Lines ($I=1.0$ R/day)




Figure A-59. Shot ABLE Blue Lines ($I=0.1$ R/day)




Figure A-60. Shot BAKER Red Lines ($I=1.0$ R/day)

Table A-1. Calendar Date Conversion for Operation CROSSROADS

<u>Calendar Date</u>	<u>July Date</u>	<u>BAKER+ Date</u>	<u>Calendar Date</u>	<u>July Date</u>	<u>RAKER+ Date</u>	<u>Calendar Date</u>	<u>RAKER+ Date</u>
Jul 1, 1946	01		Aug 1	32	7	Sept 1	38
2	02		2	33	8	5	42
3	03		3	34	9	10	47
4	04		4	35	10	15	52
5	05		5	36	11	20	57
6	06		6	37	12	25	62
7	07		7	38	13	30	67
8	08		8	39	14		
9	09		9	40	15	Oct 1	68
10	10		10	41	16	5	72
11	11		11	42	17	10	77
12	12		12	43	18	15	82
13	13		13	44	19	20	87
14	14		14	45	20	25	92
15	15		15	46	21	31	98
16	16		16	47	22		
17	17		17	48	23	Nov 1	99
18	18		18	49	23	5	103
19	19		19	50	25	10	108
20	20		20	51	26	15	113
21	21		21	52	27	20	118
22	22		22	53	28	25	123
23	23		23	54	29	30	128
24	29		24	55	30		
25	25	0	25	56	31	Dec 1	129
26	26	1	26	57	32	5	133
27	27	2	27	58	33	10	138
28	28	3	28	59	34	15	143
29	29	4	29	60	35	20	148
30	30	5	30	61	36	25	153
31	31	6	31	62	37	31	159

Jan 1, 1947	160	Feb 1, 1947	191	Mar 1, 1947	219
5	164	5	195	5	223
10	169	10	200	10	228
15	174	15	205	15	233
20	179	20	210	20	238
25	184	25	215	25	243
31	190	28	218	31	249

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

Armed Forces Institute of Pathology
 ATTN: Director
 ATTN: Radiation Pathology Br

Armed Forces Radiobiology Rsch Institute
 ATTN: J. Hsieh
 ATTN: Director

Assistant Secretary of Defense
 ATTN: ASD(PA)
 ATTN: ASD(MI&L)
 ATTN: ASD(HA)
 ATTN: ASD(MRA&L)

Asst to the Sec of Defense, Atomic Energy
 ATTN: Lt Col Riggs

Defense Nuclear Agency
 ATTN: Director
 ATTN: PAO
 ATTN: GC
 5 cy ATTN: STBE
 54 cy ATTN: STTI/CA

Defense Technical Information Center
 2 cy ATTN: DD

Dep Under Sec of Def for Rsch & Engrg
 ATTN: DUSDRE, Rsch & Fdv Tech

Dep Asst Sec of Def
 ATTN: DASD(EE&S)

Field Command, DNA, Det 1
 Lawrence Livermore National Lab
 ATTN: FC-1

Field Command, DNA, Det 2
 Los Alamos National Lab
 ATTN: MS-635 FC-2

Field Command, DNA
 ATTN: FCPR
 ATTN: FCTT, W. Summa
 ATTN: FCTXE
 ATTN: FCTXE, Maj Evinrude

Interservice Nuclear Weapons School
 ATTN: TTV

DEPARTMENT OF THE ARMY

Department of the Army
 5 cy ATTN: DAAG-AMR, ANTPR

Harry Diamond Laboratories
 ATTN: DELHD-TA-L, 31100

Office of the Chief of Staff
 ATTN: DACS-DMZ-A, T. Green

US Army Ballistic Research Labs
 ATTN: DRDAR-BLV-R, J. Maloney

US Army Medical Rsch & Dev Cmd
 ATTN: SGRD-SD

DEPARTMENT OF THE ARMY (Continued)

US Army Nuclear & Chemical Agency
 ATTN: MONA-ZB, C. Davidson

Walter Reed Army Medical Center
 ATTN: Library

DEPARTMENT OF THE NAVY

Bureau of Medicine & Surgery
 ATTN: NM&S-09
 ATTN: NM&S-00
 ATTN: NM&S-3C22

National Naval Medical Center
 ATTN: Medical Library
 ATTN: Dept of Radiology

Naval Medical Rsch Institute
 ATTN: Tech Ref Library

Naval Ocean Systems Center
 ATTN: Research Library

Naval Sea Systems Command
 ATTN: SEA-08, M. Miles

Naval Surface Weapons Center
 ATTN: Code F31, D. Levine

Naval Weapons Evaluation Facility
 ATTN: G. Binns

Navy Nuclear Test Personnel Review
 5 cy ATTN: W. Loeffler

Ofc of the Deputy Chief of Naval Ops
 ATTN: NOP 0455, CDR Bell
 ATTN: NOP 098, VADM Monroe

DEPARTMENT OF THE AIR FORCE

Aerospace Medical Division
 ATTN: Library SCL-4

Air Force Institute of Technology
 ATTN: ENP, J. Bridgeman
 ATTN: Library

Air Force Nuclear Test Personnel Review
 4 cy ATTN: P. Fallon

Air Force Weapons Laboratory
 ATTN: NT
 ATTN: SUL
 ATTN: DYT

Air University Library
 ATTN: AUL-LSE

HQ USAF/SG
 ATTN: M. Chesney

US Air Force Occupational & Env Health Lab
 ATTN: CC
 4 cy ATTN: TSNTPR

DEPARTMENT OF THE AIR FORCE (Continued)

USAF School of Aerospace Medicine
ATTN: J. Pickering

DEPARTMENT OF ENERGY

Department of Energy, Albuquerque Operations Office
ATTN: R. Cuddihy

Department of Energy, Office of Military Application
ATTN: OMA, DP-22

Department of Energy, Nevada Operations Office
ATTN: Public Affairs
ATTN: B. Church
ATTN: L. O'Neal
ATTN: Health Physics Div

Department of Energy, Human Health & Assessments Div
ATTN: J. Thiesen, EV-32
ATTN: H. Hollister, EV-4
ATTN: Technical Info Ctr, E-201
ATTN: W. Burr, EV-2
ATTN: B. Wachholz, EV-30
ATTN: J. Blair, EV-32
ATTN: C. Edington, EV-31
ATTN: J. Whitnah, EV-50
ATTN: N. Barr, EV-32

OTHER GOVERNMENT AGENCIES

Cancer Center, NIH
ATTN: A. Knudson

Centers for Disease Control
ATTN: K. Choi
ATTN: Consolidated Surveillance
2 cy ATTN: G. Caldwell

Central Intelligence Agency
ATTN: Office of Medical Services

Consumer Product Safety Commission
ATTN: P. Pruess
ATTN: M. Bloom

Department of Agriculture
ATTN: M. Carter

Department of Agriculture
ATTN: R. Jarrett

Department of Commerce
ATTN: C. Kuyatt
ATTN: J. Hubell

Department of Health & Human Services
ATTN: Ofc of Regulation Review

Department of Health & Human Svcs
ATTN: R. Murphy

Department of Labor
ATTN: S. Weiner

Department of Transportation
ATTN: H. Reighard

Dept of Health & Human Services
ATTN: J. Villforth, HFX-1
ATTN: C. Silverman, HFX-101
ATTN: G. Johnson, HFX-4

OTHER GOVERNMENT AGENCIES (Continued)

Environmental Protection Agency
ATTN: P. Magno
ATTN: T. Thorslund, RD-689

Environmental Protection Agency
ATTN: J. Knelson

Environmental Protection Agency
ATTN: D. Rosendaum, ANR-458
ATTN: W. Ellett, ANR-460
ATTN: W. Nelson, ANR-460
ATTN: W. Mills, ANR-460

Federal Emergency Management Agency
ATTN: Asst Assoc. Dir for Rsch, J. Kerr
ATTN: Ofc of Rsch/NP, D. Bensen
ATTN: C. Siebentritt

Library of Congress
ATTN: Science & Technology Div

NASA Headquarters
ATTN: M/S SBR-3, P. Rambaut
ATTN: M/S, SB-3, G. Soffen

National Cancer Institute, NIH
ATTN: G. Beebe
ATTN: R. Miller
ATTN: O. Nyguard
ATTN: J. Rall
ATTN: S. Stever
ATTN: V. Zeve
ATTN: J. Murray
ATTN: M. Knipmayer
ATTN: E. Stonehill
ATTN: C. Land
ATTN: J. Fraumeni
ATTN: W. Blot
ATTN: J. Gart
ATTN: J. Wyngaarden
ATTN: A. Rabson
ATTN: D. Pistenmaa

National Institute for Occupational Safety & Health
ATTN: W. Murray

National Institutes of Health
ATTN: Library, Acquisition Unit

National Library of Medicine, NIH
ATTN: Library

National Science Foundation
ATTN: K. Wong
ATTN: P. Harriman

Natl Heart, Lung & Blood Institute, NIH
ATTN: W. Zukei

Office of Technology Assessment
ATTN: P. Sharfman

Office on Smoking & Health
ATTN: ii. Pinney

US Senate
ATTN: J. Curtiss

US House of Representatives
ATTN: Subcommittee on Mil Per & Comp
ATTN: Subcommittee on Health & Envir

OTHER GOVERNMENT AGENCIES (Continued)

US Nuclear Regulatory Commission
ATTN: R. Whipp for R. Minogue
ATTN: R. Whipp for W. Mills
ATTN: R. Whipp for F. Arsenault

US Public Health Service
ATTN: Library

US Public Health Service Hospital
ATTN: E. Nishimura

US Public Health Service Hospital
ATTN: T. Robertson

US Senate
ATTN: C. Cowart
ATTN: K. Burdick
ATTN: J. Susman
ATTN: V. Raymond
ATTN: S. Wallace
ATTN: T. Harvey
ATTN: W. Brew
ATTN: S. Ulm

Veterans Admin Medical Center
ATTN: K. Lee

Veterans Admin Medical Center
ATTN: D. McGregor

Veterans Admin Medical Center
ATTN: C. Tessmer

Veterans Admin Wadsworth Hospital Ctr
ATTN: T. Makinodan

Veterans Administration
ATTN: L. Hobson
ATTN: J. Dnnsbach
ATTN: J. Smith
2 cy ATTN: D. Starbuck

The White House
ATTN: Ofc of Policy Dev(DP)

FOREIGN AGENCIES

Canadian Embassy
ATTN: Library

EDF ■ RETN 1
ATTN: Library

Indian Council of Medical Rsch
ATTN: A. Taskar

Japan-Hawaii Cancer Study
ATTN: G. Glober

French Engineering Bureau
ATTN: M. Delpla

McGill University
ATTN: R. Oseasohn

Comitato Nazionale, Per L'Energia Nucleare
ATTN: Library

FOREIGN AGENCIES (Continued)

Univ of Puerto Rico Sch of Medicine
ATTN: Library

United Kingdom Scientific Mission
ATTN: Publications, for MRC, SO 128

OTHER

Brookhaven National Laboratory
ATTN: V. Bond
ATTN: A. Brill, Med Dept
ATTN: Technical Library
ATTN: E. Cronkite, Med Dept
ATTN: M. Bender, Med Dept

California Institute of Technology
ATTN: E. Lewis
ATTN: R. Christy

University of Chicago
ATTN: P. Meier

University of Colorado
ATTN: Library

Columbia University
ATTN: Library
ATTN: A. Bloom
ATTN: Div of Biostatistics

Cornell University
ATTN: W. Federer

Medical College of Georgia
ATTN: L. Stoddard

Harvard School of Public Health
ATTN: Library
ATTN: R. Reed
ATTN: B. MacMahon

Harvard University
ATTN: W. Cochran

University of Hawaii
ATTN: Y. Matsumoto

Indiana University
ATTN: F. Putnam

Iowa State University
ATTN: T. Bancroft

Johns Hopkins University
ATTN: A. Lillienfield
ATTN: R. Seltser
ATTN: A. Kimball

Kansas Univ of Agri & Applied Science
ATTN: H. Fryer

Kingston Hospital
ATTN: K. Johnson

Memorial Hosp for Cancer & Allied Diseases
ATTN: P. Lieberman

OTHER (Continued)

Memorial Sloan-Kettering Cancer Center
ATTN: P. Marks
ATTN: J. Laughlin

Merck, Sharp & Dohme Intl
ATTN: A. Bearn

University of Miami
ATTN: P. Hodes

University of Michigan Medical School
ATTN: J. Neel

University of Michigan
ATTN: R. Cornell
ATTN: F. Moore

University of Minnesota
ATTN: J. Bearman
ATTN: L. Schuman
ATTN: Library

Natl Council on Radiation Protection & Measurements
ATTN: W. Sinclair

University of New Mexico
ATTN: C. Key
ATTN: R. Anderson

New York Univ Medical Center
ATTN: N. Nelson

New York University
ATTN: Library
ATTN: A. Upton
ATTN: B. Posternack

University of North Carolina
ATTN: Library for Dean
ATTN: B. Greenberg

Northwestern University
ATTN: H. Cember

Oak Ridge Associated Universities
ATTN: J. Totter
ATTN: E. Tompkins
ATTN: D. Lushbaugh

University of Oklahoma
ATTN: P. Anderson

University of Oregon
ATTN: B. Pirofsky

Pacific Northwest Laboratory
ATTN: S. Marks

Pennsylvania Univ Hospital
ATTN: S. Baum

University of Pennsylvania
ATTN: P. Nowell

University of Pittsburgh
ATTN: Library
ATTN: E. Radford

OTHER (Continued)

University of Pittsburgh
ATTN: N. Wald

Rochester Univ Medical Ctr
ATTN: G. Casarett
ATTN: C. Odoroff

University of Rochester
ATTN: L. Hempelmann

Saint Francis Hospital
ATTN: R. Blaisdell

Medical Univ of South Carolina
ATTN: P. Liu

University of Southern California
ATTN: J. Birren

Stanford Univ Medical Center
ATTN: J. Brown

Stanford University
ATTN: L. Moses

Stanford University Hospital
ATTN: D. Dorfman

Texas A&M University
ATTN: R. Stone

Univ of Texas at Austin
ATTN: H. Sutton

University of Texas
ATTN: R. Stallones
ATTN: W. Sutow
ATTN: G. Taylor

University of Utah
ATTN: Library

University of Utah
ATTN: Library
ATTN: L. Lyons
ATTN: E. Wrenn
ATTN: C. Mays

Vanderbilt University
ATTN: R. Quinn

University of Washington
ATTN: D. Thompson
ATTN: A. Motulsky

University of Wisconsin
ATTN: J. Crow

Yale University Sch of Medicine
ATTN: Library
ATTN: J. Meigs

DEPARTMENT OF ENERGY CONTRACTORS

University of California
Lawrence Livermore National Lab
ATTN: Tech Info Dept Library
ATTN: L. Anspaugh
ATTN: Y. Ng

DEPARTMENT OF ENERGY CONTRACTORS (Continued)

Los Alamos National Laboratory
ATTN: M/S634, T. Dowler
ATTN: MS218, P. Whalen
ATTN: Library
ATTN: J. Oummer

Oak Ridge National Laboratory
ATTN: J. Auxier
ATTN: G. Kerr
ATTN: C. Clifford
ATTN: C. Richmond
ATTN: T. Jones

Reynolds Electrical & Engr Co, Inc
ATTN: Ooc Con Facility
ATTN: J. Brady

Sandia National Laboratories
ATTN: O. Aldridge
ATTN: Oiv 1314, S. Durpee

DEPARTMENT OF DEFENSE CONTRACTORS

Advanced Research & Applications Corp
ATTN: R. Armistead

BOM Corp
ATTN: J. Braddock

Colorado State University
ATTN: M. Zelle

Energy Systems, Inc
ATTN: W. Ogle

JAYCOR
ATTN: J. Ozeroff

JAYCOR
ATTN: J. Sperling

JAYCOR
ATTN: E. Weary

Kaman Tempo
ATTN: DASIAC
3 cy ATTN: E. Martin

Kaman Tempo
ATTN: OASIAC

Louisiana Univ Sch of Med
ATTN: Library

National Academy of Sciences
ATTN: S. Jablon
ATTN: National Materials Advisory Bd
7 cy ATTN: C. Robinette

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

R&O Associates
ATTN: C. Lee
ATTN: J. Marcum
ATTN: P. Haas

R&O Associates
ATTN: A. Deverill

Radiation Research Associates, Inc
ATTN: N. Schaeffer

Rand Corp
ATTN: Library
ATTN: P. Davis

Rand Corp
ATTN: B. Bennett

Science Applications, Inc
ATTN: w. Scott
ATTN: E. Straker
ATTN: W. Woolson
ATTN: G. Reynolds

Science Applications, Inc
ATTN: J. Goetz
ATTN: J. Klemm
ATTN: J. Cockayne
ATTN: W. McRaney
ATTN: R. Weitz
ATTN: J. Stuart
ATTN: E. Muller
ATTN: C. Thomas
ATTN: M. Knowles
ATTN: A. Landay
5 cy ATTN: J. McGahan

Science Applications, Inc
ATTN: O. Kaul

Science Applications, Inc
ATTN: J. Novotney

Scientific Information Svcs, Inc
ATTN: Library

Tech Reps, Inc
ATTN: B. Collins

University of Nebraska
ATTN: Library

Ohio State University
ATTN: Library

Pacific-Sierra Research Corp
ATTN: H. Brode, Chairman SAGE

