RADIATION DOSE RECONSTRUCTION U.S. OCCUPATION FORCES IN HIROSHIMA AND NAGASAKI, JAPAN, 1945-1946

W. McRaney
J. McGahan
Science Applications, Inc.
1710 Goodridge Drive, P.O. Box 1303
McLean, Virginia 22102



6 August 1980

Final Report for Period 1 March 1980-6 August 1980

CONTRACT No. DNA 001-80-C-0052

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

THIS WORK SPONSORED **BY** THE DEFENSE NUCLEAR AGENCY UNDER **RDT&E** RMSS CODE 6325080464 **V99QAXNA10003 H2590D**.

Prepared for Director DEFENSE NUCLEAR AGENCY Washington, D. C. 20805

PARE #

1-55121

DASIA

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY, ATTN: STTI, WASHINGTON, D. C. 20305, IF YOUR ADDRESS IS INCORRECT, IF YOU WISH TO BE DELETED FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.



DNA 5512 F 2 2:102



DEFENSE NUCLEAR AGENCY WASHINGTON, D.C. 20305

13 April 1981

SUBJECT: DNA Report, 'Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshima and Nagasaki, Japan 1945-1946"

SEE DISTRIBUTION

1. The Defense Nuclear Agency, as the Department of Defense (DoD) executive agency for matters relating to low-level ionizing radiation, is conducting an extensive review of radiation exposures to military personnel who have participated in all aspects of the United States nuclear weapons development programs. This program, termed the Nuclear Test Personnel Review (NTPR), was begun in 1977 in response to concern over possible health risks as a result of very low level radiation exposures.

2. Similar concerns have been expressed with regard to U. S. veterans who were involved in the 1945-1946 occupation of Hiroshima and Nagasaki, Japan. DNA has expended a large research effort to recover from records and historical documents all available data pertaining to the occupation of these cities and the possible radiation exposures of these troops.

3. The enclosed report by Science Applications Inc., written under contract to DNA, provides estimates of upper limits of the radiation doses that would have been possible for members of the occupation forces to have received. These dose reconstructions are based upon: (1) patterns of residual activity measured, documented and published shortly after the bombings, by both U. S. and Japanese investigators, (2) extensive review and analysis of this residual activation in the ensuing decades, (3) the documented history of the occupation, including arrival and departure dates for each Army and Marine Corps unit which operated in the vicinity of the cities, and (4) current dose calculation methodologies.

4. DNA believes this report accurately represents a conservative approach to dose estimation, and that the upper limits estimated are reasonable and appropriate. Your review of this report is invited.

1 Enclosure as

Harry Auffald

Lieutentant General, USA Director

DISTRIBUTION (See Page 2)

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshinn and Nagasaki, Japan 1945-1946"

DISTRIBUTION:

DEPARTMENT OF DEFENSE

Armed Forces Institute of Pathology ATTN: Radiation Pathology Branch ATTN: Director

Armed Forces Radiobiology Research Institute Defense Nuclear Agency National Naval Medical Center ATTN: Director

Assistant Secretary of Defense Public Affairs ATTN: ASD, PA

Assistant Secretary of Defense Health Affairs ATTN: ASD. HA

Assistant Secretary of Defense Legislative Affairs ATTN: ASD. LA

Assistant to the Secretary of Defense Atomic Energy ATTN: Executive Assistant

Defense Nuclear Agency ATTN: Director ATTN: PAO ATTN: STNA ATTN: STSP ATTN: GC ATTN: BA ATTN: RAEE 4 cy ATTN: NATD 54 cy ATTN: TITL

Defense Technical Information Center 12 cy ATTN: DD

Deputy Assistant Secretary of Defense Energy, Environment and Safety ATTN: DASD, EE&S

Field Command Defense Nuclear Agency ATTN: FCPR ATTN: FCTMDT, J. Strode ATTN: FCTMDT

DEPARTMENT OF DEFENSE (Continued)

Field Command Defense Nuclear Agency Livermore Branch ATTN: FCPRL

Field Command Defense Nuclear Agency Los Alamos Branch ATTN: FCPRL

Interservice Nuclear Weapons School ATTN: TTV

Undersecretary of Defense Research and Engineering ATTN: DUSDRE, Research and Advanced Technology

DEPARTMENT OF THE ARMY

Headquarters Department of the Army ATTN: DACS-DNC, D. Wav Harry Diamond Laboratories Department of the Army ATTN: DELHD-I-ŤL Office of the Chief of Staff Department of the Army ATTN: DACS-DMZ-A, T. Green U.S. Army ballistic Research Labs ATŤN: DRDAR-BLB, J. Maloney U.S. Army Medical Research and Development Command ATTN: SGRD- SD U.S. Army Nuclear and Chemical Agency ATTN: C. Davidson U.S. Army Ordnance and Chemical Center and School Whitten ATTN: Walter Reed Army Medical Center Nuclear Medicine Division ATTN: Library

DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in SUBJECT: Hiroshima and Nagasaki, Japan 1945-1946" DEPARTMENT OF THE AIR FORCE (Continued) DEPARTMENT OF THE NAVY Headquarters Bureau of Medicine and Surgery Department of the Navy Air University Department of the Air Force ATTN: NMRS-3C22 ATTN: Technical Library ATTN: NM&S-00 ATTN: NMRS-09 Headquarters, USAF National Naval Medical Center ATTN: M Chesney Department of Radiology ATTN: Medical Library U.S. Air Force Occupational and Environmental ATTN: Health Laboratory ATTN: CC Naval Medical Research Institute 4 cy ATTN: TSNTPR ATTN: **Technology Reference Library** DEPARTMENT OF ENERGY Naval Ocean Systems Center ATTN: **Řesearch** Library Department of Energy Nevada Operations Office ATTN: L. O'Nea] Naval Sea Systems Command ATTN: SEA-08, M Miles ATTN: B. Church Naval Surface Weapons Center Department of Energy White Oak Laboratory ATTN: Code F31, D. Levine ATTN: OMA. G. Facer Department of Energy Naval Weapons Evaluation Facility ATTN: G. Binns Human Health and Assessments Division C. Edington, EV-31 ATTN: N. Barr. EV-32 Naval Nuclear Test Personnel Review ATTN: J. Maher, EV-23 5 cy ATTN: J. Buckley ATTN: J. Blair. EV-32 ATTN: Technical Information Center, DEPARTMENT OF THE AIR FORCE ATTN: E- 201 Aerospace Medical Division ATTN: H. Hollister, EV-4 Air Force Systems Command ATTN: J. Whitnah, EV-50 ATTN: Library SCL-4 ATTN: J. Viren, EV-32 ATTN: **R.** Clusen, EV-1 B. Wachholz, EV-30 Air Force Institute of Technology ATTN: ATTN: W Burr, EV-2 Air University J. Thiesen, EV-32 ENP, J. Bridgeman ATTN: ATTN: ATTN: Library 2 cy ATTN: W Weyzen, EV-31 Air Force Nuclear Test Personnel Review **OTHER GOVERNMENT AGENCIES** 4 cy ATTN: P. Fallon Committee for U.S. Veterans of Air Force School of Aerospace Medicine Hiroshinn and Nagasaki ATTN: J. **Pickering** N. Soloman ATTN:

Air Force Weapons Laboratory Air Force Systems Command ATTN: NT ATTN: SUL ATTN: DYT

NATD

Cancer Center, NIH

ATTN: A. Knudson

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshima and Nagasaki, Japan 1945-1946"

OTHER GOVERNMENT AGENCIES (Continued)

Centers for Disease Control U.S. Public Health Service ATTN: Consolidated Surveillance ATTN: K. Choi 2 cy ATTN: G. Caldwell

Central Intelligence Agency ATTN: OMS, P. Zranka

Department of Commerce National Bureau of Standards Center for Radiation Research ATTN: J. Hubell

Department of Health and Human Services ATTN: Office of Regulation Review

Department of Health and Human Services National Center for Health Statistics Division of Health Examination Statistics ATTN: R. Murphy

Department of Health and Human Services Bureau of Radiological Health Food and Drug Administration ATTN: G. Johnson/HFX-4 ATTN: J. Villforth/HFX-1

Environmental Protection Agency Carcinogen Assessment Group Office of Health and Environment Assessment ATTN: T. Thorslund, RD-689

Environmental Protection Agency Human Studies Laboratory ATTN: J. Knelson

Environmental Protection Agency Criteria and Standards Division for Radiation Programs ATTN: N. Nelson, ANR-460 ATTN: W Ellett, ANR-460 ATTN: W Mills, ANR-460 ATTN: D. Rosendaum, ANR-460

Federal Emergency Management Agency ATTN: Emergency Operations Systems Division, J. Kerr

Library of Congress ATTN: Science and Technology Division

OTHER GOVERNMENT AGENCIES (Continued) National Cancer Institute, NIH Clinical Epidemiology Branch ATTN: R. Miller ATTN: G. Beebe National Cancer Institute, NIH Environmental Epidemiology Branch ATTN: W Blot ATTN: J. Fraumeni ATTN: C. Land National Cancer Institute, NIH Mathematical Statistics and Applied Mathematics Section ATTN: J. Gart National Cancer Institute, NIH Laboratory of Pathology ATTN: A. Rabson National Eye Institute, NIH Office of **Biometry** and Epidemiology ATTN: D. Seigel ATTN: R. Milton Institutes of Health National ATTN: Library, Acquisition Unit National Library of Medicine, NIH Technical Services Division-Serials ATTN: Library National Veterans Law Center ATTN: L. Milford National Heart, Lung, and Blood Institute, NIH ATTN: W Zukel Office on Smoking and Health ATTN: J. **Pinney** State Department of Public Health Bureau of Chronic Diseases ATTN: **R.** Paffenberger Office of Technology Assessment U.S. Congress ATTN: P. Sharfman

.

SUBJECT: DNA Report, "Padiation Dose Recon	struction U.S. Occupation Forces in
Hiroshinn and Nagasaki, Japan 1945	-1946"
OTHER GOVERNMENT AGENCIES (Continued)	OTHER GOVERNMENT AGENCIES (Continued)
U.S. House of Representatives Committee on Armed Services ATTN: Subcommittee on Military Personnel and Compensation	Veterans Admin ⁱ stration Wadsworth Hospital Center ATTN: T·Makinodan
U.S. House of Representatives Committee on Interstate and Foreign Commerce ATTN: Subcommittee on Health and Environment	Veterans Admin ¹ stration ATTN: J. Donsbach ATTN: L. Hobson ATTN: F. Kuta. 2 cy ATTN: D. Starbuck
U.S. Public Health Service Bureau of Radiological Health ATTN: Library	The White House ATTN: Office of Policy Development, DP
U.S. Public Health Service Hospital	Argonne National Laboratory
Department of Pathology	ATTN: P. Failla
ATTN: E. Nishimura	ATTN: A. Brues
U.S. Public Health Service Hospital	ATTN: D. Grahn
Associate Director for Research	Brookhaven National Laboratory
ATTN: T. Robertson	ATTN: Technical Library
U.S. Senate	ATTN: V. Bond
Committee on Armed Service	ATTN: E. Cronkite
ATTN: C. Cowart	ATTN: M Bender
U.S. Senate Committee on Veterans Affairs ATTN: W Brew	Brookhaven National Laboratory Technical Support Organization for Safeguards ATTN: A. Brill ATTN: V. Bond
U.S. Senate	ATTN: M Bender
Committee on Government Affairs	Lawrence Livernore National Lab
Subcommittee on Energy, Nuclear	ATTN: Y. NG
Proliferation and Federal Services	ATTN: Technical Information
Veterans Administration Medical Center, Palo Alto CSPCC, 151-K	ATTN: Technical Information Department Library ATTN: Anspaugh ATTN: Biomedical Division Information Integration Group
ATTN: K. Lee	Los Alamos National Scientific Lab
Veterans Administrat on Medical Center,	ATTN: Library
Kansas City	ATTN: P. Whalen
ATTN: D. McGreogor	ATTN: M/S632, T. Dowler
Veterans Administration Medical Center,	ATTN: J. Dunmer
Temple	2 cy ATTN: D. Harris, E. Young

Temple ATTN: C. Tessmer

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshinn and Nagasaki, Japan 1945-1946"

DEPARTMENT OF ENERGY CONTRACTORS (Continued) DEPARTMENT OF DEFENSE CONTRACTORS (Continued.)

Oak Ridge National Laboratory Nuclear Division

- ATTN: C. Richmond G. Kerr ATTN: ATTN: X-10 Laboratory Records Division ATTN: J. Auxier **Central Research Library** ATTN: C. Clifford ATTN: F. Maienshun ATTN: J. Stover ATTN:
- Oak Ridge National Laboratory Health Physics Division ATTN: T. Jones
- Oak Ridge Operations Office Comparative Animal Research Lab ATTN: Library

Sandia National Lab ATTN: D. Aldridge ATTN: S. Durpee

DEPARTMENT OF DEFENSE CONTRACTORS

Advanced Research and Applications Corporation ATTN: R. Armistead

University of Alabama School of Medicine ATTN: Library

University of Alabama School of Dentistry ATTN: L. Manson-Hing

Union Medical Center Hospital Albany Medical College ATTN: Library

Yeshiva University Albert Einstein College of Medicine ATTN: Library

University of Arizona College of Medicine Arizona Health Sciences Center ATTN: Library University of Arkansas College of Medicine ATTN: Library University of Arkansas Serials Department ATTN: Library for Serials Department Baylor College of Medicine Texas Medical Center ATTN: Library **BDM** Corporation ATTN: J. Braddock Boston University School of Medicine ATTN: Library Wake Forest University Bowan Gray School of Medicine ATTN: Library Brown University Program in Medicine ATTN: Library University of California at San Diego School of Medicine Department of Community Medicine ATTN: M Shimkin University of California, Los Angeles Office of Contract and Grant Administration ATTN: L. Breslow California Institute of Technology Division of **Biology** ATTN: E. Lewis University of California, Los Angeles Laboratory of Nuclear Medicine and Radiation Biology School of Medicine ATTN: Library University of California, Los Angeles School of Medicine ATTN: Library University of California, San Diego School of Medicine ATTN: Library

DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in SUBJECT: Hiroshima and Nagasaki, Japan 1945-1946" DEPARTMENT OF DEFENSE CONTRACTORS (Continued) DEPARTMENT OF DEFENSE CONTRACTORS (Continued) University of California, San Diego School of Medicine Medical School of Chicago University of Health Sciences ATTN: Library ATTN: M Klauber University of California, San Francisco University of Chicago Department of Statistics School of Medicine ATTN: Library ATTN: P. Meier University of California, Los Angeles University of Cincinnati Medical College Division of Epidemiology and Biostatistics Medical Center W Dixon ATTN: C. Buncher ATTN: ATTN: W Valentine University of Cincinnati College of Medicine University of California, Berkeley ATTN: Library Public Health Library ATTN: University of Cleveland University of California, Los Angeles University Hospital Department of Radiology ATTN: A. Tucker Center for the Health Sciences ATTN: Library University of California, Davis School of Veterinary Medicine Colorado State University Department of Epidemiology and Preventive Medicine Department of Radiology and Radiation Biology ATTN: M Zelle ATTN: Library Library for Government Document ATTN: University of Colorado Department School of Medicine University of California, Berkeley ATTN: Library Department of Zoology Columbia University ATTN: C. Stern College of Physicians and Surgeons Columbia Presbyterian Medical Center University of California, San Francisco ATTN: A. Bloom Cancer Research Institute Medical Center ATTN: Library ATTN: D. Wood Columbia University School of Public Health University of California, Davis ATTN: Division of Biostatistics School of Medicine ATTN: Library University of Connecticut University of California, Irvine College of Medicine School of Medicine ATTN: Library ATTN: Library Cooper Medical Center, Canden ATTN: S. Finch Carnegie Institution of Washington ATTN: J. Ebert Cornell University Medical College New York Hospital Case Western Reserve University Cornell Medical Center School of Medicine ATTN: Library ATTN: Library

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshinn and Nagasaki, Japan 19451946" DEPARTMENT OF DEFENSE CONTRACTORS(Continued) DEPARTMENT OF DEFENSE CONTRACTORS(Continued) George Washington University School of Medicine and Health Sciences **Cornell University Biometrics Unit** Himmelfaoab Health Sciences ATTN: **ATTN: W Federer** Library Creighton University School of Medicine Hahnemann Medical College and Hospital ATTN: Library ATTN: Library Harvard Medical School Dartmouth Medical School ATTN: Library ATTN: Library Harvard School of Public Health California State University, Chico Department of Biostatistics Department of Biological Sciences ATTN: R. Reed ATTN: M Anthony ATTN: Library Duke University School of Medicine Harvard School of Public Health Department of Epidemiology Duke University of Medical Center ATTN: B. MacMahon ATTN: Library Eastern Virginia Medical School Harvard University Department of Atmospheric Sciences ATTN: Library ATTN: W Cochran **Empry University** University of Hawaii School of Medicine John A. Burns School of Medicine ATTN: Library ATTN: Library Energy Systems, Inc University of Hawaii ATŤN: **B. Ogle** School of Public Health ATTN: Y. Matsumpto University of Florida ATTN: Director of Libraries, Regional University of Hawaii ATTN: Library **General Electric Company** Hanford Atomic Products Operations Hollywood Presbyterian Hospital ATTN: Manager, Biology Operations ATTN: J. Yamazaki Georgetown University City of Hope Medical Center School of Medicine Director of Clinical Immunology ATTN: Library ATTN: R. Yonempto Medical College of Georgia University of Iowa, Hospital Department of Opthalmology School of Medicine ATTN: Library ATTN: P. Leinfelder Medical College of Georgia Department of Pathology ATTN: L. Stoddard University of Illinois College of Medicine ATTN: Library Gerontology Research Center Baltimore City Hospitals ATTN: N. Shock

NATD

DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in SUBJECT: Hiroshima and Nagasaki, Japan 1945-1946" DEPARTMENT OF DEFENSE CONTRACTORS(Continued) DEPARTMENT OF DEFENSE CONTRACTORS(Continued) University of Kansas Indiana University College of Health Sciences and Hospital School of Medicine School of Medicine ATTN: Library ATTN: Library Indiana University University of Kentucky Department of Biology Medical Center ATTN: F. Putman Department of Medicine ATTN: J. Hollingsworth Iowa State University Department of Statistics University of Kentucky ATTN: T. Bancroft College of Medicine ATTN: Library University of Iowa College of Medicine Kingston Hospital ATTN: Library Health Services Research Center ATTN: K. Johnson JAYCOR, Santa Barbara ATTN: J. Ozeroff Kansas State University of Agriculture and Applied Science JAYCOR, San Diego Department of Statistics and Statistical ATTN: J. Sperling Laboratory ATTN: H. Fryer JAYCOR. Alexandria ATTN: E. Weary Louisiana State University School of Medicine in New Orleans Thomas Jefferson University Jefferson Medical College ATTN: Library ATTN: Library Louisiana State University School of Medicine in Shreveport Johns Hopkins Hospital Library ATTN: Office of Health Care Programs ATTN: R. Heyssel Loma Linda University School of Medicine Johns Hopkins University ATTN: Library School of Medicine ATTN: Library University of Louisville School of Medicine Johns Hopkins University ATTN: Library School of Hygiene and Public Health R. Seltser A. Kimball ATTN: Lovelace Biomedical and Environment Research ATTN: Institute, Inc A. Lilienfield ATTN: ATTN: R. Cuddihy JRB Associates Loyola University of Chicago ATTN: J. Novotney Stritch School of Medicine ATTN: Library Kanan- TEMPO. Santa Barbara 3 cy ATTN: E. Martin University of Maryland School of Medicine Kaman-TEMPO. Al exandri a ATTN: Library ATTN: W Alfonte

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshina and Nagasaki, Japan 19451946"

DEPARTMENT OF DEFENSE CONTRACTORS(Continued) DEPARTMENT OF DEFENSE CONTRACTORS(Continued)

University of Massachusetts Medical School ATTN: Library

Mayo Medical School ATTN: Library

- Meharry Medical College School of Medicine ATTN: Library
- Memorial Hospital for Cancer and Allied Diseases ATTN: P. Lieberman

Memorial Sloan-Kettering Cancer Center Department of Medical Physics ATTN: J. Laughlin ATTN: P. Marks

Merck, Sharp and Dohme International ATTN: A. Bearn

University of Miami School of Medicine ATTN: Library

University of Miani School of Medicine Department of Radiology ATTN: P. Hodes

University of Michigan Medical School Department of Human Genetics ATTN: J. Neel

Michigan State University College of Human Medicine ATTN: Library

University of Michigan Medical School ATTN: Library

University of Michigan Department of Biostatistics School of Public Health ATTN: R. Cornell

University of Minnesota Duluth School of Medicine ATTN: Library

University of Michigan School of Public Health Department of Biostatistics ATTN: F. Moore University of Minnesota Medical School - Minneapolis ATTN: Library University of Minnesota School of Public Health Library ATTN: ATTN: L. Schuman J. Bearman ATTN: University of Mississippi School of Medicine ATTN: Library University of Missouri Columbia School of Medicine ATTN: Library University of Missouri Kansas City School of Medicine ATTN: Library Mount Sinai School of Medicine City University of New York ATTN: Library National Academy of Sciences National Materials Advisory Board ATTN: S. Jablon 7 cy ATTN: C. Robinette National Association of Atomic Veterans. Inc ATTN: 0. Kelley National Council on Radiation Protection and Measurements ATTN: W Sinclair University of North Carolina at Chapel Hill School of Medicine ATTN: Library University of Nebraska College of Medicine

ATTN: Library

-

SUBJECT: DNA Report, "Radiation Dose Recons Hiroshinn and Nagasaki, Japan 1945	struction U.S. Occupation Forces in 5-1946"
DEPARTMENT OF DEFENSE CONTRACTORS(Continued)	DEPARTMENT OF DEFENSE CONTRACTORS(Continued)
University of Nevada, Reno	University of North Carolina
School of Medical Sciences	School of Public Health
ATTN: Library	ATTN: Library for Dean
J J	ATTN: B. Greenberg
College of Medicine and Dentistry	
of New Jersey	University of North Dakota
ATTN: Library	School of Medicine
Heimensiter of New Medice	ATTN: Library
University of New Mexico	Newthern et en
School of Medicine	Northwestern Medical School
Department of Pathology	Meurcar School Attract Lengen
ATTN: C. Key	AIIN: LIDFAFY
AIIN: K. ANGERSON	Nonthunstonn University
University of New Marias	Tachnal agi cal Instituta
Chiversity of New Mexico School of Modicino	Department of Civil Engineering
Halth Sciences Center	ATTN. H Combor
ATTN. Library	ATTA. IL CEIDEI
ATTA. LIDIALY	State University of New York Buffalo
Now York Midical Collago	School of Medicine
ATTN. Library	ATTN. Library
ATTA: LIDIALY	ATTA. LIDIALY
New York University Medical Center	State University of New York. Stony Brook.
Department of Environmental Medicine	HSC
ATTN: N. Nelson	School of Medicine
	ATTN: Library
New York University	v
Department of Environmental Medicine	Oak Ridge Associated University
ATTN: B. Posternack	Medical Library
ATTN: A. Upton	ATTN: M Garber
ATTN: Library	
	Oak Ridge Associated Universities
State University of New York	Medical and Health Sciences Division
Downstate Medical Center	ATTN: E. Tonpkins
College of Medicine	ATTN: J. Totter
ATTN: Library	ATTN: D. Lushbaugh
State University of New York	Medical College of Obio at Toledo
Unstate Medical Center	ATTN: Library
ATTN. I i brary	ATTA: LIDIALY
ATTA: Libiary	Obio State University
Newton Wellesley Hosnital	College of Medicine
ATTN. R Samson	ATTN: Library
College of Medicine and Dentistry of	University of Oklahoma
New Jersey	College of Medicine
Rutgers Medicial School	ATTN: Library
ATTN: Library	-
-	University of Oklahoma
	School of Public Health
	ATTN: P. Anderson

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshima and Nagasaki, Japan 1945-1946"

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

University of Oregon,, HSC School of Medicine ATTN: Library

Oregon State University ATTN: Library

University of Oregon Division of Immunology, Allergy and Rheumatology ATTN: B. Pirofsky

Medical College of Pennsylvania ATTN: Library

University of Pennsylvania, Hospital Department of Radiology ATTN: S. Baum

Pacific Northwest Laboratory ATTN: S. Marks

Pacific-Sierra Research Corporation ATTN: H. Brode

Pan American Health Organization ATTN: Library

Pennsylvania State University College of Medicine ATTN: Library

University of Pennsylvania School of Medicine Department of Pathology ATTN: P. Nowell

University of Pennsylvania School of Medicine ATTN: Library

University of Pittsburgh Graduate School of Public Health Department of Epidemiology ATTN: E. Radford ATTN: Library

University of Pittsburgh Alan Magee Scaife Hall of the Health Professions ATTN: Library University of Pittsburgh Graduate School of Public Health ATTN: N. Wald

Purdue University Department of Statistics ATTN: V. Anderson

R&D Associates ATTN: J. Marcum ATTN: P. Haas

Radiation Research Associates, Inc ATTN: N. Schaeffer

Rand Corporation ATTN: Library

Reynolds Electrical and Engineering Company, Inc ATTN: W Brady

University of Rochester Medical Center ATTN: G. Casarett ATTN: C. Odoroff

University of Rochester School of Medicine and Dentistry ATTN: Lithrary

University of Rochester Department of Radiology ATTN: L. Henpelmann

Rush Medical College of Rush University ATTN: Library

Saint Francis Hospital University of Hawaii Department of Medicine ATTN: R. Blaisdell

Saint Louis University School of Medicine ATTN: Library

Medical University of South Carolina College of Medicine ATTN: Library

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshima and Nagasaki, Japan 1945-1946" DEPARTMENT OF DEFENSE CONTRACTORS(Continued) DEPARTMENT OF DEFENSE CONTRACTORS(Continued) Science Applications, Inc Stanford University Medicine Center Department of Radiobiology ATTN: E. Straker ATTN: G. Revnolds ATTN: J. Brown ATTN: w. Scott ATTN: W Woolson Stanford University School of Medicine Science Applications, Inc ATTN: Division of Gastro Enterology, J. Cockayne ATTN: P. Gregory ATTN: J. Klem ATTN: Department of Preventive ATTN: J. Goetz Medicine. B. Brown 5 cy ATTN: J. McGahan ATTN: Library **w** McRaney 5 cy ATTN: Stanford University Sequoia Hall Science Applications, Inc Chicago Office ATTN: L. Moses D. Kaul ATTN: Stanford University Hospital Surgical Pathology, C218 Scientific Information Services. Inc ATTN: D. Dorfman ATTN: Library Shields Warren Radiation Lab Technical Representatives. Inc ATTN: **B.** Collins ATTN: H, Kohn Temple University School of Medicine University of South Alabama College of Medicine ATTN: Library ATTN: Library University of Tennessee College of Medicine Medical University of South Carolina Department of Laboratory Medicine ATTN: P. Liu ATTN: Library Texas A & M University University of South Dakota School of Medicine College of Medicine ATTN: R. Stone ATTN: Library University of Texas at Austin University of South Florida Department of Zoology College of Medicine ATTN: Library ATTN: H. Sutton **Texas Tech University** University of Southern California School of Medicine School of Medicine ATTN: Library ATTN: Library University of Texas University of Southern Californja Southwestern Medical School at Dallas Andrus Gerontology Center ATTN: J. Birren ATTN: Library University of Texas Southern Illinois University Medical Branch at Galveston School of Medicine ATTN: Library ATTN: Library

SUBJECT: DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in Hiroshima and Nagasaki, Japan 1945-1946"

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) DEPARTMENT OF DEFENSE CONTRACTORS(Continued)

University of Texas Health Science Center at Houston ATTN: Library

University of Texas Health Science Center at San Antonio ATTN: Library

University of Texas School of Public Health ATTN: R. Stallones

University of Texas Systems Cancer Center ATTN: w. Sutow

University of Texas Graduate School of Biomedical Sciences ATTN: G. Taylor

Tobacco Institute, Inc ATTN: M Kastenbaum

Tufts University School of Medicine ATTN: Library

Tulane University School of Medicine ATTN: Library

University of California at Los Angeles Medical Center Department of Medicine ATTN: J. Lawrence

University of Utah College of Medicine ATTN: Library

University of Utah Serials Order Department ATTN: Library

Vanderbilt University School of Medicine ATTN: Library

Vanderbilt University Department of Preventive Medicine and Public Health ATTN: R. Quinn University of Vermont College of Medicine ATTN: Library Medical College of Virginia School of Medicine ATTN: Library University of Virginia School of Medicine ATTN: Library Washington University School of Medicine ATTN: Library Washington University Serials Department ATTN: Library University of Washington School of Medicine ATTN: Library University of Washington School of Public Health and Community Medicine ATTN: D. Thompson University of Washington School of Medicine Division of Medical Genetics ATTN: A. Motulsky Wayne State University School of Medicine ATTN: Library West Virginia University School of Medicine ATTN: Library University of Wisconsin Medical School ATTN: Library Medical College of Wisconsin ATTN: Library University of Wisconsin Laboratory of Genetics ATTN: J. Crow

NATO

ATTN: A. Taskar

DNA Report, "Radiation Dose Reconstruction U.S. Occupation Forces in SUBJECT: Hiroshima and Nagasaki, Japan 1945-1946" DEPARTMENT OF DEFENSE CONTRACTORS(Continued) FOREIGN AGENCIES (Continued) Japan-Hawaii Cancer Study Yale University ATTN: G. Glober School of Medicine ATTN: Library for Dean Department of Internal Maurice Delpla ATTN: Médicine, G. Burrow c/0 Lefebvre French Engineering Bureau ATTN: **R.** Barliner ATTN: M Delpla Yale University Library McGill University ATTN: Library Department of Epidemiology and Health ATTN: R. Oseasohn Yale University School of Medicine Department of Epidemiology and Public Health Presidente Umberto Colombo Comitato Nazionale Library ATTN: Per L/Energia Nucleare J. Meigs ATTN: ATTN: Library FOREIGN AGENCIES University of Puerto Rico School of Medicine Canadian Embassy Medical Sciences Campus Office of Scientific Counsellor ATTN: Library ATTN: Library United Kingdom Scientific Mission EDF - RETN 1 British Embassy c/0 French Engineering Bureau ATTN: Publications, for MRC, SO 128 ATTN: Library Indian Council of Medical Research Medical Enclave, Ansari Nagar

UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)	
REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS
REPORT NUMBER 2 GOVT ACCESSIO	N NO. 3 RECIPIENT'S CATALOG NUMBER
DNA 5512F	
A TITLE (end Subtitle) RADIATION DOSE RECONSTRUCTION U.S. OCCUPATION FORCES IN HIROSHIMA AND NAGASAKI, JAPAN, 1945-1946	5 TYPE OF REPORT & PERIOD COVERED Final Report for Period 1 Mar 80-6 Aug 80 6 PERFORMING ORG REPORT NUMBER
	A CONTRACT OF CRANT NUMBER(c)
W McRaney J. McGahan	DNA 001-80-C-0052
PERFORMING ORGANIZATION NAME AND ADDRESS Science Applications, Inc. 1710 Goodridge Drive, P.O. Box 1303 McLean, Virginia 22102	¹⁰ PROGRAM ELEMENT, PROJECT, TASK Subtask V99QAXNA100-03
I CONTROLLING OFFICE NAME AND ADDRESS	12 REPORT DATE 6 August 1980
Derense Nuclear Agency Washington, D. C. 20305	¹³ NUMBER OF PAGES
14 MONITORING AGENCY NAME & ADDRESS(11 different from Controlling O	flice) ¹⁵ SECURITY CLASS (of this report)
	UNCLASSIFIED
	15a DECLASSIFICATION/DOWNGRADING
	SCHEDULE
7 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if differen	it from Report)
 18 SUPPLEMENTARY NOTES This work sponsored by the Defense Nuclear Age Code B325080464 V99QAXNA10003 H2509D. 9 KEY WORDS (Continue on reverse side if necessary and identify by block n 	ency under RDT&E RM6S
Hiroshima Radiation Exposu Nagasaki Fallout U.S. Occupation of Japan Induced Activity	re Internal Dose
¹⁰ ABSTRACT (Continue on reverse side if necessary and identify by block num Upper limit dose estimates (internal and exter units of the U.S. occupation forces assigned ing the detonations of atomic weapons in those of specific maneuver and patrol data, these do maximum recorded activity levels with exposure for each unit. The upper limit external dose rem for Nagasaki. For the Nishiyama area, the dose from internal emitters (inhalation and i	mber) rnal) are determined for those to Hiroshinn or Nagasaki follow- se two cities. In the absence ose estimates are based on the over the entire stay period is .03 rem for Hiroshinn and .08 e upper limit is 0.63 rem The ngestion) is considerably less.

ECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

(0, ABSTRACT (Continued)

'here is no basis for assuming that any individual in the occupation units 'eceived these upper limit doses.

TABLE OF CONTENTS

Section	-	Page	
	List of Illustrations.	2	
	List of Tables	2	
1	Introduction and Background	3	
2	Bomb Damage and Residual Radiation Environment	4	
	 2.1 Bomb Damage	4 4 9	
3	Occupation History	12	
	 3.1 Occupation Mission	12 15 16 16 29	
4	Dose Estimates	32	
	 4.1 Exposure Scenario. 4.2 Calculations 4.2.1 Inhalation Dose 4.2.2 Ingestion Dose. 4.3 Upper Limit Results. 	3 2 3 2 3 3 3 4 3 4 3 4	
5	Discussion and Conclusions	37	
	References ,	40	
Appendices			
А	Calculation of Dose from External Emitters (Induced Activity), Hiroshima and Nagasaki	43	
В	Calculation of Dose from External Emitters (Fission Products), Hiroshima and Nagasaki/Nishiyama	49	
С	Calculation of Dose from Internal Emitters (Inhaled Induced Activity), Hiroshima and Nagasaki	53	
D	Calculation of Dose from Internal Emitters (Inhaled Fission Products and Unfissioned Plutonium), Nagasaki/Nishiyama	57	
E	Calculation of Dose from Internal Emitters (Ingested Fission Products and Unfissioned Plutonium in Drinking Water) Nagasaki	65	

LIST OF ILLUSTRATIONS

Figures		Page
1	Results of Manhattan District Radiation Survey of Nagasaki	5
2	Results of Manhattan District Radiation Survey of Hiroshima	6
3	Results of Naval Medical Research Institute Radiation Survey of Nagasaki	7
4	Results of Naval Medical Research Institute Radiation Survey of Hiroshima	8
5	Southern Japan	13
6	Nagasaki	17
7	Hiroshima.	30
Table	LIST OF TABLES	Page
1	Tests Ourseningtion of 2d Marine Division (11 Oct 1045)	10

1	Task Organization of 2d Marine Division (11 Oct 1945)	19	
2	Unit Strength (Marines Only) 2d Marine Division - Nagasaki, Japan 1945-1946	21	
3	Task Organization of 2d Marine Division (8 Nov 1945)	27	
4	Upper Limit Dose Fstimates	36	

Section 1 INTRODUCTION AND BACKGROUND

1.1 INTRODUCTION

The detonation of atomic bombs over Hiroshima and Nagasaki, Japan brought World War II to a rapid conclusion. After the Japanese surrender, U.S. military forces occupied these cities and may have been exposed to the residual radioactive contamination produced by **the** nuclear detonations. The purpose of this report is to present estimates of the radiation doses received by these U.S. occupation forces. The dose estimates include the contribution from radioactive material that may have **been** inhaled or ingested (drinking water) during the occupation period. These estimates are **based** on historical documents prepared by U.S. military organizations and technical information published in the scientific literature. Since the historical documents pertain to unit rather than individual activities **and do** not contain extensive specific details regarding operations within the contaminated areas, these estimates represent reasonable upper limits derived from a "worst case" scenario.

1.2 BACKGROUND

Atomic bombs were detonated over Hiroshima and Nagasaki, Japan on 6 August and 9 August, 1945, respectively. Both weapons were detonated high above the ground (1670 ft at Hiroshima; 1640 ft at Nagasaki) resulting in massive destruction but relatively small areas of significant residual radioactive contamination. The two weapons differed considerably in design and yield. The Hiroshima weapon was a gun-assembly type which employed U-235 as the fissionable material and had a yield of approximately 13 kilotons (kt). The Nagasaki weapon was a Pu-239 implosion device with a yield of approximately 23 kt.¹

Section 2

BOMB DAMAGE AND RESIDUAL RADIATION ENVIRONMENT

2.1 BOMB DAMAGE¹²

In both Hiroshima and Nagasaki, the blast from the bombs destroyed practically everything within a radius of 1 mile from the point directly under explosions, or Ground Zero (GZ). The only surviving objects were the the frames of a small number of reinforced concrete buildings; most of these buildings suffered extensive damage from interior fires, had their windows, doors, and partitions knocked out, and had all other fixtures which were not integral parts of the reinforced frames burned or blown away. In Hiroshima fires sprang up all over the wide, flat, central portion of the city; these fires soon combined into an immense "fire storm" which burned out almost everything that had not already been destroyed by the blast in a roughly circular area of about 4.4 square miles centered at GZ. Similar fires broke out in Nagasaki, but no devastating fire storm resulted as in Hiroshima because of the irregular shape of the city. However, the badly burned area included the entire northern portion of the city and extended more than two miles south from GZ. Figures 1-4 illustrate the perimeter of virtually complete destruction resulting from blast and fire.

2.2 RADIOLOGICAL SURVEYS" ¹⁰

The residual radiation levels in Hiroshima and Nagasaki about the time of occupation troop arrival are fairly well-documented. As discussed in more detail subsequently in Section 3, a scientific group organized by the Manhattan Engineer District conducted radiological surveys in Nagasaki from 20 September to 6 October 1945, and in Hiroshima from 3 to 7 October 1945. Later surveys were conducted in Nagasaki (15-27 October 1945) and Hiroshima (1-2 November 1945) by a team from the Naval Medical Research Institute (NMRI). The NMRI surveys were supplemented by measurements made by Japanese scientists at even later dates.

For the survey at Hiroshima, the Manhattan Engineer District survey team used two Lauritzen-Wollan electroscopes and two portable counters (type unspecified) developed by the University of Chicago, and manufactured by the Victoreen Instrument Company. At Nagasaki all measurements were made with



Figure I. RESULTS OF MANHATTAN DISTRICT SURVEY READINGS IN MR/HR AS OF 21 SEPT-4 OCT 1945







Figure 3. Results of NAVAL medical Research institute survey readings in MR/HR as of 15–27 oct 1945



Figure 4. RESULTS OF NAVAL MEDICAL RESEARCH INSTITUTE SURVEY READINGS IN MR/HR AS OF 1-2 NOV 1945 two portable Geiger Muller counters made by the Victoreen Instrument Company. All instruments were calibrated against a standard radium source and the measurements were made with the instrument held 2 inches (5 centimeters) above the ground.

The Naval Medical Research Institute survey team used a Geiger-Muller type instrument constructed "in-house" for their measurements. The NMRI Instrument was also calibrated against a radium standard source; however, most of their measurements were made at a height of one meter above the ground. The NMRI team observed that readings in the area around ground zero did not change as instrument height above the ground was varied from 5 centimeters to 1 meter; however, in the downwind contaminated areas readings taken at 5 centimeters above the ground were approximately double those taken at 1 meter above the ground. They attributed the difference to an increased ratio of detectable beta activity in the downwind areas. The results of these surveys are shown as follows:

Figure 1: Manhattan District survey of Nagasaki'
Figure 2: Manhattan District survey of Hiroshima⁹
Figure 3: NMRI survey of Nagasaki¹⁰
Figure 4: NMRI survey of Hiroshima¹⁰

2.3 ANALYSIS OF SURVEY RESULTS

Since the two surveys were conducted by different groups using different instrumentation and survey techniques (measurement height above the ground) and since there were changes in the environment (weathering, clearing of rubble in the ground zero area by the Japanese, etc.) between surveys, it is difficult to arrive at consistent conclusions based on a comparison of the survey results. For example, a comparison of the two surveys at Hiroshima (Figures 2 and 4) clearly indicates a decay in the radiation Intensity around the ground zero (GZ) area in the month between surveys. A similar comparison of the Nagasaki surveys (Figures 1 and 3) does not reveal such a clear pattern. Perhaps this is due to the fact the Nagasaki surveys took longer to conduct and there was a shorter time interval between them. Nevertheless, two Important facts are evident from these surveys:

• Both surveys identified two distinct areas of contamination--one centered around GZ and the other some distance downwind.

9

• Both surveys indicated very low residual radiation levels (in general, much less than one milliroentgen per hour (mR/hr).

The fact that there were two distinct areas of contamination in each city provides **an** important clue relative to the nature of the radiation sources. According to Glasstone¹, the maximum height above the ground at which a nuclear detonation will normally produce significant local fallout is related to weapon yield by the following equation:

H
$$180W^{0.4}$$

where H = height of detonation in feet W = weapon yield in kilotons

Using this equation, the maximum detonation heights at which the Hiroshima and Nagasaki weapons would produce significant fallout are approximately 500 and 630 feet, respectively. Since both weapons were detonated above 1600 feet, fallout in the immediate area around GZ would be extremely unlikely. Therefore, the contamination in the GZ area resulted primarily from activation of the soil and building materials by the neutrons released at the instant of the nuclear detonation rather than by fallout (including unfissioned plutonium/ uranium). Evidence that supports this conclusion includes the following:

- The maps (Figures 1-4) portraying the residual radiation intensity in the GZ area of each city, particularly those recorded by the NMRI team, show approximately circular patterns of equal intensity around GZ. Roughly circular patterns are typical of neutron-induced activity fields produced by high altitude nuclear weapons test shots at the Nevada Test Site during the 1950's.
- An analysis of the NMRI survey data (residual radiation intensity as a function of distance from GZ) by Pace and Smith in 1959 was consistent with the assumption that the residual radiation around GZ resulted from neutron-induced activity.¹⁰
- Laboratory neutron-activation of soil and building materials (concrete, brick, and roof tiles) taken from Hiroshima and Nagasaki by Hashizume¹⁵ and Arakawa¹⁴ revealed that the only radioisotopes of significance that would remain after 42 days

(starting date of Manhattan District Survey) were Scandium-46 (half-life 84 days) and Cobalt-60 (half-life 5.2 years). The calculated radiological decay of the mixture of Co-60 and Sc-46 determined by Hashizume and Arakawa **compares** favorably with the late time **measurements** made by the Japanese scientists that supplemented the **NMRI survey**.

Both cities reported that "black rain" fell in the downwind contaminated areas approximately 30 minutes after the bomb detonation. This is indicative of precipitation scavenging of the nuclear cloud, or "rainout"; therefore, the downwind contaminated areas almost certainly resulted from deposition of fission products. Evidence that supports this conclusion includes the following:

- The contaminated area around the Nishiyama Reservoir (a mile or more downwind from the burst) was shielded by Mt. Kompira from direct neutron exposure. In addition, the contours show a decreasing intensity toward the burst. Both of **these** aspects imply that the contamination could not result from neutron activation.
- The maximum radiation levels detected around the Nishiyama Reservoir were 1.0 to 1.8 mR/hr on 26 September 1945⁹. According to Reference 10, measurements in the same general area on 12 November 1945, exhibited a mean of 0.7 mR/hr. This decay is consistent with the "t^{-1.2} rule" established for fission products (fallout) for the first 6 months after detonation'.

Section 3

OCCUPATION HISTORY

The occupation of western Honshu, Japan's main island where Hiroshima IS located, and the southern islands of Shikoku and Kyushu, where Nagasaki is located, was assigned to the S1xth U.S. Army. These areas are depicted in Figure 5. Major forces assigned to the Sixth Army for the occupation were the I Corps, X Corps, and the V Amphibious Corps (VAC) which, together with supporting units, totaled some 240,000 troops.³

3.1 OCCUPATION MISSION

The mission of the occupation troops was to establish control of the area, insure compliance with surrender terms, and demilitarize the Japanese war machine. The infantry regiment was the basic organization used to accomplish this mission, and occupation plans were based upon the presence of such regiments in all prefectures (like U.S. counties) within Japan. The following summary extracted from Reference 3 IS a description of the operations of a typical regiment:

The outline of occupation duties was fairly well standardized throughout the Sixth Army zone. The division of responsibility was based upon the lines of Japanese prefectures so as to utilize the governmental structure that lay within the area. Sixth Army assigned a number of prefectures to each corps proportionate to the number of troops available. The corps in turn assigned a specific number of prefectures to a division. Regimental zones of responsibility were usually a single prefecture except where more than three prefectures lay within the division zone, in which case a regiment was to assume responsibility for more than one prefecture. This exception occurred in lightly populated prefectures which contained limited industrial or military potentialities.

An infantry regiment moved into a prefecture with the mission of supervising the execution of the Japanese surrender terms within its zone of responsibility. The regimental commander was particularly

12



responsible for seizing all Japanese Armed Forces installations and disposition of all material therein, security of all enemy stores not subject to immediate disposition, and supervision of demobilization of Japanese Armed Forces when their services were no longer required for maintenance of captured arms and material. A zone commander effected demobilization by an order to the Japanese commander at the garrison or post that had been seized.

The mechanics of carrying out the regimental mission followed a SIM ple pattern. Initially the regiment moved into a bivouac area within or near the zone of responsibility. The local Japanese military commanders and prefects of police submitted lists of all Japanese installations, and Inventories of material within the area for consolidation and survey by the regimental commander. Shortly thereafter, reconnaissance patrols consisting of an officer and a rifle squad patrolled sectors of the area to verify these inventories and also search for any unreported installations or caches of material. With this information the regimental commander was able to divide the regimental zone into battalion zones of responsibility and the battalion commanders sub-divided their areas into company zones of responsibility.

The infantry company then became the working unit which actually accomplished the destruction or consignment of material, or the demobilization of Japanese Armed Forces that remained within the company zones. The company commander was empowered to seize installations within his zone and, with the use of available Japanese army personnel not yet demobilized and laborers obtained through the Japanese Home Ministry representative in his area, either destroy or turn over to the Japanese Home Ministry all material within the installation. U.S. Army personnel were used only to supervise this work and to see that complete destruction was accomplished.

The company commander disposed of material in accordance with procedures outlined in the Ordnance Technical Division of the Supreme Commander of Allied Powers (SCAP). All material fell into the following categories: that to be destroyed or scrapped (explosives

14

and armament not needed for souvenirs or training purposes were chief items); that to be used for our operation (telephones, radios, and vehicles); that to be returned to the Japanese Home Ministry (fuel, lumber, etc.); that to be issued our forces as trophies; or that to be shipped to the U.S. for training purposes or as war trophies. Material not marked for destruction was separated and shipped to designated warehouses or dumps. Material marked for destruction was disposed of by prescribed methods. Japanese labor hauled explosives aboard Japanese trucks to approved burning areas, or if the installation was located near a deep sea waterway the explosives were dumped at sea-the safest and therefore preferable method. Unneeded metal items were made ineffective and turned over to the Japanese for scrap.

Physical control of the zone of responsibility proved remarkably easy, for the Japanese were compliant and cooperative. Any disorders among the Japanese themselves came within the authority of the prefectural police, but any disorder involving action by the Japanese against the Allied troops led to apprehension of the offenders by the military police and the imposition of a penalty prescribed by the area commander.

3.2 INITIAL ENTRY - RADIOLOGICAL SURVEY

It was recognized that entry into the atomic-bombed cities of Hiroshima and Nagasaki might expose the occupation troops to residual radiation resulting from the nuclear detonations. Therefore, with the concurrence of General George Marshall, Chief of Staff, and General Douglas MacArthur, Theater Commander, a special scientific group was organized by the Manhattan Engineer District. The primary objective of this group was to insure that occupation troops would not be subjected to any possible "toxic" effects. The group consisted principally of medical personnel headed by Col. Stafford L. Warren (U.S. Army Medical Corps) and civil and electrical engineers. In order to survey these areas as quickly as possible, the group was split. One-half of the group was in Nagasaki from 20 September to 6 October; the other half was in Hiroshima from 3 to 7 October 1945. The group reported that the radiation levels in both cities were very low and that these levels would not present a hazard to the occupation forces.²

3.3 OCCUPATION SCENARIO

The presence of pressure mines dropped by U.S. aircraft into major Japanese harbors played a significant role in the deployment of occupation forces. Studies by the Navy indicated that no difficulties would be encountered in the Nagasaki harbor, but the harbor at Hiroshima would be inaccessible for an indefinite period.³ Therefore, occupation troops arrived at Nagasaki well IN advance of troops in Hiroshima. For the same reason, Nagasaki was chosen to be a primary staging area for the deployment of occupation troops throughout the surrounding area; Hiroshima was not. Details regarding the occupation of each city follow (see Figures 5-7 for locations of areas mentioned):

3.3.1 NAGASAKI^{6,7,8}

Prior to the arrival of occupation troops, a POW recovery team landed at Nagasaki (Figure 6) on 11 September 1945. The team was accompanied by a detachment of Marine guards from the USS Bilox1 and the USS Wichita. During the period 11-23 September, approximately 10,000 U.S. and allied POW's that had been captive on the island of Kyushu were processed through Nagasaki for evacuation to hospital ships awaiting in Nagasaki Harbor. While in Nagasaki, the group operated from a POW Processing Center located near Dejima Wharf. The location of their billets is unknown, but it IS logical to assume that they were near- by. The Marine guards were relieved on 23 September when the 2d Marine Division landed. Records indicate that the POW recovery team's mission was complete by 23 September; therefore, it IS assumed that they also departed Nagasaki on or about that date.

The occupation of the Nagasaki area was assigned to the 2d Marine Division, 5th Amphibious Corps (VAC) of the Sixth U.S. Army. The occupation began with the arrival of a small advance party on 16 September. The advance party consisted of three officers from the Division Headquarters, one officer from each of the Division Regimental Combat Teams, and several officers from the VAC, making a total of approximately twelve members. The party established liaison with Japanese authorities, located areas for troop billets, and made preparations for the landing of the occupation troops. These objectives indicate that most of the advance party activities were conducted in

16




the southern portion of the city where bomb damage was least. The team joined the remainder of the 2d Division when they landed 23-28 September 1945.

The 2d Marine Division (reinforced) had an assigned strength of 21,469 (includes 791 Army and 1328 Navy personnel) as of 26 September 1945, and was organized as follows (see Table 1 for Task Organization details):

- Support Group
 - -- Division Troops
 - -- Service Troops
 - -- Engineer Group
- Regimental Combat Team 2 (RCT-2)
- Regimental Combat Team 6 (RCT-6)
- Regimental Combat Team 8 (RCT-8)
- Artillery Group (basically the 10th Marine Regiment)
- 2d Tank Battalion
- Marine Observation Squadron #2 (VMO-2)

The number of U.S. occupation troops in Nagasaki steadily decreased from the peak in September 1945, until the end of the 2d Marine Division occupation period in July 1946. This decrease is illustrated by the 2d Marine Division [Muster Roll records shown in Table 2. The Second Marine Division Muster Roll records are on file at the Marine Corps Historical Center, Washington, D.C. Note that Table 2 includes only U.S. Marine Corps personnel and cannot be compared directly with the assigned strength figures shown in Tables 1 and 3 which include Army and Navy personnel. Also, Table 2 indicates that the 10th Marine Regiment stayed in Nagasaki for the duration of the 2d Division occupation period while historical records show that the 10th Regiment moved to Isahaya shortly after debarkation in Nagasaki. Perhaps the inconsistency results from variations in the interpretation of reporting criteria.

Most units assigned to the 2d Marine Division experienced a large turnover of personnel during the occupation period. Every effort was made to allow eligible personnel to return to the United States as soon as possible after the war. For example, when the 5th Marine Division that occupied the Sasebo area was released from its assignment on 1 December 1945, for return to the

TABLE 1

TASK ORGANIZATION 2d MARINE DIVISION, REINFORCED (As of 11 October 1945 - Operation Order 59)

DIVISION TROOPS (Assigned strength - see note)

Division Headquarters Battalion (less detachments) Company D, 3d MP Battalion (Prov) 2d War Dog Platoon 54th CIC, A2B2 Detachment (Area) 498th CIC, B3 Detachment (Combat) 93d Headquarters & Headquarters Detachment, Military Government Group

SERVICE TROOPS (Assigned strength - see note)

2d Service Battalion (less detachments)
2d Medical Battalion* (less detachments)
2d Motor Transportation (MT) Battalion (less detachments)
4th Separate Laundry Platoon
3d Platoon, 4th Salvage & Repair Company
3656th QM Truck Company (USA)

ENGINEER GROUP (Assigned strength - see note)

2d Engineer Battalion (less detachments)
2d Pioneer Battalion (less detachments)
43d Naval Construction Battalion
1298th Combat Engineer Battalion (USA)
2d Platoon, Bomb Disposal Company, H&S Battalion, VAC

ARTILLERY GROUP (Assigned strength - 3083)

10th Marine Regiment 2d Amphibious Truck Company Company A, 20th Amphibious Truck Battalion 1 SP Corn Party Detachment, Division Recon Company

REGIMENTAL COMBAT TEAM-2 (Assigned strength - 4075)

2d Marine Regiment (less detachment) Company C, 2d MT Battalion Company B, 2d Med. Battalion* Company A, 2d Engr. Battalion 1st Platoon, Ordnance Company, 2d Service Bn 1st Platoon, Service Company, 2d Service Bn 1st Platoon, Automotive Repair Company, 2d MT Bn

^{*}Majority were Navy Hospital Corpsmen

NOTE: The combined assigned strength of the Division Troops, Service Troops, and the Engineer Group was 5695 personnel.

TABLE 1 (Continued)

REGIMENTAL COMBAT TEAM-6 (Assigned strength - 4037)

6th Marine Regiment Company A, 2d MT Battalion Company A, 2d Med. Battalion* Company B, 2d Engr. Battalion 3d Platoon, Ordnance Company, 2d Service Bn 2d Platoon, Service Company, 2d Service Bn 2d Platoon, Supply Company, 2d Service Bn 2d Platoon, Automotive Repair Company, 2d MT Bn 1 SP Corn Party

REGIMENTAL COMBAT TEAM-8 (Assigned strength - 3914)

8th Marine Regiment Company B, 2d MT Battalion Company E, 2d Med. Battalion* Company C, 2d Engr. Battalion 2d Platoon, Ordnance Company, 2d Service Bn 3d Platoon, Service Company, 2d Service Bn 3d Platoon, Automotive Repair Company, 2d MT Bn Detachment, 2d Marine Division Recon Group (less detachment)

TANK BATTALION (Assigned strength - 615)

OBSERVATION SQUADRON (VMO-2)

^{*}Majority were Navy Hospital Corpsmen

TABLE 2

UNIT STRENGTH (MARINES ONLY) 2D MARINE DIVISION - NAGASAKI, JAPAN 1945-1946

		Arrival Date	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL
1.	Hq Bn	(23 Sep 45)	1737	1705	1430	1378	1454 (7 .	Jan 46)					
2.	2d Engineer Bn	(23 Sep 45)	888	716	711	706	791	827	691	798	658	649	395 (1 Jul
3.	2d War Dog Plt	(23 Sep 45)	66	(30 Sep 45)									46)
4.	2dMed Bn	(23 Sep 45)	163	157	144	83	232	128	128	101	121	120 (1	l Jun 46)
5.	2d Motor Yrans Bn	(24 Sep 45)	705	656	541	293	741	882	779	920	770	770 (1	l Jun 46)
6.	2d Pioneer Bn	(24 Sep 4 5)	708	703	640	658	(28 Dec 45)					
7.	2d Amphib Truck Co	(24 Sep 45)	194	197	193	65 (6 Dec 45)						
8.	2d Serv Bn	(23 Sep 45)	754	732	341	374	683 (5 J	Jan 46)					
9.	2d Tank Bn	(23 Sep 45)	620	621	496	243	(27 Dec 45)					
10	. H&S&W Co 2d Marines	(23 Sep 45)	441	414	404	228	461	449	445	455	377	306 (1	13 Jun 46)
11.	1st Bn 2d Marines	(23 Sep 45)	984	958	907	458	913 92	3 (1	Feb 46)				
12.	2d Bn 2d Marines	(23 Sep 45)	967	968 (26	Oct 45)							
N 13.	3d Bn 2d Marines	(23 Sep 45)	976	965	904 (3 Nov 4	5)						
H 14.	H&S&W Co 6th Marines	(23 Sep 45)	508	418	465	284	(1 Dec 45	- Weapo	ns Co;6 [Je c 45	- H&S Co))	
15.	. 1st Bn 6th Marines	(23 Sep 45)	935	941	889	461 (1 Dec 45)						
16.	2d Bn 6th Marines	(23 Sep 45)	931	942	891 (24 Nov	45)						
17.	3d Bn 6th Marines	(23 Sep 4 5)	938	944	904	446	(6 Dec 45)						
18.	. H&S&W Co 8th Marines	(23 Sep 45)	461	507 (10	Oct 45)								
19.	. 1st Bn 8th Marines	(23 Sep 45)	957	942 (1 (Oct 45)								
20.	2d Bn 8th Marines	(23 Sep 45)	979	(25 Sep 45)									
21.	3d Bn 8th Marines	(24 Sep 45)	969	(27 Sep 45)									
22.	H&S Battery 10th Marines	(23 Sep 45)	260	250	226	113	229	289	263	295	223	218 (2	21 Jun 46)
23.	1st Bn 10th Marines	(23 Sep 45)	591	560	513	300	646	618	476	478	375	334 (2	21 June 46)
24.	2d Bn 10th Marines	(23 Sep 45)	583	569	515	202	485	479	394	417	326	342 (2	21 Jun 46)
25.	3d Bn 10th Marines	(23 Sep 45)	585	570	497	299	501	546	374	484	378	364 (2	26 Jun 46)
26.	4th Bn 10th Marines	(23 Sep 45)	610	609	555	197	(1 Dec 45)				329	250 (2	21 Jun 46)
27.	MD USS Biloxi	(18 Sep 45)	43	(23 Sep 45)									
28.	MD USS Wichita	(11 Sep 45)	46	46 (5 0	Oct 45)								
29.	Adv recon party	(16 Sep 45)	12	(30 Sep 45)									
	MONTHLY TOTALS	18	,611	16,090 1	2,166	6,788	7,136	5,141	3,550	3,948	3,557	3,353	395

NOTE: Dates in parentheses indicate departure dates.

U.S., a large number of 2d Marine Division troops, eligible for return, transferred to the 5th Division. These personnel were replaced by troops from the 5th Division who were not eligible for return to the states. Therefore it is extremely unlikely that many 2d Division personnel remained in the Nagasaki area for the duration of the Division occupation period.

<u>Division Troops.</u> The Division Troops arrived in Nagasaki 23-28 September 1945, and established a Command Post in the Customs House on Dejima Wharf approximately 2 miles south of GZ. The exact location of troop billets is unknown; however, they were likely scattered in the same general area. Most of these troops were assigned to administrative or staff positions in the Division Headquarters Battalion. The Division Troops remained in Nagasaki until the Division Headquarters moved to Sasebo during the first week of January 1946.

Service Troops. The Service Troops also arrived in Nagasaki during the 23-28 September 1945, time period. The Service Troops Command Post was established near the Mitsubishi Trading Company on the east side of the harbor south of the Dejima Wharf (over 2.5 miles south of CZ). Specific billet locations are unknown; however, it is logical that these troops would be quartered in the same general area. The Division Hospital was located about 1000 feet further south. Most of the Service Troops Organizations provided sub-elements to the Regimental Combat Teams, and these personnel were deployed accordingly. The primary mission of the Service Troops billeted in Nagasaki was to support the Regimental Combat Teams in the field. The Service Battalion operated a supply depot, the Motor Transport Battalion provided a motor pool and vehicle maintenance, and the Medical Battalion was assigned to the Division Hospital. The Service Battalion transferred to Sasebo along with the Headquarters Battalion on 5 Jan, 1946, while the Motor Transport Battalion and the Medical Battalion remained in Nagasaki until June 1946.

Engi neer Group. Elements of the Engineer Group also arrived in Nagasaki during the 23-28 September period. The 2d Engineer Battalion, organized into a Headquarters and Service (H&S) Company, and three "letter" companies landed on 26 September. As soon as unloading was complete, each letter company joined its respective RCT, while the H&S Company remained with the Division headquarters and formed the nucleus of the Engineer Group

22

with a Command Post approximately half a mile southeast of Dejima Wharf (approximately 2.5 miles south of GZ). It is assumed that these troops were billeted near-by. Second Marine Division Muster Roll records indicate that these troops were the last of the 2d Marine Division to depart Nagasaki. They left on 1 July 1946.

The 2d Pioneer Battalion landed on 23 September and engaged in the division unloading operations until 2 October 1945, when they became a part of the Engineer Group. Then, their primary responsibility became the rehabilitation and maintenance of roads south of Division Headquarters to the area occupied by the 2d Tank Battalion. The Battalion was also used to clear open storage areas for use by the Division Quartermaster and to rehabilitate two athletic fields in the "bombed" area of the city. While in Nagasaki, the Battalion was billeted at the Kaisel Middle School. According to Muster Roll records, the 2d Pioneer Battalion departed Nagasaki on 28 December 1945.

The 43d Naval Construction Battalion (NCB) landed on 23-24 September and established a Command Post in a warehouse south of Dry Dock No. 3 in the Mitsubishi Dockyard on the west side of Nagasaki Harbor (about 2.5 miles south of GZ). The 43d NCB also worked with the Shore Party unloading the 2d Division until 29 September, when they joined the Engineer Group. During the time the battalion was in Nagasaki, the troops were first billeted in a large warehouse near Dry dock No. 3, then they moved to a larger building near Dry Dock No. 1. Both areas were more than 2.5 miles south of GZ. NCB projects included the following:

- Rehabilitation of Dejima Wharf
- Improvement of ship landing area south of Dejima Wharf
- Repair Commissary Warehouse
- Repair warehouse for Division Quartermaster
- Repair and maintain road on west side of Nagasaki Harbor
- Rehabilitation of petroleum tanks in harbor area
- Construction of quarters for Strategic Bomb Survey Group
- Construction of athletic fields for 6th Marines near Mitsubishi Electric Company (west side of harbor, 1.7 miles south of GZ)
- Construction of Armed Forces Radio Station at Omura
- Extension of "Atomic Field' landing strip.

The 43d NCB remained in Nagasaki until the unit was deactivated on 5 December 1945.

The 1298th Engineer Combat Battalion (U.S. Army) arrived in Nagasaki on 26-27 September, 1945, and immediately joined the Engineer Group. The troops were housed at the Oura School about 2.6 miles southeast of GZ. The battalion's primary mission was to repair and maintain main roads and bridges from northern Nagasaki to southern Nagasaki. They also constructed an airstrip ("Atomic Field') for liaison aircraft about 800-1000 feet southwest of GZ. This operation required **one** platoon of "A" Company and took 12 days to complete (30 September- 11 October). On 31 October, the battalion began operation of a quarry near the airstrip.

Japanese labor was used as much as possible for projects accomplished by the Engineer Group. For example, some 350 Japanese laborers were **used** in the construction of the airstrip by the 1298th Combat Engineers. At least 150 Japanese laborers per day were employed by this group for other projects.

Regimental Combat Team - 2 (RCT-2). Regimental Combat Team 2 landed in the vicinity of the Dejima Wharf on the eastern side of Nagasaki Harbor on 23 September 1945. The principal elements of RCT-2 were three Battalion Landing Teams (BLTs). Company "A" of Battalion Landing Team 1 (BLT-1) was designated the regimental Military Police Company and immediately relieved the Marine security guards for the POW recovery operation. Late that afternoon the RCT proceeded to their billets at the Kamigo Barracks. They also established a Command Post at that location (about 4.5 miles south of GZ). The RCT-2 zone of occupation responsibility included all of the city of Nagasaki on the east side of Nagasaki Harbor and the Urakami River and the general area east, northeast, and southeast of the city. (See Figure 6). Note that this area includes the Nishiyama Reservoir. Initially, operations were limited to insuring that all large-caliber defense guns in the areas were inoperable. On 28 September, the RCT began sending patrols (on foot or by jeep) throughout their area of responsibility to locate Japanese military installations and supply areas, and to check on the observance of surrender terms. RCT-2 operated in this area until the following moves took place:

- On 30 October, 1945, BLT-2 moved to Kanoya, approximately 115 miles from Nagasaki
- On 6 November, 1945, BLT-3 and the RCT-2 Command Post moved to Miyakonojo, approximately 100 miles from Nagasaki
- On 12 November, 1945, BLT-1 moved to M1yazaki, approximately 110 miles from Nagasaki.

<u>Regimental Combat Team-6 (RCT-6)</u>. Regimental Combat Team 6 also landed on 23 September, but on the west side of Nagasaki Harbor, in the Mitsubishi Shipyard Area (about 2.5 miles south of GZ). A temporary command post was established at the Tategami Wharf, and the RCT immediately began inspection of Japanese military coastal installations on the west side of the harbor. The RCT-6 was billeted in barracks about 1.5 miles west of Nagasaki a t Oura. A permanent Command Post was established in the Mitsubishi Shipyard. The RCT-6 zone of responsibility included portions of Nagasaki west of the Harbor and the Urakami River and the general area west, northwest, and southwest of the city (see Figure 6). Their mission was identical to that of RCT-2, and they remained in the area until 25 November 1945 when BLT-2 moved to Saga, and BLT- 1 and the RCT-6 Command Post moved to Sasebo. By 6 December 1945, all RCT-6 personnel had departed the Nagasaki area.

<u>Regimental Combat Team-8 (RCT-8).</u> These troops debarked at Nagasaki near the Dejima Wharf on 24 September. On the same day the entire RCT, with the exception of a few work parties unloading supplies, moved to Isahaya, about 10 miles northeast of Nagasaki. RCT-8 remained at Isahaya until 8 October when they moved to Kumamoto. Other than passing through on the day of arrival, RCT-8 had no involvement in the occupation of Nagasaki.

Artillery Group (Primarily the 10th Marine Regiment). The 10th Marine Regiment landed at Nagasaki on 24 September and proceeded directly to Isahaya where they established their command post and billets. The 10th Marine area of responsibility included the area around Isahaya and the Shimabara Peninsula. Their area of responsibility was expanded on 2 November 1945 when they were assigned the area in the vicinity of Nagasaki vacated by the move of RCT-2 to southern Kyushu. On 5 November, the 1st Battalion of the 10th Marines moved to Kamigo Barracks and took over the Military Police responsibility for the city of Nagasaki formally assigned to the 1st BLT of RCT-2. With the departure of RCT-6 (25 November-6 December, 1945), and the major elements of the 2d Division Headquarters during the first week of January 1946, the 10th Marines plus a cadre of remaining medical, service and engineer troops inherited sole responsibility for the occupation of Nagasakr. Second Marine Division Muster Rolls show the last of the 10th Marines Regiment departed Nagasakr on 21-26 June 1946.

Second Tank Battalion. The 2d Tank Battalion debarked at the Kowaminami Shipyard just north of the village of Fukahori, about 9 miles southeast of Nagasaki. Unloading operations were completed on 25 September 1945, and a command post and billets were established in the shipyard. Due to the nature of the terrain, tanks could not be easily operated in the area; therefore the 2d Tank Battalion remained headquartered in Fukahori throughout their occupation period. Fukahori was located in the RCT-2 zone of responsibility, and on 1 October the Tank Battalion was formally assigned to the RCT. From 17 October to 7 November 1945, the battalion furnished a guard detachment of 36 enlisted men and 2 officers to RCT-2 for Military Police duty in the city of On 8 November 1945 the Tank Battalion was reassigned to the Nagasaki. Artillery Group (10th Marines) as they had replaced RCT-2. Every other day beginning 8 November, the Battalion furnished 76 men to the 10th Marines for guard duty in Nagasakı. On 28 November 1945, the battalion was assigned a section of the city for full-time guard duty. This assignment required 60 men per day. Muster Rolls Indicate that the 2d Tank Battalion departed the Nagasakr area on 27 December 1945.

<u>Marine Observation Squadron 2 (VMO-2)</u>. The squadron debarked at Nagasaki on 23 September and went directly to Isahaya Airfield, over 10 miles northeast of Nagasakr. From there, the squadron conducted reconnaissance, courser, passenger, evacuation, and limited DDT spray flights. Some of these flights probably brought them to the "Atomic Field" landing strip in Nagasaki which opened on 11 October 1945.

<u>Other Units.</u> The above summary outlines the activities of the major units initially assigned to the 2d Marine Division for the occupation of the Nagasaki area. Certainly some other units moved into the area; for example, the 2d Marine Task Organization as of 8 November 1945 (Table 3) shows an

26

TABLE 3

TASK ORGANIZATION 2d MARINE DIVISION, REINFORCED (As of 8 November 1945 - Operation Order 63)

DIVISION TROOPS (Assigned strength - see note)

- Division Headquarters Battalion (less detachments)
- 54th CIC A2B2 Detachment (Area)
- 498th CIC B3 Detachment (Combat)
- 498th CIC Detachment
- 93d Headquarters & Headquarters Detachment, Military Government Group
- 94th Material Control Detachment
- 1st Platoon 2d Amphibious Truck Company

SERVICE TROOPS (Assigned strength - see note)

2d Service Battalion (less detachments) 4th Separate Laundry Platoon 2d Medical Battalion* (less detachments) 2d Motor Battalion (less detachments) 3656th QM Truck Company (USA) Corps Evacuation Hospital A3 Company "B" 264th Medical Battalion Company "C" 264th Medical Battalion 73d Field Hospital

ENGINEER GROUP (Assigned strength - see note)

2d Engineer Battalion (less Companies "A", "B" and "C") 43d NCB (less Company "A") 1298th Engineer (C) Battalion (USA) 2d Pioneer Battalion 2d Platoon, Bomb Disposal Company VAC

ARTILLERY GROUP (Assigned strength - 2950)

10th Marine Regiment Company "A" 43d N^B 2d Amphibious Truck Company (less 1st Platoon) Company "A" 20th Amphibious Truck Battalion (Prov) Detachment, Division Recon Company 2d Truck Battalion Tracked Vehicle Platoon, Ordnance Company

TABLE 3 (Continued)

REGIMENTAL COMBAT TEAM-2 (Assigned strength - 3615)

2d Marine Regiment
Company C, 2d MT Battalion
Company B, 2d Medical Battalion*
Company C, 2d Medical Battalion
Company A, 2d Engineer Battalion
1st Platoon Ordnance Company, 2d Service Battalion
1st Platoon Service Company, 2d Service Battalion
1st Platoon Automotive Repair Company, 2d MT Battalion
Detachment Recon Unit
Detachment A, Division Signal Company
415th Malaria Survey Detachment
Detachment VAC Military Government Team:
MIYAZAKI

REGIMENTAL COMBAT TEAM-6 (Assigned strength - 3690)

6th Marine Regiment
Company A, 2d MT Battalion
Company A, 2d Medical Battalion*
Company B, 2d Engineer Battalion
3d Platoon Ordnance Company, 2d Service Battalion
2d Platoon Service Company, 2d Service Battalion
2d Platoon Automotive Repair Company, 2d MT Battalion

REGIMENTAL COMBAT TEAM-8 (Assigned strength - 3738)

- 8th Marine Regiment
- Company B, 2d MT Battalion
- Company E, 2d Medical Battalion*
- Company C, 2d Engineer Battalion
- · 2d Platoon Ordnance Company, 2d Service Battalion
- 3d Platoon Service Company, 2d Service Battalion
- 3d Platoon Automotive Repair Company, 2d MT Battalion
- Division Recon Company (less detachment)
- Detachment C, Division Signal Company
 - Detachment D, Division Signal Company

OBSERVATION SQUADRON (VMO-2)

HARBOR GROUP

1st Sep Headquarters and Supply Company (Prov) 124th Port Company, USA 24th Depot Company

^{*}Majority were Navy Hospital Corpsmen

influx of some Army units (e.g., the 73d Field Hospital and two companies from the 264th Medical Battalion).

3.3.2 HIROSHIMA^{3,4,5}

As stated earlier, Hiroshima (Figure 7) was not chosen to be a port of debarkation or the Headquarters for occupation troops in western Honshu. Therefore, the occupation of Hiroshima involved considerably fewer troops than were located at Nagasaki and required few, if any, troop billets within the city limits.

The occupation of western Honshu was assigned to the I and X Corps of the Sixth Army. Responsibility for the Kure-Hiroshima area was initially assigned to the 41st Division of the X Corps, and the occupation began with the landing of the 1st Battalion of the 162d Infantry Regiment (41st Division) at Hiro on 6 October, 1945. Hiro is located approximately 15 miles southeast of Hiroshima. Soon after landing the 162d Infantry secured the Kure Naval Yard. On 7 October, the remainder of the 162d Infantry landed and moved into the Kure Submarine Base (Kure is approximately 11 miles southeast of Hiroshima). On the same day (7 October 1945) the 186th Infantry Regiment debarked and bivouacked at Kaidaichi, a suburb of Hiroshima, about 5 miles southeast of the center of the city.

The 186th Infantry immediately began improvements to their camp and initiated reconnaissance patrols into their area of responsibility, which included the City of Hiroshima. The 186th Regiment remained in Kaidachi until the inactivation of the 41st Division in December 1945. Typical operations within the city of Hiroshima are not well documented; however, the following events are recorded:

22 October 1945 -	- Checked Japanese supply dumps
26 October 1945	- Checked Japanese supply dumps
2 November 1945 -	- Sent reconnaissance party to Mitsubishi Heavy Industrial Corp. in Hiroshima to determine if
	heavy smelters were operational.
19 November 1945 -	• Burned black powder on Hiroshima Parade
	Grounds.



27 November 1945 -	Sent Patrol to Mitsubishi Heavy Industrial
	Corp. to check and inventory equipment. De-
	stroyed Japanese equipment at demolition
	point in Hiroshima.

29 November 1945 - Burned guncotton on Hiroshima Parade Grounds.

The fact that these specific events are recorded in Reference 5 seems to indicate that daily operations in the city were not common.

Upon the deactivation of the 41st Division in December, the 24th Infantry Division, headquartered in Matsuyama, assumed control of Hiroshima Prefecture. The 34th Infantry regiment (24th Division) replaced the 186th and 162d Regiments of the 41st Division in **the** Hiroshima, Kaidachi, Kure, Hiro area on 1 December 1945 (approximate), **when** they established their headquarters at Hiro. The 34th Regiment was scattered over a very large area. The only unit in **the** immediate vicinity of Hiroshima was "G" company (approximately 160 men) of the 2d Battalion. G Company was quartered in Ujina, a small island in the delta area just south of Hiroshima.

The 34th Regiment moved its headquarters from Hiro to H1meji on 2 March 1946. On 6 March 1946, the 2d Battalion of the 34th Regiment including G Company that was stationed at Ujina was relieved of its responsibilities by the 67th Australian Infantry Battalion of the 34th Australian Infantry Brigade of the British Commonwealth Occupation Forces. Thus ended U.S. occupation in the Hiroshima area.

Section 4 DOSE ESTIMATES

4.1 EXPOSURE SCENARIO

Section 3 outlined the general activities of the occupation troops, dates that major units were assigned in the Nagasaki and Hiroshima areas, and provided some details relative to specific locations of work areas and living quarters (billets). It is important to note that all known locations for headquarters, command posts, and billets were outside the radiologically contaminated areas. Since the contaminated areas within the built-up portions of each city fell well inside the outer perimeter of the area of near-total destruction (see Figures 1-4), it seems reasonable to assume that virtually all such facilities were located outside the contaminated areas and that exposure to radiation occurred only during periodic trips into these areas (official or unofficial). An exception would be the possible exposure resulting from the consumption of contaminated drinking water. Since details regarding specific activities and time spent within the contaminated areas are rare, the dose estimates are reasonable upper limits derived from a "worst case" scenario. The "worst case" scenario assumes that a hypothetical serviceman remains with his unit for the duration of the unit's entire occupation period, and during that time period, he spends 8 hours per day within the small area defined by the highest radiation intensity contour.

4.2 CALCULATIONS

Two distinct and separate contaminated areas are associated with each City; therefore, each contaminated area IS considered separately, Obviously the results are not additive since the hypothetical serviceman cannot be present IN each location at the same time. Since the fallout in Hiroshima was insignificant compared to that near Nagasaki and the Hiroshima occupation troops arrived later and stayed for a shorter time, ingestion and inhalation doses from the fallout field are calculated for Nagasaki only. The comparable doses at Hiroshima would be much smaller. The methodology used for the calculations is straightforward. The dose received from exposure to the radiation sources outside the body (external emitters) is simply the time integral of the dose rate (which varies with radiological decay) over the exposure period. Calculation of the dose received from radionuclides inhaled or ingested is somewhat more complex.

4.2.1 Inhalation Dose

Since there were no air samples taken during troop activities in the contaminated areas, the inhalation dose is calculated indirectly from estimates of the amount of contamination in the soil at the time of occupation troop arrival. For the fallout fields, the surface activity $(\mu C_1/m^2)$ is calculated from the gamma Intensity (mR/hr) measured 1 meter above the ground using a ratio $(\mu Ci/m^2 \text{ per } mR/hr)$ determined in Reference 25 for similar conditions after a nuclear weapon test shot at the Nevada Test Site. The plutonium content of the soil around the Nishiyama Reservoir outside Nagasaki is estimated from soil sample data.²⁰ For the induced activity fields, the surface activity determined experimentally by Hashizume¹⁵ and Arakawa¹⁴ is used. Once the surface activity is known, and corrected for radiological decay, the airborne concentration is calculated by the application of a resuspension factor, which is the ratio of the amount of material in the air to that which is on the ground immediately below ($\mu Ci/m^3$ per $\mu Ci/m^2$). Numerous experiments have been conducted to study the resuspension of radioactive materials deposited on the ground under different conditions. Stewart ¹⁶ has tabulated resuspension factors that range from 1×10^{-3} to 1×10^{-11} m⁻¹ depending on the conditions and the type of material studied. For this study, a high resuspension factor of 1×10^{-4} is selected for application in the Induced activity fields around GZ since there is evidence of some mechanical dust-producing activities in these areas (e.g., clearing debris, construction of an airstrip). A value of $1 \times 10^{-5} \text{ m}^{-1}$ is chosen for the fallout fields. The amount of radioactive material inhaled is calculated by multiplying the airborne concentration ($\mu Ci/m^3$) by the breathing rate (m^{3}/hr) of a "standard man" and integrating over the duration of exposure (hr). From the amount of radioactive material inhaled, the 50 year dose-equivalent commitment (rem) to the body organ of interest is calculated by the application

of an appropriate "dose conversion factor" (rem/ μ Ci inhaled). The dose conversion factors, taken from references 22 and 23, are based on the latest lung model and metabolic data developed by the International Commission on Radiological Protection.

4.2.2 Ingestion Dose (Drinking Water)

The fallout field at Nagasaki centered around the Nishiyama Reservoir, one of four reservoirs that served the city. However, for this "worst case" calculation, it is assumed that only the Nishiyama Reservoir is used. The Xl-year dose-equivalent commitment resulting from ingestion of water from the reservoir is calculated as follows: First, the concentration of radionuclide in the reservoir is calculated by multiplying the surface activity ($\mu Ci/m^2$) as determined for the inhalation dose, by the surface area of the reservoir (m²) and dividing by its capacity (m^3) . Because the runoff from the surrounding contaminated land area would have increased the concentration, this effect is considered by the application of an adlustment factor based on the size of the catchment area and a runoff coefficient. Assuming complete mixing (homogeneous mixture), the quantity of radioactive material ingested is calculated by integrating the product of the concentration $(\mu C_1/m^3)$ and the average water intake of a "standard man" (m^3/day) over the duration of exposure (days). The 50-year dose to the organ of interest is then determined by the application of appropriate "dose conversion factor" (rem/ μ C₁ ingested), as done for the the inhalation dose calculations. The dose conversion factors for the ingestion calculation are also taken from references 22 and 23. See Appendix E.

4.3 UPPER LIMIT RESULTS

The NMRI survey was chosen as the basis for the calculations since the measurements were made at 1 meter above the ground and should be more representative of whole body exposure. The maximum recorded radiation intensities are used in the calculations.

The following exposure durations, taken from information in Section 3, are used in the calculations:

Nagasaki:

```
2d Marine Division - 16 Sept 1945 (D+38; H+912) to 2 July 1946 (D+327; H+7848)
```

Nishiyama:

```
2d Marine Division (RCT-2) - 24 Sept 1945 (D+46; H+1104) to
12 Nov 45 (D+95; H+2280)
2d Marine Division (Artillery Group) - 2 Nov 1945 (D+85; H+2040) to
26 June 46 (D+321; H+7704)
```

Hiroshima (all portions):

41st Division (186th Regiment) 7 Oct 1945 (D+62; H+1488) to
1 Dec 45 (D+117; H+2808)
24th Division (34th Regiment) 1 Dec 1945 (D+117; H+2808) to
2 Mar 46 (D+208; H+4992)

The upper limit dose estimates are given in Table 4. See Appendices A-E for details regarding each calculation.

TABLE 4

UPPER LIMIT DOSE ESTIMATES

	HIROS	HIMA	NAGASAKI				
	GROUND ZERO 41st DIV 24th DIV	FALLOUT AREA 41st DIV 24th DIV	GROUND ZERO 2d DIV	NISHI 2d DIV (RCT-2)	YAMA AREA 2d DIV (ARTY GROUP)		
External Dose	0.030 rem 0.030 rem	0.019 rem 0.014 rem	0.081 rem	0.47 rem	0.63 rem		
Inhalation Dose* Bone RBM** Whole Body	0.004 rem 0.004 rem *** *** 0.003 rem 0.003 rem	 	0.018 rem *** 0.014 rem	0.14 rem 0.033 rem 0.017 rem	0.58 rem 0.13 rem 0.068 rem		
Ingestion Dose* Bone RBM** Whole Body	 	 	0.09 rem 0.05 rem 0.03 rem	0.02 rem 0.01 rem 0.01 rem	0.07 rem 0.04 rem 0.02 rem		

waxana a p

* 50-year dose equivalent commitment
 **RBM - Red Bone Marrow
 ***RBM dose factor for SC-46 not available. RBM dose should be less than bone dose, but greater than whole body dose.

Section 5 DISCUSSION AND CONCLUSIONS

Whenever possible, a conservative approach leading to a "high-side" result was used in the calculations discussed in Section 4. For example, when compared to the wide range of resuspension factors reported by Stewart ¹⁶, the values chosen for the inhalation dose calculations ($K = 1 \times 10^{-4}$ for the induced activity; K = 1×10^{-5} for the fallout) are from the high end of the spectrum. The larger value was chosen for the induced activity fields around ground zero since there is evidence of some dust producing activities in these areas. For example, Reference 8 states that an air strip was constructed at Nagasaki approximately 900 feet from GZ. That operation (delayed by rain which would keep the dust down) took 12 days. A lower value was selected for the fallout field around the Nishiyama Reservoir near Nagasaki since the area is a watershed (normally moist) and no dust producing activity by the occupation troops was reported. In both cases, the resuspension factor used is considered to be conservative since they compare with high values observed in desert terrain¹⁶. Certainly southern Japan cannot be compared with desert terrain. For example, about 1.2 meters of rain fell in Nagasaki, during September and October, 1945.²⁶ Furthermore, the same resuspension factor was assumed to apply for the entire duration of occupation troop exposure. Several authors have reported rapid decay of resuspension factors with time after the contaminating event due to "weathering" processes 17,18.

The inhalation dose factors used in the internal dose calculations assume a resuspended particle site distribution having an activity median aerodynamic diameter of I micron. It is doubtful that contaminated dust resuspended by construction operations would be that small. Therefore, the dose factor used in these calculations should produce a conservative result.

Most of the assumptions made in the dose estimate for the ingestion of drinking water should also result in a conservative result. No attempt was made to separate the fission products into water soluble/insoluble fractions and eliminate the insoluble portion through sedimentation or filtration processes that likely took place. Also, the calculations do not take into account that there were at least 3 other reservoirs in the area and that local water was not declared safe for consumption (probably for bacteriological reasons) until 3 weeks after the troops arrived.* Drinking water was imported during the interim period.

Calculations relative to the neutron-induced activity fields are based on Arakawa's¹⁴ and Hashizume's¹⁵ determinations of the significant radionuclides present and their quantity. In each case, their findings were based on an estimate of the neutron fluence at ground level from the weapon (order of 10¹² neutrons/cm'), and laboratory neutron activation of actual soil and building materials taken from Nagasaki and Hiroshima, Quantitatively, their findings depend on indirect estimates of the neutron fluence based on the specific activity of Co-60 measured in various iron materials that were exposed to the neutrons from each weapon. Qualitatively, their findings were determined directly by gamma-ray spectroscopy of the laboratory neutron-activated In Appendix A, only SC-46 and Co-60 were considered to be samples. significant for the external dose calculation. Other radionuclides (Na-24. Mn-56, and Cs-134) were identified by Arakawa and Hashizume; however, they were not considered in the calculation due to short half life (Na-24 and Mn-56) or small relative quantity (Cs-134). In Appendix C, the same two radionuclides (Sc-46 and Co-60) were considered in the inhalation dose calculation. A radiochemical separation of the neutron-activated samples showed small amounts of Fe-59, Zn-65, and K-40 that were masked by and counted as Na-24, Co-60 or Sc-46 during the gamma-ray spectroscopy analysis mentioned above. Since the inhalation dose factors for Fe-59 and Zn-65 are similar to those of Co-60 and Sc-46, their presence would not affect the overall result. The low decay rate and small amount of K-40 make it insignificant. The small relative abundance of Cs-134 (and similar dose factor) makes this isotope insignificant also, Pure beta emitters such as Ca-45 and P-32 that would not have been detected by gamma spectroscopy were also considered as potential contributors to the internal dose. None were present in sufficient quantity to affect the internal dose to the level of significance reported.

Finally, it must 'be emphasized that the dose estimates presented in Section 4 apply to an individual who stayed in an area of <u>maximum contamina-</u>tion for eight hours per day for a long time period (2-10 months). In each case,

these areas of maximum radiation intensity were quite small (approximately 0.1 km^2) and the contamination fell off rapidly with distance outward. Considering the results of the earliest survey (Manhattan District Survey, Figures 1 and 2) and the size of the built-up areas of each city¹², the extent of the contamination is shown below:

		Contam	Contaminated Area		
City	Built-up Area	Measurable	>0.1 mR/hr		
Hiroshima	17.9 km ²	√8.9 km ² (50%)	∽0.16 km ² (0.9%)		
Nagasaki	10.4 km^2	ഗ1.5 km ² (14%)	<0.1 km ² (1%)		

Note that the fallout field at Nagasaki was outside the major built-up portion of the city.

As the above table indicates, the section of either city with a radiation level greater than 0.1 mR/hr (at the time of the surveys near the beginning of the occupation period) consisted of no more than 1 percent of the entire built-up area. Measurable contamination was recorded over only 50 percent of the Hiroshima built-up area and 14 percent of Nagasaki's. Thus, the upper limit estimates for the doses from induced activity given in Section 4.3 are high by <u>at</u> least a factor of two assuming random movement throughout the city.

With respect to the Nishiyama area, there is **no** record or rationale for stationing occupation units in the area of peak activity (which includes the reservoir itself) over the entire period assumed in the upper limit dose calculation. This area was mountainous, sparsely populated, and had few roads; therefore, it would have been of little interest other than for sightseeing. Patrols were probably conducted but with **not** nearly the exposure duration that has been assumed and almost certainly not with the same individuals on each patrol. In addition, as stated in Section 3.3.1, **the responsibility** of RCT-2, and later the Artillery Group, encompassed an area much larger (by at least an order of magnitude) than the area of contamination at Nishiyama. All of these aspects suggest that the upper limit estimates for RCT-2 and the Artillery Group given in Section 4.3 are probably too high by at least a factor of 10.

REFERENCES

- 1. Glasstone, S., "The Effects of Nuclear Weapons," published by the U.S. Department of Defense and Department of Energy, 3rd edition, 1977.
- 2. "Radiology in World War II," Medical Dept., U.S. Army, Office of the Surgeon General, Editor-in-Chief, Col. Arnold Ahnfeldt, 1966.
- 3. Sixth U.S. Army, "Report of the Occupation of Japan," 22 September 1945-30 November 1945.
- 4. 24th Infantry Division Historical Committe, "The 24th Infantry Division: A Brief History," Kokura, Japan, 1947.
- 5. Unpublished Unit Histories and After-Action Reports of the 41st and 24th Infantry Divisions, U.S. Army.
- 6. Frank, B.M. and H.I. Shaw, "History of the U.S. Marine Corps Operations In World War II, Volume V, Victory and Occupation," Historical Branch, G-3 Division, Headquarters, U.S. Marine Corps, 1968.
- 7. Historical Branch, G-3 Division Hq. U.S.M.C., Washignton, D.C., "The United States Marines in the Occupation of Japan", Marine Corps Histor-ICal Reference Pamphlet, Reprinted 1969.
- 8. Second Marine Division, "Report on the Occupation of Japan," 1 Dec 1945.
- Tybout, C.E., "Final Report of Findings of the Manhattan District Atomic Bomb Investigating Groups, at Hiroshima and Nagasaki," Part B, Memorandum to Col. Stafford L. Warren from Capt. H.L. Barnett, 19 April 1946.
- Pace, N. and R. E. Smith, "Measurement of the Residual Radiation Intensity at the Hiroshima and Nagasaki Atomic Bomb Sites," Technical Report 26-59, Atomic Bomb Casualty Commission, 1959.
- 11. Warren, S., "Target Report-Atomic bombs, Hiroshima and Nagasaki," Article 1, Medical Effects, Report of U.S. Naval Technical Mission to Japan, X-28-1.
- 12. U.S. Strategic Born bing Survey, "The Effects of Atomic Bornbs on Hiroshima and Nagasaki," Chairman's Office, 30 June 1946.
- 13. U.S. Strategic Born bing Survey, "The Effects of the Atomic Bornb on Nagasaki, Japan. Volumes I and II, June 1947.
- 14. Arakawa, E.T., "Residual Radiation in Hiroshima and Nagasaki," Technical Report 02-62, Atomic Born b Casualty Commission, 1962.

- 15. Hashizume, T., <u>et al.</u>, "Estimation of Gamma-Ray Dose from Neutron Induced Radioactivity in Hiroshima and Nagasaki," <u>Health Physics</u>, Vol. 17, 1969.
- 16. Stewart, K., "The Resuspension of Particulate Material from Surface," Proceedings of a Symposium on Surface Contamination, Gatlinburg, Tennessee, June 1964. Edited by B.R. Fish, Pergamon Press.
- 17. Anspaugh, L.R., et al., "Evaluation of the Resuspension Pathway Toward Protective Guidelines for Soil Contaminated with Radioactivity," in Proceedings of a Seminar, Protoroz, 20-24 May 1974, organized by the IAEE and WHO with support from UNEP.
- 18. Anspaugh, L.R., et al., "Resuspension and Redistribution of Plutonium in Soils," Health Physics, Vol. 29 (October 1955).
- 19. Okajima, S., "Radioactive Fallout Effects of Nagasaki Atomic Bomb," <u>Health Physics</u>, Vol. 34, June 1978.,
- 20. Masonobu Sakanoue and Taeko Tsuji, "Plutonium Content of Soil at Nagasaki," Nature, Vol. 234, Nov. 1971, pp. 92-93.
- 21. Hoenes, G.R. and J.K. Soldat, "Age-Specific Radiation Dose Commitment Factors for a One-Year Chronic Intake," U.S.N.R.C. NUREG O-172, Nov. 1977.
- Killough, G.G., <u>et al.</u>, "Estimates of Internal Dose Equivalent to 22 Target Organs for Radionuclides Occurring in Routine Releases from Nuclear Fuel-Cycle Facilities," ORNL/NUREG/TM-190/V2, Volume I, June 1978.
- 23. Dunning, D.E., et al., "Estimates of Internal Dose Equivalent to 22 Target Organs for Radionuclides Occurring in Routine Releases from Nuclear Fuel-Cycle Facilities," ORNL/NURGE/TM- 190/V2, Volume II, Nov. 1979.
- 24. "ORIGEN Isotope Generation and Depletion Code-Matrix Exponential Method," CC-217, Oak Ridge National Laboratory, Oak Ridge, Tennessee, June 1977.
- 25. Goetz, J.L., et al., "Analysis of Radiation Exposure for Task Force BIG BANG, Shot GALILEO, Exercise Desert Rock VII-VIII, Operation Plumbbob, DNA 4772F, 9 April 1980.
- 26. Takeshita, K., "Residual Radiation from the Atomic Bomb at Hiroshima" Proc. Hiroshima University, RINMB 13:1-8 (1972).

APPENDIX A CALCULATION OF DOSE FROM EXTERNAL EMITTERS (INDUCED ACTIVITY) HIROSHIMA AND NAGASAKI

Hiroshima:

Considering the height of burst and radiation weapon the patterns determined by measurements taken on 1-2 November 1945 (see Fig. 4), it can be safely assumed that the gamma radiation detected around GZ resulted from neutron-induced activity in the soil and building materials. In an effort to estimate the external dose to Hiroshima and Nagasaki residents from this induced activity, Hashizume, et al., made calculations based on data determined experimentally¹⁵. Samples of soil, roof-tile, brick, asphalt, concrete, and wood were collected from Hiroshima and Nagasaki, and analyzed by neutron activation. Using this analysis, Hashizume concluded that only Na-24, Mn-56, Sc-46, Co-60, and Cs-134 need be considered in his dose estimate.

Due to the short half-lives of Na-24 (15 hours) and Mn-56 (2.57 hours), these two isotopes become insignificant at the time of occupation troop arrival at Hiroshima (H+1488) and Nagasaki (H+912). Therefore, only the longer lived isotopes of Sc-46 (84 days), Co-60 (5.2 years) and Cs-134 (2 years) need be considered in this dose estimate for the occupation units.

Using the Hiroshima soil composition data obtained from the neutron activation analysis mentioned above and estimates of the thermal neutron fluence on the ground surface at Hiroshima resulting from the bomb, Hashizume determined the specific activities ($\mu Ci/g$) of the soil and various building materials (immediately after detonation) shown below:

	Sc-46	Co-60	<u>cs-134</u>
Soil	5 x 10 ⁻⁵	0.5 x 10 ⁻⁵	2 x 10 ⁻⁷
Roof-tile	17×10 ⁻⁵	1.3 x 10 ⁻⁵	5 x 10 ⁻⁷
Brick	11 x 10 ⁻⁵	1.1 x 10 ⁻⁵	2 x 10 ⁻⁷
Concrete	9 x 10 ⁻⁵	0.8 x 10 ⁻⁵	4 x 10 ⁻⁷
Average	10.5 x 10 ⁻⁵	0.92 x 10 ⁻⁵	3.25 x 10 ⁻⁷

From the data presented above, it is evident that Sc-46 and Co-60 were the major contributors to the gamma radiation measurements made in the ground zero area at Hiroshima on 1-2 November 1945. Since Sc-46, and Co-60 both emit 2 gamma rays per disintegration with approximately the same average energy (Co-60 slightly higher), it can be assumed that the gamma intensity measured in air from each isotope follows the same ratio as their relative specific activities in the soil and building materials. Using the average specific activities, the ratio of Sc-46 to Co-60 at time t=0 would be:

$$\frac{10.5 \times 10^{-5}}{0.92 \times 10^{-5}} = 11.4 \text{ 1 or } 92\% \text{ k-46; 8\% Co-60}$$

For each significant radionuclide, the intensity at any time can be calculated from the following expression:

$$R_t = R_0 e^{-\lambda t}$$

where R_t = Intensity at time t (mR/hr) R_o = Intensity at time t = 0 (mR/hr) λ = decay constant = 0.693/T_{y2} in hours t = time (hours).

From Figure 4, the highest intensity contour in the neutron-activation field around GZ was 0.069 mR/hr on 1 November 1946, (D+87; H+2088). The contribution to this intensity from Sc-46 and Co-60 would be:

$$R_{t} = A R_{0} e^{-\lambda} 1^{t} + B R_{0} e^{-\lambda} 2^{t} = 0.069 \text{ mR/hr}$$
where $\lambda_{1} = \text{decay constant for Sc-46} = 0.693/2016 \text{ hr} = 0.0003438 \text{ hr}^{-1}$
 $\lambda_{2} = \text{decay constant for Co-60} = 0.693/45552 \text{ hr} = 0.0000152 \text{ hr}^{-1}$
 $A = \text{fraction}^{*} \text{ of Sc-46}$
 $B = \text{fraction}^{*} \text{ of Co-60}$

Therefore:

$$R_{o} = \frac{R_{t}}{A e^{-\lambda} 1^{t} + B e^{-\lambda} 2^{t}}$$

$$R_{o} = \frac{0.069}{(0.92)e^{-(0.0003438)(2088) + (0.08)e^{-(0.0000152)(2088)}}}$$

$$R_{o} = 0.13 \text{ mR/hr}$$

Assuming that exposure to 1 roentgen results in a dose of 1 rem, the dose (D) received from each significant radionuclide from time (t_i) to time (t_f) can be calculated from the following expression:

$$D = \int_{t_i}^{t_f} R_o e^{-\lambda t} dt = \frac{R_o}{\lambda} (e^{-\lambda t} i - e^{-\lambda t} f)$$

Therefore, at H1roshima, the dose received by a hypothetical serviceman from the 41st D1vision from Sc-46 over the period 7 October 1945 (H+1488) to 1 December 1945 (H+2808) IS calculated as follows:

$$D = \frac{AR_{o}}{\lambda_{1}} (e^{-\lambda_{1}t_{i}} - e^{-\lambda_{1}t_{f}})$$

= $\frac{(0.92)(0.13)}{0.0003438} (e^{-(0.0003438)(1488)} - e^{-(0.0003438)(2808)})$
= 76 mrem = 0.076 rem

The dose from Co-60 would be:

$$D = \frac{{}^{BR}o}{\lambda_2} (e^{-\lambda_2 t}i - e^{\lambda_2 t}f)$$

= $\frac{(0.08)(0.13)}{0.0000152} (e^{-(0.0000152)(1488)} - e^{-(0.0000152)(2808)})$

= 13 mrem = 0.013 rem

Assuming an 8 hour per day exposure, the total dose would be:

$$D = \frac{76 + 13}{3} \simeq 30$$
 mrem or 0.03 rem

The dose received by a hypothetical serviceman from the 24th D₁vision from 1 December 1945 (H+2808) to 2 March 1946 (H+4992) would be:

From Sc-46:

$$D = \frac{AR_o}{\lambda_1} (e^{-\lambda_1 t} i - e^{\lambda_1 t} f)$$

= $\frac{(0.92)(0.13)}{0.0003438} (e^{-(0.0003438)(2808)} - e^{-(0.0003438)(4992))}$

= 70 mrem

From Co-60:

$$D = \frac{BR_o}{\lambda_2} (e^{-\lambda} 2^t i - e^{-\lambda} 2^t f)$$

= $\frac{(0.08)(0.13)}{0.0000 \ 152} (e^{-(0.0000 \ 152)(2808)} - e^{-(0.0000 \ 152)(4992)})$
= 21 mrem

Assuming an 8 hour per day exposure, the total dose would be:

$$D = \frac{70+21}{3} \approx 30$$
 mrem or 0.03 rem

Nagasaki:

Using a similar approach, Arakawa¹⁴ estimated the specific activity of SC-46 and Co-60 (at time of burst) in the Nagasaki soil to be:

Sc-46 - 16.7 x
$$10^{-5} \mu \text{Ci/g}$$
 (average)
Co-60 - 1.1 x $10^{-5} \mu \text{Ci/g}$

Using the same methodology used in the Hiroshima calculation and the measurements made at GZ in Nagasaki (0.069 mR/hr on 21 October or H+1512, the midtime of the NMRI Survey):

$$R_{0} = \frac{R_{t}}{Ae^{-\lambda}1^{t} + Be^{-\lambda}2^{t}}$$
$$= \frac{0.069}{(0.938)e^{-(0.0003438)(1512) + (0.062)e^{-(0.0000152)(1512)}}$$
$$= 0.11 \text{ mR/hr}$$

Therefore, at Nagasaki, the dose received from Sc-46 over the period 16 September 1945 (H+912) to 2 July, 1946 (H+7848) is calculated as follows:

$$D = \frac{AR}{\lambda_1} (e^{-\lambda_1 t} i - e^{\lambda_1 t} f)$$

= $\frac{(0.938)(0.11)}{0.0003438} (e^{-(0.0003438)(912)} - e^{-(0.0003438)(7848)})$
= 199 mrem

The dose from Co-60 over the same period:

$$D = \frac{BR_{0}}{\lambda_{2}} (e^{-\lambda} 2^{t_{1}} - e^{-\lambda} 2^{t_{f}})$$

= $\frac{(0.062)(0.11)}{0.0000152} (e^{-(.0000152)(912)} - e^{-(0.0000152)(7848)})$
= 44 mrem

The total dose considering an 8 hour/day exposure:

$$D = \frac{199+44}{3} = 81$$
 mrem or 0.081 rem

APPENDIX B CALCULATION OF DOSE FROM EXTERNAL EMITTERS (FISSION PRODUCTS) HIROSHIMA AND NAGASAKI/NISHIYAMA

According to Glasstone¹, the gamma intensity from early fallout decays with time after the detonation (up to 4000 hours) according to $t^{-1.2}$, where t equals the time after detonation in hours. Between 4000 hours and 7700 hours (extent of time of interest for this study), the decay is approximately $t^{-2.2}$. Therefore, the intensity (R_t) in mR/hr at any time (t) in hours can be calculated from the following expression:

$$R_t = R_1 t^{-1.2}, t < 4000$$

 $R_t = R_1 (4000)^{-1.2} (\frac{t}{4000})^{-2.2}, t > 4000$

where R_1 = Reference time (H+1) intensity (mR/hr)

Since exposure to 1 roentgen of gamma radiation results in a dose of 1 rem, the dose (D) in rems resulting from an exposure from time (t_1) to a later time (t_f) can be calculated by integrating the above expression as follows:

$$D = \int_{t_1}^{t_1} R_1 t^{-1.2} dt = 5R_1 (t_1^{-0.2} - t_1^{-0.2}), \text{ for } t_f < 4000$$

$$D = \int_{t_1}^{4000} R_1 t^{-1.2} dt + \int_{4000}^{t_1} R_1 (4000)^{-1.2} (\frac{t}{4000})^{-2.2} dt$$

$$= R_1 \left[5(t_1^{-.2} - 4000^{-.2}) + \frac{4000}{1.2} (4000^{-1.2} - t_1^{-1.2}) \right], \text{ for } t_f > 4000$$

In order to reflect an 8 hour per day exposure during the period, the above equation is divided by 24/8 or 3.

Hıroshima Calculation:

From Figure 4, the maximum intensity in the downwind fallout field (west of Koi River) was 0.042 mR/hr on 1 November 1945 (D+87; H+2088). Therefore:

RI =
$$\frac{R_t}{t^{-1.2}}$$
 = $\frac{0.042}{2088^{-1.2}}$ \approx 405 mR/hr

The dose received by a hypothetical serviceman from the 41st Division (186th Regiment) from 7 October 1945 (D+62; H+1488) to 1 December 1945 (D+117; H+2808) would be:

$$D = \frac{5(405)(1488^{-0.2} - 2808^{-0.2})}{3}$$

= 19 mrem or 0.019 rem

The dose received by a hypothetical serviceman from the 24th Division (34th Regiment) from 1 December 1945 (D+117; H+2808) to 2 [March 1946 (D+208; H+4992) would be:

$$D = \frac{405}{3} \left[5(2808^{-.2} - 4000^{-.2}) + \frac{4000}{1.2} (4000^{-1.2} - 4992^{-1.2}) \right]$$

~ 14 mrem or 0.014 rem

Nagasaki/Nishiyama Calculation:

From Figure 3, the highest intensity in the downwind fallout field around the N1shiyama Reservoir was 1.080 mR/hr on 21 October 1945 (mid-time of survey; D+73; H+ 1752).

$$R_1 = \frac{R_t}{t^{-1.2}} = \frac{1.080}{1752^{-1.2}} \approx 8427 \text{ mR/hr}$$

The dose received by a hypothetical serviceman from the 2d Marine Division (RCT-2) from 24 September 1945 (D+46; H+1104) to 12 November 1945 (D+95; H+2280) would be:

$$D = \frac{5(8427)(1104^{-0.2} - 2280^{-0.2})}{3}$$

≥ 470 mrem or 0.47 rem

The dose received by a hypothetical serviceman from the 2d Marine Division (Artillery Croup) from 2 November 1945 (D+85; H+2040) to 26 June, 1946 (D+321; H+7704) would be:

$$D = \frac{8427}{3} \left[5(2040^{-.2} - 4000^{-.2}) + \frac{4000}{1.2} (4000^{-1.2} - 7704^{-1.2}) \right]$$

≈ 630 mrem or 0.63 rem
APPENDIX C CALCULATION OF DOSE FROM INTERNAL EMITTERS (INHALED INDUCED ACTIVITY) HIROSHIMA AND NAGASAKI

In Appendix A it was determined that Sc-46 and Co-60 were the only isotopes of significance remaining in the Gi! area at the time of occupation troop entry into Hiroshima and Nagasaki. Average specific activities (μ Ci/g) for soil and building materials determined by Arakawa¹⁴ and Hashizume, et al.,¹⁵ at time zero (immediately after detonation) are shown below:

	Sc-46	Co-60
Hiroshima	10.5×10^{-5}	0.92 x 10 ⁻⁵
Nagasaki*	16.7 x 10 ⁻⁵	1.1 x 10 ⁻⁵

Assuming a composite (soil and building materials) density of 2.0 grams per cubic centimeter, the **concentration** (μ Ci/cm³) of these materials are shown below

	Sc-46	Co-60
Hiroshima	21.0 x 10 ⁻⁵	1.84 x 10 ⁻⁵
Nagasaki	33.4 x 10 ⁻⁵	2.2×10^{-5}

Assuming that the top centimeter of soil and/or crushed building material is available for resuspension, a conservative value $(10^{-4} m^{-1})$ for a resuspension factor and a breathing rate of 1.3 m⁵/hr, the quantity (μ Ci) of each radio-nuclide inhaled during the entire occupation period is calculated as follows:

*Soil only

$$Q = \frac{SA_{o} \times K \times BR}{3} \int_{t_{i}}^{t_{f}} e^{-\lambda t} dt$$
$$Q = \frac{SA_{o} \times K \times BR}{3x} (e^{-\lambda t}i - e^{-\lambda t}f)$$

where

$$Q = Quantity inhaled (\mu C_1)$$

$$SA_{0} = Surface activity at time zero (\mu C_1/m^2)$$

$$K = Resuspension factor (m^{-1})$$

$$BR = Breathing Rate (m^3/hr)$$

$$t_{1} = Time of entry (hr)$$

$$t_{f} = Time of departure (hr)$$

$$\lambda = Decay constant$$

$$3 = Exposure Factor (8 hour/day exposure)$$

Results:

For Nagasaki: $(t_i = 912; t_f = 7848)$

Sc-46 = 0.28μ Ci Co-60 = 0.062μ Ci

Using 50-year dose commitment factors from references 21 and 22, the dose to the bone and to the whole body is calculated as follows:

 $D = Q \times DF$ (for organ of interest)

where D = 50-year dose commitment (rem) $Q = Quant_1ty$ Inhaled (μ Ci) DF = Dose Factor (rem/u Ci Inhaled)

For Hiroshima (41st Division)

From Sc-46:

Whole body dose	= 0.058	x 3.11	x 10 ⁻²	= 1.8 x	10 ⁻³ rem
Bone dose	= 0.058	x 5.51	x 10 ⁻²	= 3.2 x	10^{-3} rem

From Co-60:

Whole body dose = $0.010 \times 8.20 \times 10^{-2} = 0.8 \times 10^{-3}$ rem Bone dose = $0.010 \times 5.06 \times 10^{-2} = 0.5 \times 10^{-3}$ rem

Totals:

Whole body dose = 2.6×10^{-3} rem Bone dose = 3.7×10^{-3} rem

For Hiroshima (24th Division)

From Sc-46:

Whole body dose = 1.7×10^{-3} rem Bone dose = 2.9×10^{-3} rem

From Co-60:

Whole body dose = 1.4×10^{-3} rem Bone dose = 0.9×10^{-3} rem

Totals:

Whole body dose = 3.1×10^{-3} rem Bone dose = 3.8×10^{-3} rem

For Nagasaki

From Sc-46:

Whole body dose = 0.9×10^{-2} rem Bone dose = 1.5×10^{-2} rem

From Co-60:

Whole body dose = 5.1×10^{-3} rem Bone dose = 3.1×10^{-3} rem

Totals:

Whole body dose = 1.4×10^{-2} rem Bone dose = 1.8×10^{-2} rem

APPENDIX D

CALCULATION OF DOSE FROM INTERNAL EMITTERS (INHALED FISSION PRODUCTS AND UNFISSIONED PLUTONIUM) NAGASAKI (NISHIYAMA)

FISSION PRODUCTS:

In Figure 3, the maximum radiation intensity recorded in the fallout field around the Nishiyama Reservoir was 1.080 mR/hr on 21 October, 1945, (m1dtime of the NMRI survey). Assuming the intensity decays according to $t^{-1.2}$, this level would be approximately 1.9 mR/hr on 24 September, 1945, the earliest date that RCT-2 could send patrols into the area.

The gamma radiation intensity (mR/hr) measured at one meter above the ground was related to the surface activity $(\mu Ci/m^2)$ for the fallout from three nuclear weapons test shots at the Nevada Test Site.²⁵ For Shot Diablo, the ratio of the surface activity $(\mu Ci/m^2)$ to the gamma intensity (mR/hr) was 179 to I, forty-nine days after the detonation. Since the Diablo device and the Nagasaki weapon both used plutonium as the fissionable material and the time interval after the detonation is nearly the same (49 days vs. 46 days), this ratio can be used to estimate the surface activity at Nishiyama on 24 September 1945, as follows:

1.9 mR/hr x 179 (
$$\mu C_1/m^2$$
)/(mR/hr) $\simeq 340 \mu C_1/m^2$

Using activity fractions of the fission product inventory at 1100 hours obtained from $ORIGEN^{24}$, the surface activity of each significant isotope at the earliest time of troop entry (24 September 1945, H+1104 hours) is calculated below:

$$SA_1 = SA_t \times f_1$$

where $SA_1 = Surface$ activity of isotope i ($\mu Ci/m^2$) $SA_t = Total$ surface activity (340 $\mu Ci/m^2$) $f_i = Activity$ fraction of isotope 1

ISOTOPE	f	SA;
Sr-89	0.0358	12.22
Sr-90	0.0004	0.13
Y-90	0.0004	0.13
Y-91	0.0004	15.89
Zr-95	0.0400	28.66
Nh-95	0.067 1	20.00
$R_{\rm H_{-}}$ 103	0.1/133	/8.89
$Ru_{-} = 105$ $Ru_{-} = 106$	0.1+33 0.0212	7.02
$R_{h} = 100$	0.0212 0.1/33	/ 8 89
Rh- 106	0.1433 0.0212	7 23
$T_{e_{-}} 127m$	0.0212 0.0012	0.41
$T_{e} = 127$	0.0012	0.41
To 120m	0.0012	0.41
$T_{c} = 127111$	0.0078	2.00
IE- 129 I 121	0.0049	1.0/
I-151 C 126	0.0185	0.31
Cs- 136	0.0019	0.64
cs-13/	0.00 11	0.37
Ba- 137m	0.00 10	0.35
Ba- 140	0.0653	22.29
La- 140	0.0749	25.55
Ce- 141	0.1219	41.59
Ce- 144	0.0216	7.37
Pr- 143	0.0648	22.11
Pr- 144	0.0216	7.37
Nd- 147	0.0197	6.72

The amount of each significant radionuclide inhaled during the occupation period IS calculated using the following expression:

$$Q = \frac{SA_o \times K \times BR}{3} \int_{t_i}^{t_f} -\lambda t \, dt$$
$$Q = \frac{SA_o \times K \times BR}{3x} (e^{-\lambda t_i} - e^{-\lambda t_f})$$

when:

 $Q = Amount inhaled (\mu Ci)$

- SA₀ = Surface activity at time zero (μ Ci/m²) K = Resuspension Factor (m⁻¹) BR = Breathing Rate (m³/hr) t_i = Time of entry (hr) t_f = Time of departure (hr)
 - λ = Radiological Decay Constant (hr⁻¹)
 - 3 = Exposure Factor (8 hours/day exposure)

Using this equation, the amount of each isotope inhaled during the occupation period is shown below:

	Q(µCi inhaled)			
ISOTOPE	RCT-2	Artillery Group		
Sr-89	4.59F-02	5.52E-02		
Sr-90	6.67E-04	3.19E-03		
Y-90	6.67E-04	3.19E-03		
Y-91	6.16E-02	8.30E-02		
Zr-95	1.14E-01	1.72E-01		
Nb-95	8.43E-02	1.26E-01		
Ru- 103	1.67E-01	1.44E-01		
Ru- 106	3.52E-02	1.40E-01		
Rh- 103m	1.67E-01	1.44E-01		
Rh- 106	3.52E-02	1.40E-01		
Sn- 123	5.86E-04	1.44E-03		
Sn- 125	1.80E-04	1.05E-05		
Te- 127m	1.78E-03	4.02E-03		
Te- 127	1.79E-03	4.02E-03		
Te- 129m	8.58E-03	6.11E-03		
Te- 129	5.39E-03	3.83E-03		
I- 131	7.50E-03	2.65E-04		
Cs- 136	1.19E-02	1.84E-04		
cs- 137	1.88E-03	8.98E-03		
Ba-137m	1.77E-03	8.41E-03		
Ba- 140	3.97E-02	5.15E-03		
La- 140	4.56E-02	5.91E-03		
Ce- 141	1.31E-01	8.77E-02		
Ce- 144	3.54E-02	1.25E-01		
Pr- 143	4.14E-02	6.16E-03		
Pr- 144	3.54E-02	1.25E-01		
Nd- 147	1.06E-02	9.57E-04		

The 50-year dose-equivalent commitment to the bone, red bone marrow (RBM) and the whole body resulting from the inhalation of these isotopes is calculated as follows:

 $D = Q \times DF$ (for organ of interest)

where:
$$D = Dose$$
 (rem)
 $Q = Quantity$ inhaled (μCi)
 $DF^* = Dose$ Conversion factor (rem/ μ Ci inhaled)

^{*}Dose factors from References 22 and 23.

FOR RCT-2:

ISOTOPE	Q	DF (bone)	D (bone)	DF (RBM)	D (RBM)	DF (Whole Body)	D (Whole Body)
Sr- 89	4.59E-02	3.38E-02	1.55E-03	1.33E-02	0.61E-03	4.76E-03	0.21E-03
Sr- 90	6.67E-04	3. 00	2.00E-03	1. 10	0.74E-03	0. 24	0.16E-03
Y- 90	6.67E-04	1.95E-03	*	8.39E-04	*	9.62E-04	*
Y- 91	6.16E-02	2.25E-02	1.38E-03	8.51E-03	0.52E-03	5.67E-03	0.35E-03
Zr-95	1.14E-01	9.15E-03	1.05E-03	5.46E-03	0.62E-03	5.55E-03	0.63E-03
Nb- 95	8.43E-02	1.22E-03	0. 11E- 03	1.61E-03	0.13E-03	1.94E-03	0.17E-03
Ru- 103	1.67E-01	9.12E-04	1.55E-03	1.25E-03	0.21E-03	1.98E-03	0.37E-03
Ru- 106	3.52E-02	8.76E-03	0.31E-03	9.37E-03	0.33E-03	6.18E-02	0.21E-03
Rh- 103m	1.67E-01	2.05E-08	¥	2.28E-08	×	9.89E-07	*
Rh - 106	3.52E-02	1.14E-08	*	1.43E-08	¥	3.44E-07	*
Te- 127m	1.78E-03	2.25E-03	×	2.52E-03	×	3.20E-03	×
Te- 127	1.79E-03	8.87E-06	×	4.09E-05	×	5.13E-05	*
Te- 129m	8.58E-03	3.51E-04	*	8.27E-04	*	5.54E-04	*
Te- 129	5.39E-03	2.25E-06	*	6.31E-06	*	1.80E-05	×
I - 131	7.50E-03	2.38E-04	*	2.02E-04	*	6.13E-04	*
Cs-136	1.19E-02	6.70E-03	0.08E-03	7.91E-03	0.10E-03	6.00E-03	0.07E-03
cs-137	1.88E-03	4.54E-02	0.08E-03	4.91E-02	0. 1 <i>0</i> E- 03	3.26E-02	0.06E-03
Ba- 137m	1.77E-03	1.70E-07	*	2.22E-07	¥	3.21E-07	*
Ba- 140	3.97E-02	5.72E-03	0.23E-03	3.61E-03	0.14E-03	2.08E-03	0.08E-03
La-140	4.56E-02	8.00E-04	0.04E-03	8.52E-04	0.04E-03	1.05E-03	0.05E-03
Ce- 141	1.31E-01	1.55E-02	2.03E-03	4.07E-03	0.54E-03	3.27E-03	0.05E-03
Ce- 144	3.54E-02	0.91	32.21E-03	0. 35	12.46E-03	0. 17	6.03E-03
Pr- 143	4.14E-02	1.10E-02	0.45E-03	3.36E-03	0.14E-03	2.14E-03	0.08E-03
Pr-144	3.54E-02	1.03E-05	×	4.27E-06	*	9.75E-06	*
Nd- 147	1.06E-02	9.80E-03	0. 11E- 03	2.75E-03	0.02E-03	2.14E-03	0.02E-03
Totals			√43E-03 or 0.043 rem		√17E-03 or 0.017 ren	a	√9E-03 or 0.009 rem

FOR THE ARTILLERY GROUP:

ISOTOPE	Q	DF (bone)	D (bone)	DF (RBM)	D (RBM)	DF (Whole Body)	D (W hole Body)
Sr 80	5 525 02	2 20E 02	1 96E 03	1 33E 02	0 735 03	4 76E 03	0 24F 03
Sr 00	2.19E 02	2.00	9.54E 03	1.10	9 E1 E 09	4.70L-0J	0.260-03
V 00	2.10E 02	3.00 1.05E 0.2	J.JOL-0J	1.10 9.30E 0/	3.31 E-03 *	0.24	U.76E-UJ
1-90 V 01	2.17E-02	1.955-03	*	8.39E-04	0 70F 03	9.62E-04	*
Y-91	8.30E-02	2.25E-02	1.8/E-03	8.51 E-03	0.70E-03	5.6/E-03	0.4/E-03
Zr-95	1./2E-01	9.158-03	1.5/E-03	5.46E-03	0.94E-03	5.55E-03	0.95E-03
Nb-95	1.26E-01	1.22E-03	0.16E-03	1.61E-03	0.20E-03	1.94E-03	0.25E-03
Ru- 103	1.44E-01	9.12E-04	0.13E-03	1.25E-03	0.18E-03	1.98E-03	0.29E-03
Ru- 106	1.40E-01	8.76E-03	1.26E-03	9.37E-03	1.35E-03	6.18E-02	0.89E-03
Rh- 103m	1.44E-01	2.05E-08	*	2.28E-08	×	9.89E-07	×
Rh- 106	1.40E-01	1.14E-08	*	1.43E-08	¥	3.44E-07	*
Te- 127m	4.02E-03	2.25E-03	*	2.52E-03	*	3.20E-03	×
Te- 127	4.02E-03	8.87E-06	*	4.09E-05	×	5.13E-05	×
Te- 129m	6.11E-03	3.51E-04	×	8.27E-04	*	5.54E-04	×
Te- 129	3.83E-03	2.25E-06	×	6.31E-06	*	1.80E-05	×
I-131	2.65E-04	2.38E-04	*	2.02E-04	×	6.13E-04	*
Cs- 136	1.84E-04	6.70E-03	*	7.91E-03	*	6.00E-03	*
cs- 137	8.98E-03	4.54E-02	0.41E-03	4.91 E-02	0.44E-03	3.26E-02	0.30E-03
Ba-137m	8.41E-03	1.70E-07	*	2.22E-07	×	3.21 E-07	×
Ba- 140	5.15E-03	5.72E-03	0.04E-03	3.61E-03	0.02E-03	2.08E-03	O.OlE-03
La- 140	5.91 E-03	8.00 E-04	*	8.52E-04	*	1.05E-03	×
Ce- 141	8.77E-02	1.55E-02	1.36E-03	2.03E-03	0.36E-03	3.27E-03	0.29E-03
Ce- 144	1.25E-01	0.91	114.00E-03	0.35	43.84E-03	0.17	21.30E-03
Pr 143	6.16E-03	l.lOE-02	0.07E-03	3.36E-03	0.02E-03	2.14E-03	O.OlE-03
Pr- 144	1.25E-01	1.03E-05	×	4.27E-06	×	9.75E-06	×
Nd- 147	9.57E-04	9.80E-03	*	2.75E-03	*	2.14E-03	*
Totals			√132E-03 or 0.132 rem		√52E-03 or 0.052 ren	ı	∽26E-03 or 0.026 rem

*Less than 1E-05

PLUTONIUM-239:

The weapon dropped on Nagasaki was a Pu-239 device; therefore some unfissioned plutonium would be expected in the fallout around the Nishiyama Reservoir, and above-background levels of Pu-239 have been detected in that area. Soil samples (10 cm deep) taken in relatively undisturbed areas (grasslands and graveyards) in 1969, expressed in terms of surface activity, ranged from 0.015 μ Ci/m² to 0.038 μ Ci/m² with an average of 0.024 μ Ci/m²⁽²⁰⁾. These samples were taken in the general area of the maximum radiation intensity recorded in Figures 1 and 3. Soil samples taken in nearby areas that were not contaminated by fallout from the bomb ranged from 0.001 to 0.006 $\mu \text{Ci/m}^2$ with an average of 0.004 μ Ci/m². Using the latter results as a background level, the residual Pu-239 surface contamination from the bomb (24 years later) was about $0.02 \ \mu \text{Ci/m}$ in the area of maximum fallout contamination. Due to the extremely long radiological half life of Pu-239 (24,000 years), radiological decay since 1945 would be insignificant; therefore any difference in the surface contamination between 1945 and 1969 would result from environmental factors. Plutonium-oxide, the most likely chemical form of the unfissioned plutonium, has been shown to be persistent in soil.

Soil samples (30 cm deep) taken in the same general area in 1970 and analyzed for Cs-137, averaged 0.8 μ Ci/m² while similar background samples averaged 0.5 μ Ci/m².⁽¹⁹⁾ Subtracting background and back-calculating for radiological decay results in a level of 0.53 μ Ci/m² in 1945. This agrees fairly well with the calculated value of 0.37 μ Ci/m², especially since the exact location of these samples relative to the location of the maximum radiation intensity (1.08 mR/hr) used to calculate **the** surface activity is unknown. Such agreement implies that the Cs-137 contamination in undisturbed soils has not been significantly altered by environmental factors. Therefore, assuming Cs-137 and Pu-239 behave similarly, **the** Pu-239 soil sample data mentioned above can be used (unadjusted) to estimate the inhalation dose as follows:

$$D = SA \times K \times BR \times T \times DF$$

where

D_i = 50 year dose-equivalent commitment for organ i SA* = Surface $K = Resuspension factor (m^{-1})$ BR = Breathing rate (m^3/hr) T = Duration of exposure (hr) DF_i = Dose Conversion Factor (rem/ μ Ci Inhaled) for organ i

For the RCT-2:
$$(t_i = 1104 \text{ hours}; t_f = 2280 \text{ hours})$$

Bone Dose = $0.02 \times 10^{-5} \times 1.3 \times \frac{1176}{3} \times 9.12 \times 10^2 = 0.093 \text{ rem}$
RBM Dose = $0.02 \times 10^{-5} \times 1.3 \times \frac{1176}{3} \times 1.54 \times 10^2 = 0.016 \text{ rem}$
Whole Body Dose = $0.02 \times 10^{-5} \times 1.3 \times \frac{1176}{3} \times 86 = 0.008 \text{ rem}$

For the Artillery Group: ($t_i = 2040$ hours; $t_f = 7704$ hours) Bone Dose = $0.02 \times 10^{-5} \times 1.3 \times \frac{5664}{3} \times 9.12 \times 10^2 = 0.447$ rem RBM Dose = $0.02 \times 10^{-5} \times 1.3 \times \frac{5664}{3} \times 1.54 \times 10^2 = 0.076$ rem Whole Body Dose = $0.02 \times 10^{-5} \times 1.3 \times \frac{5664}{3} \times 86 = 0.042$ rem

TOTALS (Fission Products + Pu-239)

For RCT-2:

Bone Dose = 0.043 + 0.093 = 0.136 rem RBM Dose = 0.017 + 0.016 = 0.033 rem Whole Body Dose = 0.009 + 0.008 = 0.017 rem

For the Artillery Group:

Bone Dose = 0.132 + 0.447 = 0.579 rem RBM Dose = 0.052 + 0.076 = 0.128 rem Whole Body Dose = 0.026 + 0.042 = 0.068 rem

^{*}Radiological decay is insignificant during occupation period.

~

APPENDIX E

CALCULATION OF DOSE FROM INTERNAL EMITTERS (INGESTED FISSION PRODUCTS AND UNFISSIONED PLUTONIUM IN DRINKING WATER) NAGASAKI

The maximum fallout measured in the Nagasaki area centered around the Nishiyama reservoir, one of four reservoirs that served the city. In Appendix D, the surface activity $(\mu Ci/m^2)$ of each significant radionuclide at the point of maximum intensity in the fallout field was calculated for the time of occupation troop arrival. Assuming the same surface activity on the reservoir and subsequently mixed uniformly throughout (no settling or filtration of insoluble components) the concentration (C₀) of each radionuclide in the reservoir would be:

$$= \frac{SA(\mu_Ci/m^2) \times Surface Area of Reservoir (m^2)}{Capacity of Reservoir (m^3)}$$

According to reference 13, the surface area of the reservoir (full) is 1.39 x $10^{5}m^{2}$, and its effective capacity is 3.88 x 10^{8} gal or 1.47 x $10^{6}m^{3}$.

In order to consider the contribution from the surface activity that may have washed into the reservoir from the adjacent watershed, the concentration is adjusted by the ratio of the size of the catchment area $(4.59 \times 10^6 \text{m}^2)^8$ to that of surface area of the reservoir and the use of runoff coefficient for similar terrain (0.35). Since the size of the catchment area is slightly larger than that defined by the 0.555 mR/hr contour in Figure 3, which is approximately half the activity level assumed above for direct deposition on the reservoir, the adjustment factor (A) is divided by 2 as follows:

$$A = \frac{\text{Catchment Area (m2) x 0.35}}{\text{Area of Reservoir (m2) x 2}}$$
$$= \frac{4.59 \times 10^{6} \times 0.35}{1.39 \times 10^{5} \times 2}$$
$$= 5.78$$

Assuming a water consumption rate of 2 liters $(2 \times 10^{-3} \text{m}^3)$ per day, the activity of each radionuclide ingested during the occupation period is calculated from the following expression:

$$Q = DR \times A \times C_{o} \int_{0}^{t} e^{-\lambda t} dt$$

$$= \frac{DR \times A \times C_{o}}{\lambda} (1 - e^{-\lambda t} f)$$
where
$$Q = Activity \text{ ingested } (\mu \text{ Ci})$$

$$DR = Drinking \text{ rate } (m^{3}/day)$$

$$A = Adjustment \text{ factor}$$

$$C_{o} = Activity \text{ concentration at time of arrival}$$

 λ = Radiological Decay Constant (days-¹)

 t_f = Duration of exposure (days)

After the quantity of each radionuclide ingested has been determined, the 50-year dose commitment resulting therefrom is calculated as follows:

 $D = Q \times DF \text{ (organ of interest)}$ where: D = 50 -year dose commitment (rem) $Q \text{ Quantity ingested (} \mu \text{ Ci)}$ $DF = \text{Dose Factor (rem/ } \mu \text{ Ci ingested)}$

ISOTOPE	SA	с _о	Q	DF (Bone)	D (Bone)	DF (RBM)	D (RBM)	DF (W hole Body)	D (W hol e Body)
Sr-89	12. 22	1.16	9.64 ,-)]	- 1.33E-02	1.28E-02	5.23E-03	0.50E-02	1.80E-03	0.17E-02
Sr-90	0. 13	0.012	4.02E-02	1.2	4.82E-02	0.43	1.73E-02	9.45E-02	0.38E-02
Y- 90	0. 13	0.012	4.02E-02	1.61 E-06	*	6.94E-07	*	5.07E-04	*
Y- 91	15.89	1.50	1.42	2.45E-05	*	1.15E-05	×	4.37E-04	0.06E-02
Zr-95	28.66	2.71	2.82	3.53E-04	0.09E-02	6.62E-04	0.19E-02	5.45E-04	0.15E-02
Nb-95	21. 19	2.00	2.08	3.51E-04	0.07E-02	6.74E-04	0.14E-02	5.04E-04	0.10E-02
Ru- 103	48. 89	4.62	3.05	3.75E-04	0.11 E-02	6.52E-04	0.20E-02	5.29E-04	0.16E-02
Ru- 106	7.23	0.68	1. 75	8.12E-03	1.42E-02	8.31E-03	1.45E-02	5.94E-03	1.04E-02
Rh- 103m	48. 89	4.62	3.04	2.30E-08	×	4.05E-08	×	8.96E-07	*
Rh- 106	7.23	0.68	1. 75	1.07E-08	*	1.86E-08	×	1.89E-07	*
Te- 127m	0. 41	0. 039	5.83E-02	2.44E-03	O.01E-02	2.59E-03	0.02E-02	7.60E-04	*
Te- 127	0. 41	0. 039	5.83E-02	1.60E-05	*	7.48E-05	×	5.34E-05	*
Te- 129m	2.66	0. 25	1.43E-01	1.89E-03	0.03E-02	1.34E-03	0.02E-02	1.29E-03	0.02E-02
Te- 129	1.67	0. 16	8.85E-02	2.15E-06	*	6.64E-06	×	1.73E-05	*
I-131	6. 31	0.60	7.95E-02	3.59E-04	×	2.94E-04	×	9.08E-04	*
Cs- 136	0.64	0.06	1.38E-02	1.01E-02	0.01E-02	1.20E-02	0.02E-02	9.05E-03	0.01 E-02
cs- 137	0.37	0. 035	1.16E-01	6.82E-02	0.79E-02	7.38E-02	0.86E-02	4.91E-02	0.57E-02
Ba- 137m	0. 35	0. 033	1.16E-01	1.61E-07	*	2.93E-07	*	5.12E-07	*
Da- 140	22. 29	2. 11	4.49E-01	1.36E-03	0.06E-02	1.34E-03	0.06E-02	1.11E-03	0.05E-02
La- 140	25. 55	2.42	5.14E-01	3.52E-04	0.02E-02	1.02E-03	0.05E-02	1.04E-03	0.05E-02
Ce- 141	41. 59	3. 93	2.14	4.06E-05	×	1.22E-04	0.03E-02	1.72E-04	0.04E-02
Ce- 144	7.37	0.70	1.66	2.10E-04	0.03E-02	1.37E-04	0.02E-02	1.00E-03	0.16E-02
Pr- 143	22.11	2.09	4.73E-01	2.31E-06	*	7.08E-07	×	2.16E-04	0.01E-02
Pr- 144	7.37	0.70	1.66	5.61E-08	*	1.19E-07	*	6.84E-06	*
Nd- 147	6.72	0.64	1.13E-01	5.71E-05	*	1.81E-04	*	2.69E-04	×
Pu- 239	0. 02	0. 002	6.32E-03	5.7E-01	0.36E-02	9.55E-02	0.06E-02	4.82E-02	0.03E-02
Totals					√0.09 ren	1	S0. 05 rern		SO.03 rem

For the 2d Marine Division ($t_f = 327 - 38 = 289$ days):

*Less than 1E-04

Similarly for the other major units with different periods of exposure, the doses are as follows:

For the RCT-2 ($t_f = 95 - 46 = 49$ days): D
D
(Bone)
(RBM)
(Who: Body) 0.02 rem 0.01 rem
(Who: Body) 0.01 rem For the Artillery Group ($t_f = 321 - 85 = 236$ days):

D	D	D
(Bone)	<u>(RBM)</u>	<u>(W</u> hole Body)
♪ 0.07 rem	√0.04 rem	√0.02 rem

DEPARTMENT OF DEFENSE Arned Forces Institute of Pathology ATTN. Radiation Pathology Br ATTN: Director Armed Forces Radiobiology Rsch Institute ATTN: Director Assistant Secretary of Defense Public Affairs ATTN. ASD, PA Assistant Secretary of Defense Health Affairs ATTN: ASD, HA Assistant Secretary of Defense Legislative Affairs ATTN: ASD, LA Assistant to the Secretary of Defense Atonic Energy ATTN' Executive Assistant Defense Nuclear Agency ATIN: Director ATTN: PAO ATTN: STNA ATTN: STSP ATTN: GC ATTN: BA ATTN: RAFE 4 cy ATTN: NATD 54 cy ATTN: TITL Defense Technical Information Center 12 cy ATTN: DD Deputy Asst Secretary of Defense Energy, Environment & Safety ATTN: DASD, EE&S Field Command Defense Nuclear Agency ATTN: FCPR ATTN, FCTMDT J. Strode ATTN. FCTMDT Field Command Defense Nuclear Agency Livermore Branch ATTN: FCPRL Field Command Defense Nuclear Agency ATTN · FCPRA Inter-service Nuclear Weapons School ATTN. TTV Undersecretary of Def Rsch & Engrg ATTN: DUSDRE, Rsch & Adv Tech

DEPARTMENT OF THE ARMY Headauarters Department of the Army ATTN. DACS-DNC. D. Way Harry Diamond Laboratories Department of the Army ATTN: DELHD-I-TL Office of the Chief of Staff Department of the Army ATTN DACS-DMZ-A, T. Green U.S. Army Ballistic Research Labs ATTN: DRDAR-BLB, J. Maloney U.S Army Medical Rsch & Dev Gnd ATTN. SGRD-SD U.S. Army Nuclear ii Chemical Agency ATTN. C. Davidson U.S. Army Ordnance & Chemical Center and School ATTN: H Whitten Walter Reed Army Medical Center ATTN Library DEPARTMENT OF THE NAVY Bureau of Medicine and Surgery Department of the Navy ATTN: NM&5-3C22 ATTN: NM8S-00 ATTN: NM8S-09 National Naval Medical Center ATIN: Dept of Radiology ATIN: Medical Library Naval Medical Rsch Institute ATTN Tech Ref Library Naval Ocean Systems Center ATTN Research Library Naval Sea Systems Command ATTN. SFA-08, M Miles Naval Surface Weapons Center ATTN: Code F31, D. Levine Naval Weapons Evaluation Facility ATTN: G. Binns Navy Nuclear Test Personnel Review 5 cy ATTN: J. Buckley DEPARTMENT OF THE AIR FORCE Aerospace Medical Division Air Force Systems Connand ATTN: Library SCL-4

DEPARIMENT OF THE AIR FORCE (Continued) Air Force Institute of Technology ATIN: ENT, J. Bridgenann ATIN: Library Air Force Nuclear Test Personnel Review 4 cy ATTN P. Fallon Air Force School of Aerospace Medicine ATTN J. Pickering Air Force Weapons Laboratory Air Force Systems Command ATTN: NT ATTN SUL ATTN. DYT Headquarters Air University Department of the Air Force ATTN: Technical Library HQ USAF/SG ATTN M Chesney U.S. Air Force Occupational & Env Health Lab ATTN: CC 4 cy ATTN: TSNIPR DEPARTMENT OF ENERGY Department of Energy Nevada Operations Office ATIN. L. O'Neal ATIN B. Church Department of Energy ATTN: OMA, G. Facer Department of Energy Human Health & Assessments Division, EV-31 ATTN: C. Edington, EV-31 ATTN. N. Barr, EV-32 ATTN: J. Maher, EV-23 ATTN. J. Blair, EV-32 ATTN: Technical Info Ctr, E-201 ATTN: H Hollister, EV-4 ATTN: H Hollister, EV-4 ATTN: J. Whitnah, EV-50 ATTN. J. Viren, EV-32 ATTN. R. Clusen, EV-1 ATTN: B. Wachholz, EV-30 ATTN W Burr, EV-2 ATTN. J. Thiesen, EV-32 2 cy ATTN: W Weyzen, EV-31 OTHER GOVERNMENT AGENCIES Comm for U.S. Vet of Hiroshina & Nagasaki ATTN: N. Soloman Cancer Center, NIH ATTN: A. Knudson Centers for Disease Control ATTN: Consolidated Surveillance ATTN: K. Chol 2 cy ATTN: G. Caldwell

Central Intelligence Agency ATTN. OMS, P. Zranka Department of Connerce ATTN: J. Hubell Department of Health & Human Services ATTN: Ofc of Regulation Review Department of Health & Human Svcs ATTN. R. Murphy Dept of Health & Human Services ATTN: G. Johnson/HFX-4 ATTN: J. Villforth/HFX-1 Environment Protection Agency ATTN: T. Thorslund, RD-689 Environmental Protection Agency Human Studies Laboratory ATTN. J. Knelson Environmental Protection Agency Criteria & Standards Division For Radiation Programs ATIN. N. Nelson, ANR-460 ATIN. W. Ellett, ANR-460 ATIN. W. Mills, ANR-460 ATTN. D. Rosendaum, ANR-458 Federal Energency Management Agency ATTN: Emerg Oper Sys Div, J. Kerr Library of Congress ATTN: Science & Technology D1V National Cancer Institute, NIH Clinical Epidemiology Branch ATTN: R. Miller ATTN: G. Beebe National Cancer Institute. NIH Environmental Epidemiology Branch ATTN: W Blot ATTN: J. Fraument ATTN: C. Land National Cancer Institute, NIH Mathematical Statistics & Applied Math Sec ATTN: J. Gart National Cancer Institute, NIH Laboratory of Pathology ATTN. A. Rabson National Eye Institute, NIH Office of Biometry & Epidemiology ATIN. D. Seigel ATIN R. Milton National Institutes of Health ATTN: Library, Acquisition Unit National Library of Medicine, NIH ATTN: Library

OTHER GOVERNMENT AGENCIES (Continued)

National Veterans Law Center ATTN: L. Milford

OTHER GOVERNMENT AGENCIES (Continued) Nat.1 Heart, Lung & Blood Institute, NIH ATTN: W Zukel Office on Snoking & Health ATTN. J. Pinney State Department of Public Health Bureau of Chronic Diseases ATIN: R. Paffenberger Office of Technology Assessment ATTN. P. Sharfman U.S. House of Representatives Committee on Armed Services ATTN: Subcommittee on Mil Per & Comp U.S. House of Representatives Committee on Interstate & Foreign Commerce ATTN. Subcommittee on Health & EnvirU.S Public Health Service Bureau of Radiological Health ATTN: Library U.S. Public Health Service Hospital Department of Pathology ATTN: E. Nishimura U.S. Public Health Service Hospital Associate Director for Research ATTN: T. Robertson U.S. Senate Committee on Armed Services ATTN. C. Cowart U.S. Senate Connittee on Veterans Affairs ATTN. W Brew U.S. Senate Committee on Government Affairs ATTN. S. Ulm Veterans Admin Medical Center CSPCC ATTN: K. Lee Veterans Admin Medical Center ATTN: D. McGregor Veterans Admin Medical Center 0]1n F. Teague Veterans Center Laboratory Service ATIN: C. Tessner Veterans Admin Wadsworth Hospital Ctr GRECC ATTN: T. Makinodan Veterans Administration ATTN: J. Donsbach ATTN: L. Hobson ATTN: F. Kuta 2 cy ATTN: D. Starbuck The White House ATTN: Ofc of Policy Dev, DP

DEPARTMENT OF ENERGY CONTRACTORS Argonne National Laboratory ATTN: P. Failla ATTN: A. Brues ATTN: D. Grahn Brookhaven National Laboratory ATTN: Technical Laboratory ATTN: Technical Library ATTN: V. Bond ATTN: E. Cronkite ATTN: M Bender Brookhaven National Laboratory Technical Support Org for Safeguards ATTN: A. Brill ATTN: V. Bond ATTN: M Bender Lawrence Livernore National Lab ATTN: Y NG ATTN: Technical Info Dept Library ATTN: L. Anspaugh ATTN: Biomedical Div/Info Intergration Gp Los Alamos National Scientific Lab ATTN: Library ATIN: Library ATIN: P. Whalen ATIN: M/S632, T. Dowler ATIN: J. Dummer 2 cy ATIN: D. Harris, E. Young Oak **Ridge National Laboratory** Nuclear Division ATTN: C. **Richmond** ATTN: G. **K**err ATTN: X-10 Lab Records DIV ATTN: J. Auxier ATTN: Central Rsch Library ATTN: C. Clifford ATTN: F. Matenshun ATTN: J. Stover Oak Ridge National Laboratory Health Physics Division ATTN: T. Jones Oak Ridge Operations Office ATTN: Library Sandia National Lab ATTN: D. Aldridge ATTN: S. Durpee DEPARTMENT OF DEFENSE CONTRACTORS Advanced Research & Applications Corp ATTN: R. Armistead University of Alabama School of Medicine ATTN: Library University of Alabama School of Dentistry ATTN: L. Manson-Hing Albany Med (0]] of Union Med Ctr HOSP ATTN: Library

DEPARTMENT	OF	DEFENSE	CONTRACTORS	(Continued)
Yeshiva Un ATTN.	IVA L	lbert [] ibrary	nstein Coll	of Med
University ATTN	of / L	Arızona ibrary		
Uni versi ty ATIN:	of L	Arkansas Ibrary		
University Serials De ATTN.	of epart L	Arkansas ment ibrary f	or Serials	Dept
Baylor Coll ATTN:	lege I	of Medi Library	cine	
BDM Corp ATTN	J	- Braddo	ck	
Boston Uni ATTN	vers L	ity ibrary		
Bownan Gray ATTN	Scł L	ı of Med ibrary	of Wake For	est Univ
Brown Univ ATTN	Pro L	gram 1n ibrary	Medicine	
Univ of CA ATTN.	Sch N	i of Med 11 Shimki	at San Dieg o n	
ATTN:	at L.	Los Ange Breslo	tes W	
ATTN:	E.	Lewis	i iecimorogy	
ATTN	L L L	ibrary	IA	
Lab of Nuc ATTN:	lear l	Medicin Library	e	
Univ of Ca ATTN:	lıfo I	rnia, Sa Library	n Diego	
Univ of Ca ATTN:	lifo M	rnia, Sa [Klaube	n Diego er	
Univ of Ca ATTN:	difa 1	ornia, Sa Library	n Franci <i>s</i> co	
Uni versi ty ATTN: ATTN:	of W W	Californ Dixon Valent	ia ine	
Uni versi ty ATTN:	of I	Californ Public Ha	ia alth Library	,
Uni versi ty Center for ATTN:	of the Li	Californ Health ibrary	ia Sciences	
University ATTN: ATTN:	of Li	Californ Library brary fo	ia r Govt DOC	Dept

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) University of California Department of Zoology ATTN. C. Stern University of California Cancer Research Institute ATTN: [], Wood University of California, Davis School of Medicine ATTN. Library University of California, Irvine College of Medicine ATTN: Library Carnegie Institution of Washington ATTN: J. Ebert Case Western Reserve Univ ATTN: Library Medical School of Chicago ATTN: Library University of Chicago ATIN: P. Meier Univ of Cincinnati Medical College ATTN: C. Buncher University of Cincinnati ATTN: Library University Hospital of Cleveland ATTN: A. Tucker Colorado State University Department of Radiology & Radiation Biology ATTN. M Zelle University **of Colorado** ATTN: Library Columbia University ATTN: A. Bloom ATTN. Library Columbia University School of Public Health ATTN: Div of Blostatistics University of Connecticut ATTN. Library Cooper Medical Center ATTN: S. Finch Cornell Univ Medical College ATTN. Library Cornell University ATTN: W Federer Creighton University ATTN: Library

DEPARIMENT OF DEFENSE CONTRACTORS (Continued)
Dartnouth Medical School ATTN: Library
Dept of Biological Sciences at CA St Univ, Chico ATTN: M Anthony
Duke Univ School of Medicine ATTN: Library
Eastern Virginia Medical School ATTN: Library
Enery Univ School of Medicine ATTN: Library
Energy Systems, Inc ATTN. B. Ogle
University of Florida ATTN. Director of Libraries, Regional
General Electric Company ATTN. Mgr, Biology Operations
Georgetown University ATTN: Library
Medical College of Georgia ATTN: Library
Medical College of Georgia Department of Pathology ATTN . L. Stoddard
Gerontology Research Center ATTN: N. Shock
Geo. Washington Univ, Sch of Med & Health Science ATTN: Himmelfaoab Health Sciences Library
Wihnenann Med College ^{&} Hosp ATTN: Library
Harvard Medical School ATTN: Library
Harvard School of Public Health Department of Biostatistics ATTN: R Reed ATTN. Library
Harvard School of Public Health Depart;;;; of Epideniology . B. Micnahon
Harvard University Department of Atmospheric Sciences ATTN: W Cochran
University of Hawaii ATIN: Library
University of Hawaii School of-Public Health ATTN: Y. Matsumoto
University of Hawall ATTN: Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) Hollywood Presbyterian Hospital ATTN: J. Yamazaki City of Hope Medical Center ATTN: R. Yonemoto University Hospital ATIN: P. Leinfelder University of Illinois ATTN: Library Indiana University ATIN: Library Indiana University Department of Biology ATIN: F. Putnam Iowa State University ATTN: T. Bancroft University of Iowa ATIN. Library JAYCOR ATTN: J. Ozeroff JAYCOR ATTN: J. Sperling JAYCOR ATTN: E. Weary Thomas Jefferson Univ, Medical College ATTN: Library Johns Hopkins Hospital ATTN: R. Heyssel Johns Hopkins University ATTN: Library Johns Hopkins University School of Hygiene & Public Health ATTN: R. Seltser ATTN: A. Kinball ATTN: A. Lillenfield JRB Associates ATTN: J. Novotney Kanan- TEMPO 3 cy ATTN. E. Martin Kanan- TEMPO ATTN: W Al fonte Univ of Kansas Coll of Health Sci & Hosp ATTN: Library Univ of Kentucky Medical Center ATTN: J. Hollingworth University of Kentucky ATTN: Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) Kingston Hospital ATTN. K. Johnson Kansas State U of Agric & App Science ATTN. H Fryer LOUISIANA State U Sch of Med, New Orleans ATTN. Library LOUISIANA State U Sch of Med, Shreveport ATTN · Library Loma Linda University ATTN: Library University of Louisville ATTN: Library Lovelace Biomedical & Environment Rsch Inst, Inc ATTN: R. Cuddihy Loyola Univ of Chicago ATTN: Library University of Maryland ATTN: Library University of Massachusetts ATTN. Library Mayo Medical School ATTN. Library Meharry Medical College ATTN. Library Menorial Hosp for Cancer & Allied Diseases ATTN P. Lieberman Memorial Sloan-Kettering Cancer Center ATTN. J. Laughlin ATTN. P. Marks Merck, Shapp & Dohme Intl ATTN: A. Bearn Univ of Mami ATTN. Library University of Mami ATTN: P. Hodes University of Michigan Medical School ATTN. J. Neel Michigan State Univ ATTN: Library University of Michigan ATTN Library University of Michigan Department of Blostatistics ATTN. R. Cornell University of Michigan School of Public Health ATTN F. Moore

University of Minnesota ATTN: Library University of Minnesota Medical School - Minneapolis ATTN. Library University of Minnesota School of Public Health ATTN: Library ATTN: L. Schuman ATTN: J. Bearman University of Mississippi ATTN: Library University of Missouri ATTN: Library University of Missouri Kansas City School of Medicine ATTN: Library Mount Sinal School of Medicine ATTN. Library National Academy of Sciences ATTN: S. Jablon 7 cy ATTN: C. Robinette National Assoc of Atomic Veterans, Inc ATTN: 0. Kellv Nat] Council on Rad Prot & Measurements ATTN: W Sinclair Univ of North Carolina ATTN: Library University of Nebraska ATTN: Library University of Nevada, Reno ATTN. Library College of Med & Dentistry, New Jersey ATTN: Library University of New Mexico ATTN: C. Key ATTN: R. Anderson University of New Mexico ATTN: Library New York Medical College ATTN: Library New York Univ Medical Center ATTN: N. Nelson New York University ATTN: B. Posternack ATTN: A. Upton ATTN: Library State Univ of New York ATTN. Library

DEPARIMENT OF DEFENSE CONTRACTORS (Continued)

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) State Univ of New York Upstate Medical Center ATTN: Library Newton-Wellesley Hospital ATIN: R. Sampson College of Medicine & Dentistry, NJ ATTN: Library University of North Carolina ATTN. Library for Dean ATTN: B. Greenberg University of North Dakota ATTN: Library Northwestern Medical School ATTN: Library Northwestern University ATTN: H Cenber St Univ of NY at Buffalo, Sch of Med ATTN: Library St Univ of NY, Stony Brook ATTN Library Oak Ridge Associated Univ ATTN: M Garber Oak Ridge Associated Universities ATTN: E. Tompkins ATTN: J. Totter ATTN: D. Lushbaugh Medical College of OH at Toledo ATTN: Library Ohio State University ATTN: Library University of Oklahoma ATTN: Library University of Oklahoma ATTN: P. Anderson Univ of OR HSC, Sch of Med ATTN: Library Oregon State University ATTN: Library University of Oregon ATTN: B. Pirofsky Medical College Of PA ATTN: Library Hosp of Univ of PA, Dept of Radiology ATTN S. Baum Pacific Northwest Laboratory ATTN: S. Marks

Pacific-Sierra Research Corp ATTN: H Brode

Pan American Health Organization ATTN: Library Pennsylvania State University College of Medicine ATTN: Library University of Pennsylvania School of Medicine ATTN: P. Nowell University of Pennsylvania School of Medicine ATTN: Library Univ of Pittsburgh Graduate School of Public Health ATTN: E. Radford ATTN: Library University of Pittsburgh Alan Magee Scalfe Hall of the Health Professions ATTN: Library University of Pittsburgh Graduate School of Public Health ATTN: N. Wald Purdue University Department of Statistics ATTN: V. Anderson R & D Associates ATTN: J. Marcum ATTN: P. Haas Radiation Research Associates, Inc. ATTN: N. Schaeffer Rand Corp ATTN: Library Reynolds Electrical and Engr Co, Inc ATTN: W Brady Univ of Rochester Medical Center ATTN: G. Casarett ATTN: C. Odoroff University of Rochester School of Medicine & Dentistry ATTN: Library University of Rochester Department of Radiology ATTN: L. Henpelmann Rush Univ, Rush Medical College ATTN: Library Saint Francis Hospital ATTN: R. Blaisdell Saint Louis University ATTN: Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) Univ of SC, Medical ATTN: Library Science Applications, Inc. ATTN: E. Straker ATTN: G. Reynolds ATTN: w. Scott ATTN: W Woolson Science Applications, Inc Science Applications, Inc ATTN: J. Cockayne ATTN. J. Klemm ATTN J. Goetz 5 cy ATTN. W McRaney 5 cy ATTN: J. McGahan Science Applications, Inc Chicago Office ATTN. D. Kaul Scientific Information SVCS, Inc ATTN. Library Shields Warren Radiation Lab ATTN: H Kohn University of South Alabana ATTN: Library University of South Carolina, Medical ATTN. P. Liu University of South Dakota ATTN: Library University of South Florida ATTN. Library University of Southern California ATTN. Library University of Southern California ATTN J. Burren Southern Illinois University ATTN: Library Stanford Univ Medical Center ATTN: J. Brown Stanford University ATTN: Div of Gastro Enterology, P. Gregory ATTN Dept of Prev Med, B. Brown ATTN Library Stanford University ATTN L. Moses Stanford University Hospital ATTN. D. Dorfman Tech Reps, Inc ATTN B. Collins Temple University ATTN Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) University of Tennessee ATIN. Library Texas A & M University ATTN. R. Stone Univ of Texas at Austin ATTN: H Sutton Texas Tech University ATTN: Library University of Texas Southwestern Medical School ATTN: Library University of Texas Medical Branch at Galveston ATTN: Library University of Texas Health Science Center at Houston ATTN: Library University of Texas Health Science Center at San Antonio ATTN: Library University of Texas School of Public Health ATTN: R. Stallones University of Texas Systems Cancer Center ATTN. w. Sutow University of Texas Graduate School of Biomedical Sciences ATTN G. Taylor Tobacco Institute, Inc ATTN: M Kastenbaum Tufts Univ Sch of Medicine ATTN. Library Tulane University ATTN: Library UCLA Medical Center ATTN: J. Lawrence University of Utah College of Medicine ATTN Library University of Utah Serials Order Department ATTN: Library Vanderbilt University School of Medicine ATTN. Library Vanderbilt University Dept of Preventive Medicine & Public Health ATTN R. Quinn

DEPARTMENT OF DEFENSE CONTRACTORS (Continued) University of Vernont ATIN: Library Medical College of Virginia ATTN. Library University of Virginia ATTN: Library Washington University ATTN: Library Washington University Serials Department ATTN: Library University of Washington School of Medicine ATTN Library University of Washington School of Public Health & Community Medicine ATTN: D. Thompson University of Washington School of Medicine ATTN: A. Motul sky Wayne State University ATTN: Library West Virginia University ATTN. Library Univ of Wisconsin Medical School ATTN: Library Medical College of Wisconsin ATIN: Library University of Wisconsin ATTN: J. Crow Yale University ATTN: Library for Dean ATTN: Dept of Internal Med, G. Burrow ATTN: R. Barliner Yale University Library ATTN: Library

DEPARIMENT OF DEFENSE CONTRACTORS (Continued) Yale University Sch of Medicine Department of Epideniology & Public Health ATTN: Library ATTN: J. Meigs FORIEGN AGENCIES Canadian Enbassy ATTN: Library EDF - RETN 1 C/O French Engr Bureau ATTN: Library Indian Council of Medical Rsch ATTN. A. Taskar Japan-Hawaii Cancer Study ATTN: G. Glober Maurice Delpla ATTN: M Delpla McGill University ATTN: R. Oseasohn Presidente Umberto Colombo ATTN: Library University of Puerto Rico Sch of Medicine ATTN: Library United Kingdom Scientific Mission ATTN: Publications, for MRC, SO 128